

DOOR TYPES

DOOR TYPE 1
SINGLE OR DOUBLE, STAINED, SOLID-CORE WOOD INTERIOR DOOR(S), 1.75" THICK, IN A HOLLOW METAL FRAME

DOOR TYPE 2
SINGLE OR DOUBLE, EXTERIOR FLUSH METAL DOOR(S), IN A HOLLOW METAL FRAME

DOOR TYPE 4
STAINED, SOLID-CORE WOOD "DUTCH" DOOR WITH A WELDED HOLLOW METAL FRAME. ON THE BOTTOM DOOR LEAF, INSTALL A 12" DEEP SHELF EXTENDING THE FULL WIDTH AND CENTERED ON THE DOOR FROM FRONT TO BACK. DOORS ARE TO BE EQUIPPED WITH HARDWARE TO SECURE THE UPPER DOOR LEAF TO THE LOWER DOOR LEAF. THE BOTTOM DOOR LEAF WILL HAVE SPRING-TYPE, AUTOMATIC-CLOSING HINGES. TOP HALF OF "DUTCH" DOOR SHALL HAVE DEADBOLT LOCK INSTALLED.

HARDWARE TYPES - (SEE ALSO SPECIFICATION MANUAL)

TYPE 1 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 MORTISED LATCH-SET, COMMERCIAL GRADE, AND 1 DOORSTOP

TYPE 2 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 MORTISED LOCK-SET, COMMERCIAL GRADE, AND 1 DOORSTOP

TYPE 3 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 PUSH-BUTTON LOCK-SET, (SIMPLEX L1000 - LEVER WITH SARGENT 5 PIN CORE, ANTIQUE BRASS 05 (609) CIPHER LOCK), A CLOSER WITH HOLD-OPEN CAPABILITY AND 1 DOOR STOP.

TYPE 6 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 PRIVACY LOCK-SET, COMMERCIAL GRADE, AND 1 DOOR STOP.

TYPE 7 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, PUSH/PULL PLATES, COMMERCIAL GRADE, KICK PLATE, CLOSER WITH HOLD-OPEN CAPABILITY, AND 1 DOORSTOP


Door Hardware Notes:

Door closer will be installed as required by applicable code.


Lock cylinders shall have a five-pin tumbler with paracentric keyway.

Lock-sets shall be Grade 1 by ANSI Standards.

The lessor shall coordinate keying with the local MEPS. A grand master key is NOT required.



4 DOOR GLAZING DETAIL
6" = 1'-0"




5 DUTCH DOOR SHELF DETAIL
3" = 1'-0"

THIS DOOR SCHEDULE IS FOR DOORS THAT WILL HAVE DOOR SLABS REPLACED AND EXISTING FRAMES TO REMAIN IN PLACE. HARDWARE ON THESE DOORS TO BE REPLACED AS FOLLOWS: REPLACE HANDLE, LOCKSET AND STRIKE PLATE. HINGES TO BE REUSED IF OPERATIONAL. FRAME TO BE LEFT IN PLACE. NEW DOOR SLAB PREP FOR EXISTING HINGE AND NEW LOCK SET. NEW DOOR SLAB FINISH TO MATCH THE CURRENT EXISTING DOOR IN THE CEREMONY ROOM #307.

DOOR SCHEDULE table with columns: DOOR NO., TYPE, SIZE (WIDTH, HEIGHT, THICKNESS), MATERIAL, FINISH, INSULATED, TYPE, MATERIAL, THRESHOLD, HEAD, JAMB, SILL, CLOSER, PRE-RATING (MINUTES), GENERAL. Includes rows for door types 1, 2, 4, 6, 7 with various specifications and hardware types.

2 DOOR SCHEDULE (DOOR CHANGE ONLY - LEAVE EXISTING FRAME)




DOOR SCHEDULE table with columns: DOOR NO., TYPE, SIZE (WIDTH, HEIGHT, THICKNESS), MATERIAL, FINISH, INSULATED, TYPE, MATERIAL, THRESHOLD, HEAD, JAMB, SILL, CLOSER, PRE-RATING (MINUTES), GENERAL. Includes rows for door types 1, 2, 4, 6, 7 with various specifications and hardware types.


1 DOOR SCHEDULE (MEDICAL)

DOOR NOTES:
1.) ALL LOCK CORES TO BE KEYED PER OWNERS STANDARD. G.C. TO CONFIRM WITH OWNER

WINDOW SCHEDULE table with columns: KEY, ACTION, ROUGH * OPENING (WxH) VIF, R.O.D. HEAD HEIGHT FROM SUB FLOOR, HEAD, JAMB, SILL, MATERIAL, FINISH, REMARKS. Includes row A P 3'-4\" X 3'-10\" with material AL and finish CLR.



3 WINDOW SCHEDULE



© 2014 RYAN SENATORE ARCHITECTURE

MEPS
510 CONGRESS STREET
PORTLAND, MAINE



RYAN SENATORE ARCHITECTURE
565 CONGRESS STREET SUITE 304
PORTLAND, MAINE 04101
207-650-6414
senatorsarchitecture.com

CONSULTANTS:

REVISIONS:

DATE: OCTOBER 30, 2014

PROJECT No.

DRAWN BY: RRT / RJS

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE: DOOR AND WINDOW SCHEDULE