Inspection Division
Date: 10/31/14

DOOR TYPES

DOOR TYPE 1
SINGLE OR DOUBLE, STAINED, SOLID-CORE WOOD INTERIOR DOOR(S), 1.75" THICK, IN A HOLLOW METAL FRAME

DOOR TYPE 2
SINGLE OR DOUBLE, EXTERIOR FLUSH METAL DOOR(S), IN A HOLLOW METAL FRAME

DOOR TYPE 4
STAINED, SOLID-CORE WOOD "DUTCH" DOOR WITH A WELDED HOLLOW METAL FRAME. ON THE BOTTOM DOOR LEAF, INSTALL A 12" DEEP SHELF EXTENDING THE FULL WIDTH AND CENTERED ON THE DOOR FROM FRONT TO BACK. DOORS ARE TO BE EQUIPPED WITH HARDWARE TO SECURE THE UPPER DOOR LEAF TO THE LOWER DOOR LEAF. THE BOTTOM DOOR LEAF WILL HAVE SPRING-TYPE, AUTOMATIC-CLOSING HINGES. TOP HALF OF "DUTCH" DOOR SHALL HAVE DEADBOLT LOCK INSTALLED.

HARDWARE TYPES - (SEE ALSO SPECIFICATION MANUAL)

TYPE 1 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 MORTISED LATCH-SET, COMMERCIAL GRADE, AND 1 DOORSTOP

TYPE 2 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 MORTISED LOCK-SET, COMMERCIAL GRADE, AND 1 DOORSTOP

TYPE 3 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 PUSH-BUTTON LOCK-SET, (SIMPLEX L1000 - LEVER WITH SARGENT 5 PIN CORE, ANTIQUE BRASS 05 (609) CIPHER LOCK), A CLOSER WITH HOLD-OPEN CAPABILITY AND 1 DOOR STOP.

TYPE 6 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, 1 PRIVACY LOCK-SET, COMMERCIAL GRADE, AND 1 DOOR STOP.

TYPE 7 HARDWARE
DOOR EQUIPPED WITH 3 BUTT HINGES, PUSH/PULL PLATES, COMMERCIAL GRADE, KICK PLATE, CLOSER WITH HOLD-OPEN CAPABILITY, AND 1 DOORSTOP

Door Hardware Notes:

Door closer will be installed as required by applicable code.

Lock cylinders shall have a five-pin tumbler with paracentric keyway.

Lock-sets shall be Grade 1 by ANSI Standards.

The lessor shall coordinate keying with the local MEPS. A grand master key is NOT required.

4 DOOR GLAZING DETAIL
6" = 1'-0"

5 DUTCH DOOR SHELF DETAIL
3" = 1'-0"

THIS DOOR SCHEDULE IS FOR DOORS THAT WILL HAVE DOOR SLABS REPLACED AND EXISTING FRAMES TO REMAIN IN PLACE. HARDWARE ON THESE DOORS TO BE REPLACED AS FOLLOWS: REPLACE HANDLE, LOCKSET AND STRIKE PLATE. HINGES TO BE REUSED IF OPERATIONAL. FRAME TO BE LEFT IN PLACE. NEW DOOR SLAB PREP FOR EXISTING HINGE AND NEW LOCK SET. NEW DOOR SLAB FINISH TO MATCH THE CURRENT EXISTING DOOR IN THE CEREMONY ROOM #307.

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		REMARKS
001.1	2	VIF.	VIF.	VIF.	STL	PTD	Y	N/A	STL	AL	-	-	-	Y	90 MIN	-	DOUBLE STEEL DOOR ON ELEVATOR - LATCHED
100.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
101.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 3 HARDWARE, CIPHER LOCK
102.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
103.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
104.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
105.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, PLAIN
106.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
107.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
200.1	4	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 3 HARDWARE, CIPHER LOCK
201.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
203.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 3 HARDWARE, CIPHER LOCK
204.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
205.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
206.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
207.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 3 HARDWARE, CIPHER LOCK
300.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
301.1	1-FL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED, TEMPERED GLASS
301.2	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 2 HARDWARE, KEYED
302.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, CIPHER LOCK
303.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, CIPHER LOCK
304.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
305.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
306.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
307.1	1-FL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED, TEMPERED GLASS
308.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
309.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 3 HARDWARE, CIPHER LOCK
310.1	1-NL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, PLAIN, TEMPERED GLASS
311.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
312.1	1-NL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, PLAIN, TEMPERED GLASS
314.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
501.1	4	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 2 HARDWARE, KEYED
501.2	4	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 2 HARDWARE, KEYED
502.1	1-FL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED, TEMPERED GLASS
504.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
505.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
506.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
507.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
508.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
602.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
603.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
604.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
605.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
606.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
606.2	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
701.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
702.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
703.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
704.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
705.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
706.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
707.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
708.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
709.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
800.2	1-DD	VIF.	VIF.	1-3/4"	MTL.	STAIN	N	N/A	-	-	-	-	-	Y	-	-	INSTALL THUMB LATCH ON INTERIOR SIDE OF DOOR
802.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	Y	-	-	TYPE 6 HARDWARE, PRIVACY
901.1	1-FL	VIF.	VIF.	1-3/4"	WD	STAIN	N	N/A	-	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

SCHEDULE KEY
STL - STEEL
WD - WOOD (ALSO MASONITE SEE SPECIFICATION)
FG - FIBERGLASS
AL - ALUMINUM

**FOR TEMPERED GLASS LOCATIONS SEE DOOR ELEVATION TYPES

2 DOOR SCHEDULE (DOOR CHANGE ONLY - LEAVE EXISTING FRAME)

FRAME TYPES

DOOR TYPES

DOOR FRAME NOTES
1.) ALL DOOR FRAMES TO HAVE SILENCERS
2.) MATCH ALL NEW DOOR FINISHES TO EXISTING DOOR IN CEREMONY ROOM #307

1 FRAME TYPES
3/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		REMARKS
202.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 3 HARDWARE, CIPHER LOCK
400.1	1-NL	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED, TEMPERED GLASS
401.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
402.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
403.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
403.2	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
404.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
405.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
406.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
407.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
408.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
409.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
410.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED
411.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 1 HARDWARE, LATCHED
412.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, PLAIN
413.1	4	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	Y	-	-	TYPE 1 HARDWARE, LATCHED - DOOR SWING 180 DEGREES
413.2	4	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	Y	-	-	TYPE 1 HARDWARE, LATCHED
414.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
415.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	Y	-	-	TYPE 7 HARDWARE, PLAIN
416.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
417.1	1	3'-0"	6'-8"	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 6 HARDWARE, PRIVACY
509.1	1	VIF.	VIF.	1-3/4"	WD	STAIN	N	1	MTL	-	-	-	-	N	-	-	TYPE 2 HARDWARE, KEYED

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

SCHEDULE KEY
STL - STEEL
WD - WOOD (ALSO MASONITE SEE SPECIFICATION)
FG - FIBERGLASS
AL - ALUMINUM

1 DOOR SCHEDULE (MEDICAL)

DOOR NOTES:

1.) ALL LOCK CORES TO BE KEYED PER OWNERS STANDARD. G.C. TO CONFIRM WITH OWNER

WINDOW SCHEDULE

KEY	ACTION	ROUGH OPENING (WxH) VIF *	RJ2 HEAD HEIGHT FROM SUB FLOOR	DETAILS			MATERIAL	FINISH	FOR TEMPERED GLASS LOCATIONS SEE WINDOW ELEVATION TYPES REMARKS
				HEAD	JAMB	SILL			
A	P	3'-4" X 3'-10"	-	-	-	-	AL	CLR	FROSTED GLASS, TEMPERED

WINDOW TYPES

A PASS THROUGH

LEGEND:
P = PASS THROUGH

3 WINDOW SCHEDULE

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2014 RYAN SENATORE ARCHITECTURE

MEPS
510 CONGRESS STREET
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
SUITE 304
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: OCTOBER 30, 2014
PROJECT No.
DRAWN BY: RRT / RJS
CHECKED BY: RJS
SCALE: AS NOTED

SHEET TITLE:
DOOR AND WINDOW SCHEDULE

A7-0