

| | | | | | | | | | D | OOK | SCI | HEDU | LE | | | | | | |
|--------------|-----------|--------|--------|---------|------|-----------------|------|-----------------------------|--------|------------------|------------------|---------|---------|------------|----------|------|-----|---------|--|
| Door | | | | | | | | Frame Hrdware Miscellaneous | | | | | | | | | | Remarks | |
| No. | Width | Height | Thick. | Materal | Туре | Finish In | nsul | Material | Туре | Head | Jamb | Thshold | No. Set | Rating | Glazing | Clsr | МНО | Wstrip | |
|)1 | 3'-0" | 6'-8" | 1 3/4" | Wd | A | Pre | | НМ | 1 | 1/A9.1 | 2/A9.1 | A/A9.1 | | 1 Hr | Tempered | Yes | | | Door, frame and electric strike provided by lift manuf. |
| D2 | 3'-0" | 6'-8" | 1 3/4" | Wd | A | Pre | | HM | 1 | 1/A9.1 | 2/A9.1 | A/A9.1 | | 1 Hr | Tempered | Yes | | | Door, frame and electric strike |
| 03 | (2) 3'-0" | | 1 3/4" | Alum | В | Pre | | Alum | 1 | S1/A9.2 | | None | | | Tempered | | Yes | | provided by lift manuf. |
| 04 | 3'-0" | 7'-0" | 1 3/4" | Wd | С | Pre | | НМ | 1 | 3/A9.1 | 2 4/A9.1 | None | | | Tempered | | | | Kickplate |
| 05 | 4'-0" | 7'-0" | 1" | Wd | D | Custom paint | | Wd | 2 | 5/A9.1 | 6/A9.1 | None | | | | | | | www.rwhardware.com Flat Track System #102 Flat Track Hanger Assembly, 8' long track, 0102.00075 |
| 06 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | | | | Remove existing door and frame and |
|)7 | VIF | VIF | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | 1 Hr | | Yes | | | replace with 1 hour rated door and frame |
| 08 | VIF | VIF | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | 1 Hr | | Yes | | | Remove existing door and frame and replace with 1 hour rated door and frame |
| 09 | 3'-0" | 7'-0" | 1 3/4" | Alum | С | Pre Ye | es | Alum | 1/A9.2 | S3/A9.2 | S4/A9. 2 | B/A9.1 | | | Insul | Yes | | Yes | Spandrel panel to be industrial strength |
| 10 | (2) 3'-0" | 7'-0" | 1 3" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | | | | |
| 50 | 3'-0" | 6'-8" | 1 3/4" | Wd | А | Pre | | НМ | 1 | 1/A9.1 | 2/A9.1 | Alum | | 1 HR | Tempered | Yes | | | Door, frame and electric strike provided by lift manuf. |
| 51 | Not Used | | | | | | | | | | | | | | | | | | |
| 52 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | 45 Min | | Yes | | | |
| 53 | Not used | | 4 7/4" | | _ | | | | | 7/1- | 11 | | | 1.5 | | | | | |
| 54 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 3/A9.1 | 4/A9.1 4/A9.1 | None | | 45 Min | | Yes | Yes | | |
| 55 56 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 4/A9.1 | None | | 1 Hr | | Yes | | | Ability to set "Alarm will sound" |
| 57 | 3'-0" | 7'-0" | 1 3/4" | Wd | A | Pre | | HM | 1 | 3/A9.1 | 4/A9.1 | None | | 1 Hr | Tempered | | Yes | | Themety to see That I will seally |
| 58 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | HM | 1 | 3/A9.1 | | None | | 45 Min | | Yes | | | |
| 59 | 3'-0" | 7'-0" | 1 3/4" | Wd | A | Pre | | HM | 1 | 3/A9.1 | 4/A9.1 | None | | 45 Min | Tempered | | | | |
| 60 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | HM | 1 | 3/A9.1 | | None | | | ' | | | | |
| 61 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | 45 Min | | Yes | | | |
| 62 | 3'-0" | 7'-0" | 1 3/4" | Wd | С | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | Tempered | | | | |
| 63 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | , | None | | | | | | | |
| 64 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | HM | 1 | 3/A9.1 | | None | | | | | | | |
| 65 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | | None | | 45 Min | | Yes | | | |
| 66 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | HM | 1 | 3/A9.1 | 4/A9.1 | None | | | | Yes | | | |
| 67 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | Yes | | | |
| 68 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | | | | |
| 69 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | | None | | 1 Hr | | Yes | | | |
| 70 | Not Used | | | | | | | | | | | | | | | | | | |
| 71 | Not Used | | | | | | | | | | | | | | | | | | |
| 72 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | Yes | | | |
| 73 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | Yes | | | |
| 74 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | | | | |
| 75 | (2) 4'-0" | 4'-6" | 1" | Wd | G | Custom paint | | _ | | 7/A9.1 | _ | _ | | | | | | | www.rwhardware.com Flat Track System #102 Flat Track Hanger Assembly, 10' long track, 0102.00075 |
| 76 | 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | | | | | | |
| 77 | (2) 3'-0" | 7'-0" | 1 3/4" | Wd | E | Pre | | НМ | 1 | 3/A9.1 | 4/A9.1 | None | | 45 Min | | Yes | Yes | | Floor mounted MHO |
| 78 | 11'-0" | 3'-6" | _ | MtI | _ | Pre | | STI | | | | | | 45 Min | | | | | Rated fire shutter connected to smoke detectors and sprinkler system |
| 79 | 5'-0" | 4'-6" | 1" | Wd | Н | Custom paint | | _ | | 7/A9.1 | _ | _ | | | | | | | www.rwhardware.com Flat Track System #102 Flat Track Hanger Assembly, 5' long track |
| 80 | (2) 5'-0" | 4'-6" | 1" | Wd | G | Custom paint | | _ | | 7/A9.1 | _ | _ | | | | | | | www.rwhardware.com Flat Track System #102 Flat Track Hanger Assembly, 5' long track |
| 81 | VIF | VIF | 1 3/4" | Wd | E | Pre | | НМ | 1 | | | | | 45 Min | | Yes | | | Install new door in existing concrete block wall to obtain a 45 min rated door and frame |

ABBREVIATIONS

Prefinished Smoke Seal Frame Thick Thickness Weatherstriping

Wood

Aluminum Closer Clsr Existing

Magnetic Hold Open Hollow Metal Hrdware Hardware Insulated

Obscure Glass, Tempered

DayMatero studio

Architecture • Lighting Design


100 Front Street Top Floor Bath Maine US 04530 207.671.6819 info@daymatero.com

Consultants Food Service TJM Consulting

Structural Engineering Casco Bay Engineering

<u>Revisions</u>





Job Number: 09.011 Date: 11.Jun.09 Scale: As Noted

Drawing Title:

Door Schedule and Details

Issue for Permit

Copyright 2009, DayMatero studio LLC