### City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	7/3-736.1	Permit No: 9 81329
Owner Address:	Lessee/Buyer's Name:	Phone:	Busines		PERMIT ISSUED
Contractor Name:	Address: 23 Actue or flat way for	Phone Phone	:		Permit Issued: NOV 2 5 1998
Past Use:	Proposed Use:	COST OF WORI	K:	PERMIT FEE:	
trazik kalan	5-m-1	FIRE DEPT.	Approved Denied	INSPECTION: Use Group A   Type: 5/2 BOC & 96 Signature: X for	
Proposed Project Description:		PEDESTRIAN A		ES DISTRICT'(P.A.D.)	Zoning Approval:
lastul turopy over front suffre Romany Oak lest las	nce wi ald metri iveret		Approved Approved v Denied	with Conditions:	Special Zone or Reviews: ☐ Shoreland ☐ Wetland ☐ Flood Zone ☐ Subdivision
Permit Taken By:	Date Applied For:	Signature:		Date:	☐ Site Plan maj □minor □mm □
<ol> <li>This permit application does not preclude the</li> <li>Building permits do not include plumbing, se</li> <li>Building permits are void if work is not starter tion may invalidate a building permit and store</li> </ol>	eptic or electrical work. d within six (6) months of the date of is				□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
			PERM WITH RE(	IT ISSUED QUIREMENTS	Historic Preservation Historic Preservation Not in District or Landmark Does Not Require Review Requires Review
				SOULMENIS	Action:
I hereby certify that I am the owner of record of th authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable h	as his authorized agent and I agree to os issued, I certify that the code official'	conform to all applicable s authorized representati	e laws of th ive shall ha	is jurisdiction. In addition,	□ Appoved □ Approved with Conditions
		rusaciaes tost			
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:	-
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE			PHONE:	
White-P	ermit Desk Green–Assessor's Ca	naryD.P.W. PinkPu	blic File	Ivory Card-Inspector	

Shert		Date
		Inspection Record
- Selin		Type
COMMENTS		Foundation: Framing: Plumbing: Final: Other:
L L L		
WI Can		
Telino Ul'Edu		
1/12/01		

#### DEPT. OF BUILDING INSPECT LOF PORTLAND, MI THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UN PERMIT IS ISSUED OCT | 6 1998 **Building or Use Permit Pre-Application** Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information beto Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	51A 00	ak stret	Port	land, ME
Total Square Footage of Proposed Structure 66'6"		Square Footage of Lot		
Tax Assessor's Chart, Block & Lot Number Chart# 037 Block# HLot# 014	owner: Hote	el Everett	Corp	Telephone#: 713-788-2
Owner's Address: P.O. BOX 4211 Portland, ME 04101	Lessee/Buyer's Na	ame (If Applicable)		st Of Work: Fee 2205 \$35
Proposed Project Description: (Please be as specific as possible) install (CINUPY OULT EULRH - HENDMING	front Oak L	entrance eaf Inn	of o	Id Hotel
Contractor's Name, Address & Telephone Maine Bary Canras			ay Po	ofland Rec'd By
Current Use:		Proposed Use:	, , , , , , , , , , , , , , , , , , , ,	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical, Code. You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

# Unless exempted by State Law, construction documents must be designed by a registered design professional. ISUK

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

citioner une provisions of the codes ap	preable to uns permit.			
Signature of applicant:	willer Kould		Date: 10/10/9	·K _
Building Perm	it Fee: \$25.00 for the 1st \$1000.c	ost plus \$5.00 per \$1,00	00.00 construction co	ost thereafter.
· ·	Additional Site review and related	fees are attached on a	separate addendum	
	Nicholas KAMPF	applicant	g owner "	I tiotal Eventu

#### SIGNAGE PRE-APPLICATION

51A OGK SHEET
ADDRESS: Hole Everett, Inc. zone: B-3
OWNER: Hotel Everett Corp.
APPLICANT: Nicholas Kampf
ASSESSOR NO
PLEASE CIRCLE APPROPRIATE ANSWER
SINGLE TENANT LOT? (YES) NO MULTI-TENANT LOT? (YES) NO
FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT
MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT
SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS
MORE THAN ONE SIGN? YES NO DIMENSIONS
AWNING: (res) NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK $7'1''$ IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? Dak heaf $100$
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:         *** TENANT BLDG. FRONTAGE (IN FEET):         310         *** REOUTED INFORMATION
AREA_FOR COMPUTATION
YOU SHALL PROVIDE:
<u>A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE</u> EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. <u>SKETCHES</u>
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT:	Authort Konall	DATE: 10/9/98

### **BUILDING PERMIT REPORT**

DAT	TE: 25 NOV. 98 ADDRESS: 5/A OAK ST. CBL 037-H-014
REA	SON FOR PERMIT: TO INSTALL CANOPY
	LDINGOWNER: HOTEL EVERETT CORP
CON	TRACTOR: MAINE Bay Canvas
DED	MIT APPLICANT: OWNER
USE	$group \underline{R} - \underline{R} = \underline$
	CONDITION(S) OF APPROVAL
This	Permit is being issued with the understanding that the following conditions are met:
App	roved with the following conditions: $\times/,$
$\sqrt{\frac{1}{1}}$	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be
2.5	obtained. (A 24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more
2.5	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with
	an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
	material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	of the same material. Section 1813.5.2
2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
5.	verify that the proper setbacks are maintained.
3.	Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting
	rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
	spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board
6.	or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
0.	Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
8.	building code.
о.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum
	height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and
	public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections
	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9. 10	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
10.	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise. (Section 1014.0)
11.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
12.	Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or

2. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1
- 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 28. Please read and implement the attached Land Use-Zoning report requirements.
- 29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
- 30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

<del>6</del> 31.	This permil is being issued with the undergranding that the proposed/
•	Canopres meets The requirements of section 3105.0 of the City's building
<b>2</b> .	Code The MOCA NATIONAL BUILDING Code /1996
-	

1

Ø.

Cc: Lt. McDougatt, PFD

Marge Schmuckal, Zoning Administrator

PSH 8-1-98

## **ESTIMATE · CONTRACT**

SOLD TO: Lola Kampf DEL ADDRESS Oak St. Portland, ME MAIL ADDRESS 142 High St. Suite 532 P.O. Box 4211

Portland,ME 04101

W.O. #
JOB #
DATE9/12/98
EST.DEL.DATE 4 wks from order
HOME PHONE 879-0949
BUS. PHONE
FRAMESTYLE welded/Entrance
FABRIC & COLOR Sunbrella FR
FABRIC STYLE # to be determined

Manufacture and install welded entrance canopy over entrance at 51A Oak St. , Portland. The style is represented in the shop drawing enclosed.


Frame: 1" square galvanized steel tubing. Custom fabricated to design specs and brushed ground and painted.

Fabric: Sunbrella firesist woven acrylic. (in choice of color).

Dimensions: 13'-6" x 5'-0" tall x 5'-0" projection.

Graphics: OAKLEAF INN to appear 3 times. Once on the face and again on each end.

ITEM:	ESTIMATE	CONTRACT AGREEMENT
entrance canopy	.\$2,095.00	Maine Bay Canvas, Inc. agrees to sell, deliver and install to the Buyer, and the Buye agrees to purchase and accept from Maine Bay Canvas, Inc. the above described goods o
tax	.\$110.00	property, subject to and upon the terms and conditions hereof expressed. Any alteration or deviation from specifications involving extra costs will become an additional charge over and above the quote. Until the said total balance is paid in full and all of the conditions hereof are fully per formed title to and ownership of the property purchased under this contract shall be and remain the property of Maine Bay Canvas, Inc. No cancellations will be accepted after work has starled, or on special order merchan dise. Delivery dates shown are approximate unless otherwise stated. Estimates do not include applicable taxes.
ESTIMATE TOTAL	\$2,205.00	BUYER
LESS DEPOSIT	50%	SELLER Anuf Apurom)
DUE UPON INSTALLATION	Net	Maine Bay Canvas 53 Industrial Way



Lola 751-39

	******	. Oak. Liait. 51 A Oak S		(HOLE) EZ
	Certificati	e of Flame X	<i>kesistance</i>	78-5119
	REGISTERED APPLICATION CONCERN No.	ISSUED BY Glen Raven Mills, Inc. 1831 N. Park Avenue Glen Raven, NG 27217	Date treated or manufactured	
	FA-36801	Glen Raven, NC 27217		MAINE
		(Phone).910/227-6211 (Fax) 910/22		
	his is to certify that the i ant treated (or are inherei	materials described on the reverse	e side hereof have been flame-	BAY BAY
	MANE BAY CANVAS	ADDRESS 53	TASUSIEM L LAMY	See
	Antons	STATE ME O	4103	CANUAS
	Certification is hereby m	ade that: (Check "a" or "b")		
	chemical approved and	n the reverse side of this Certificate have registered by the State Fire Marshal an nance with the laws of the State of Califo al.	d that the application of said chemi-	
	Name of chemical used		Chem. Reg. No	
	Method of application _			
X	registered and approved	on the reverse side hereof are made fror d by the State Fire Marshal for such use		
		sistant fabric or material usedFR_S		
	The Flame Retardar	nt Process Used will not (will or will not)	Be Removed By Washing	
-	K ANK LON IN		AVEN MILLS, INC.	
Fi	NAR YET TO BE ACTUAINED	∕Gben R		
Fi	Glen Raven Mills, Ir	Λ	1 A Gala	K R