City of Portland, Maine - Building or Use Permit Application 369 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Phone: Location of Construction: Owner: Permit No: 482 Congress St. 04101 J.B. Brown 774-590B Lessee/Buyer's Name: Owner Address: Phone: BusinessName: 5th Floor Permit Issued: Contractor Name: Address: Phone: Monaghan Woodworks 111 Commercial St. 04101 Proposed Use: COST OF WORK: PERMIT FEE: Past Use: \$50,000.00 \$ 324,00 Office Same FIRE DEPT. Approved INSPECTION: Use Group: B Type 3B □ Denied CBL: 037-1-003 Zone: BOC 9-96 Signature: Signature: 76 Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (A.D.) Action: Approved Special Zone or Reviews: Office Fit-Up With Stairs Approved with Conditions: ☐ Shoreland Denied □ Wetland ☐ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: February 7,2000 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... □ Denied ***Call Brad For PickUp 775-7683 **Historic Preservation** □ Not in District or Landmark □ Does Not Require Review ☐ Requires Review Action: CERTIFICATION □Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

February

ADDRESS:

February 7,2000

DATE:

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

SIGNATURE OF APPLICANT

PHONE:

CEO DISTRICT IS

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Po	rtion of Building): 482	CONGRESS ST DOM	TLAND, ME (ZNO FL
Total Square Footage of Proposed Structure	4558 S&FT	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 037 Block# I		.B. BROWN	Telephone#: (207) 174-5908
Owner's Address: 482 CONGRESS & PORTLAND ME	ST (5th FLY) essee Buy	er's Name (If Applicable)	Cost Of Work: Fee \$50,000.00\$ 324
		MUDAKS	
Contractor's Name, Address & Telephone	III commence	AL ST PORTLA	NO ME Rec'd By
Current Use: OFFICE		Proposed Use: OFFIC	E
You must Include the following with Minor or Major site plan review will checklist outlines the minimum stand	you application: 1) ACopy of Your Deed 2) A Copy of your Con 3) A Plo be required for the above pards for a site plan.	or Purchase and Sale Agreen struction Contract, if availa t Plan/Site Plan	775.26
Unless exempted by State			registered design professional.
A complete set of construction drawi Cross Sections w/Framing Floor Plans & Elevations Window and door schedule Foundation plans with requ Electrical and plumbing la	ngs showing all of the follo details (including porches es nired drainage and damppr yout. Mechanical drawings nent (air handling) or other	owing elements of construction, decks w/ railings, and accessors of the control o	
owner to make this application as his her auth- application is issued, I certify that the Code Or enforce the provisions of the codes applicable Signature of applicant:	of the named property, or that the orized agent. I agree to conform ficial's authorized representative	to all applicable laws of this jurisdiction shall have the authority to enter all are Date:	wher of record and that I have been authorized by on. In addition, if a permit for work described in the case covered by this permit at any reasonable hour





CITY OF PORTLAND BUILDING CODE CERTIFICATE

TO:	Inspector of Buildings City of Portland, Maine Department of Planning & Urban Development Division of Housing & Community Service
FROM:	Brian Curley 1 PDT Architects
RE:	Certificate of Design
DATE:	3/7/00
	nd/or specifications covering construction work on:
	Congrey Street
Jave been des	igned and drawn up by the undersigned, a Maine registered

Have been designed and drawn up by the undersigned, a Maine registered architect/engineer according to the BOCA National Building Code/1996 Thirteenth Edition, and local amendments.

(SEAL) BRIAN CUPLEY No. 1731

As per Maine State Law:

\$50,000.00 or more in new construction, repair expansion, addition, or modification for Building or Structures, shall be prepared by a registered design Professional.

PSH 9/24/99



CITY OF PORTLAND MAINE

389 Congress St., Rm 315 Portland, ME 04101 Tel. – 207-874-8704 Fax – 207-874-8716

TO:

Inspector of Buildings City of Portland, Maine

Planning & Urban Development

Division of Housing & Community Services



City of Portland, Maine

ACCESSIBILITY CERTIFICATE

TO:	Inspector of Buildings City of Portland, Maine Department of Planning & Urban Development Division of Housing & Community Services
FROM:	Brian Certey
RE:	Certificate of Design, HANDICAP ACCESSIBILITY
DATE:	3/7/00
These plans	and/or specifications covering construction work on:
AANE	ntweg vest -com.
482	Congress of
€	
	signed and drawn up by the undersigned, a Maine registered itect according to State Regulations as adopted by the State of Maine on Accessibility.
	Signature 1971
(SEAL)	Title Architect
	Firm PPT Architects
BRIAN M. CUPLE	Address 49 Danton the &
No. 173	1871

BUILDING PERMIT REPORT

REASON FOR PERMIT: Office Fit-up with STAIRS.
REASON FOR PERMIT: Office Fit-up with STAIRS.
BUILDING OWNER: J. B. Browns
USE GROUP: BCONSTRUCTION TYPE: 3BCONSTRUCTION COST: # 50,000. PERMIT FEES: #32460
USE GROUP: B CONSTRUCTION TYPE: 3B CONSTRUCTION COST: 450,000. PERMIT FEES: 324,60
The City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: $\frac{1}{1}$, $\frac{1}{1}$

 χ 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, T' into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

6. Precaution must be taken to protect concrete from freezing. Section 1908.0

- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the oopen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

Called 12	old with - Chara In Joint # 36 & #37 on and thous of permit	- no attendent to the and given by	when of Stain yet - MIN & PSH ok & Clare in of	Inspected - area completed - Will contact contractor for	age 0	ed That Phase of The BB.	Was 1912		980
8 Feb- 2K - Called 1	3/8/00 - Colle	to Plan - M			9/5/01 lest messa	- blind -	2/19/54 chors 19	77-T-3	#C000 80

mproof.
-
Seion.
0
C 3
150
-
\simeq
-
-
* 0405
2 1
-
~
100
ent.
- been

Date					
Type	Foundation:	Framing:	Plumbing:	Final:	Other:

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

In each story within a dwelling unit, including basements

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- ★ 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- £22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
 - 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 - 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
 - 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

28. All requirements must be met before a final Certificate of Occupancy is issued.

- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
 - Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

31. Please read and implement the attached Land Use Zoning report requirements.

32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

33. Bridging shall comply with Section 2305.16.

34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)

- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOÇA National Building Code/1996).
- * 36. Your plan did Not have The design professionals Seal, Name or date please submit These New Plans with These requirements

 +37. Rease Fine enclosed (3) Three Form That shall be completed and returned before work begins

 *38. Electrical plans shall be submitted before ampleted by a professional of That Trade before work begins

Liv McDougall, PFD


Marge Schmuckal, Zoning Administrator


PSH 11/25/99


**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00









TITLE

482 Congress Street Portland Maine

40 DARTMONTH STRUCT benk PLASD, MAINE 94101 207 774 1059 / 207 774 4450 207 775 2094 FAX

RCHITECTS

THE MILLY ARD
PINE STREET EXTENSION
NASHUA, NEW HAMPSHIRE 0/060
607 882-1555
603-804-3442-FAX

Second Floor Expansion Stair Details

JOB# 99-108 28 Feb 00 DATE SCALE As Noted

© 2000 PDT Architects

SHEET

00 DARTHAND, ME 001001 PCRTACAD, ME 001001 SOT TYG—2000 FAX TYG—2000 FAX Space Study Space Study Maventure Guesticom SCALE VO-1 2K-1 00de4T0 **BTA** © COPYRIGHT 108# 88-108 **BJTIT** P D T A R C H I T E C T S SHEET MONESC MONISCHE COMMONISCH Workstations 5,x5, (48) SUPPLY MECH. BREAKROOM COATS 5'x5' Workstation C 0 EXISTING WALLS NEW WALLS