Location of Construction:	Owner:	- 127 ·	Phone:	Permit No:
482 Congress St Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	970400
	Fontaine & Beal (3rd	11		Permit Issued: ISSUED
Contractor Name: Monaghan Woodworks	Address: 155 Falmoth St 1	Ptld, ME 04102	775-2683	Permitt issued: 1000LD
Past Use:	Proposed Use:	COST OF WORK		MAY - 2 1997
		\$ 30,000.00	\$ 170.00	MAT - 2 1991
Office	Samo	FIRE DEPT. A		OTV OF DODTLAND
173 2 250 V	La change	De		CDI
		Signature:	Signature:	B-3 037-1-003
Proposed Project Description:		and the state of the second	TIVITIES DISTRICT (PA.D.)	Zoning Approval:
		Action: Aj	pproved [Special Zone or Reviews:
Interior Renovations				□ Shoreland
		Do	enied	□ □ Wetland □ Flood Zone
		Signature:	Date:	
Permit Taken By:	Date Applied For:			□ Site Plan maj □minor □mm □
Hary Gresik		28 April 1997		Zoning Appeal
1. This permit application does not preclude the	e Applicant(s) from meeting applicable	e State and Federal rules.		□ Variance
2. Building permits do not include plumbing,	septic or electrical work.			Miscellaneous Conditional Use
3. Building permits are void if work is not star	ted within six (6) months of the date of	issuance. False informa-		
tion may invalidate a building permit and s				
				□ Denied
			THE NET LOCUED	Historic Preservation
			PERMIT ISSUED	■ Not in District or Landmark ■ Does Not Require Review
			WITH REQUIREMENTS	□ Requires Review
				A - 45
			3	Action:
	CERTIFICATION			Appoved
I hereby certify that I am the owner of record of				
authorized by the owner to make this applicatio if a permit for work described in the application				1 Contract and the second of the second sec second second sec
areas covered by such permit at any reasonable				Date:
		28 April 1	997	
SIGNATURE OF APPLICANT Michael Mo	naghan ADDRESS:	DATE:	PHONE:	- y - a f - a f /
RESPONSIBLE PERSON IN CHARGE OF WO	RK, TITLE		PHONE:	CEO DISTRICT
18/16:6~	Permit Desk Green-Assessor's C	anany_D.R.W. Dick Bubl	ic File Ivon Card Increator	6
willing-	CHINE DESK GIEGH-ASSESSUIS C	anary-o.r.w. Fink-rubi	ic the wory card-inspector	9 8 8

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	Permit No: 970400
482 Congress St	J B Brown			Permit No: 970400
Owner Address:	Lessee/Buyer's Name: Fontaine & Beal (3rd	f1 Phone:	BusinessName:	ISSUED
Contractor Name:	Address:	Pho	ne:	Permit Issued:
Monaghan Woodworks	155 Falmoth St	Pt1d, ME 04102	775-2683	MAY - 2 1997
Past Use:	Proposed Use:	COST OF WO	and a set of the set o	
		\$ 30,000.	00 \$ 170.00	OTV OF DOOT
0.551		FIRE DEPT.		CITY OF PORTLAND
Office	Same		Denied Use Group 3 Type:	15
			11 a actige 100	Zone: CBL: 037-I-003
Proposed Project Description:		Signature: ~	Signature: Art	Zoning Approval: / /
Proposed Project Description:		the second se	ACTIVITIES DISTRICT (PA.D.)	- 01 - A 30/9
		Action:	Approved	Special Zone or Reviews: /
Interior Renovations			Approved with Conditions:	□ □ Shoreland
			Denied	U Wetland
		Signature:	Date:	Flood Zone Subdivision
Permit Taken By:	Date Applied For:	oignature.	Date.	Site Plan maj Eminor Emm
Mary Gresik	Date Applied For	28 April 199	7	
C where a star of an arrive				Zoning Appeal
1. This permit application does not preclude	the Applicant(s) from meeting applicable	e State and Federal rules	S.	□ Variance □ Miscellaneous
2. Building permits do not include plumbing	g, septic or electrical work.			Conditional Use
3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-				□ Interpretation
tion may invalidate a building permit and				
		PED		Denied
		VITHO	MIT ISSUED	Mistoric Preservation
		1.41	CULIED	Wot in District or Landmark
			CIT-ARCAIN-	Does Not Require Review
			1.75	PRequires Review
				1. 21. 1 (
				Action:
	CERTIFICATION			DAppoved (Lyhan's Vel
I hereby certify that I am the owner of record o	d work is authorized by	the owner of record and that I have be		
authorized by the owner to make this applicati				
if a permit for work described in the applicatio				all 4/20/97-
areas covered by such permit at any reasonabl	e hour to enforce the provisions of the c	ode(s) applicable to suc	h permit	Date: 1/C// F
		28 April	1 1007	DAND
SIGNATURE OF APPLICANT Michael M	ADDRESS:	DATE:	PHONE:	- A. Mannys
Michael M	lonagnan	100 A A B 4000		0
RESPONSIBLE PERSON IN CHARGE OF W	ORK. TITLE		PHONE:	CEO DISTRICT
AND IS -	Pormit Dock Cross Assesses C	anani D.D.W. Dist. D	ublic File, Iveny Card Instantes	\mathcal{C}
white	-Permit Desk Green-Assessor's C	anary-D.P.W. PINK-P	ublic File livery Card-Inspector	ARA

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

ELECTRICAL PERMIT City of Portland, Me.

To the Chief Electrical Inspector, Portland Maine: The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:



Date	07	May	1997	
Permit #_	10	0626		

LOCATION: 482 Congress St

OWNER	J.B. Brown	ADDRESS

	Suite #302 4 3				TOTAL	- EACH F	EE
OUTLETS	Telephone	Data	CATV			.20	
	Receptacles	Switches	Smoke Detector		50	.20	10.00
FIBER OPTICS						15.00	
FIXTURES	incandescent	fluorescent			30	.20	6.00
	fluorescent strip					.20	
SERVICES	Overhead		TTL AMPS TO	800		15.00	
	Underground			800		15.00	
Temporary Service	Overhead		AMPS OVER	800	-	25.00	
	Underground			800		25.00	
METERS	(number of)				-	1.00	
MOTORS	(number of)					2.00	
RESID/COM	Electric units					1.00	
HEATING	oil/gas units	Interior	Exterior			5.00	
APPLIANCES	Ranges	Cook Tops	Wall Ovens			2.00	
Insta-Hot	Water heaters	Fans	Dryers			2.00	
Disposals	Dishwasher	Compactors	Others (denote)			2.00	1
MISC. (number of)	Air Cond/win					3.00	
	Air Cond/cent		Pools			10.00	4
	HVAC	EMS	Thermostat			5.00	
	Signs				1	10.00	dur!
	Alarms/res					5.00	
	Alarms/com					15.00	
	Heavy Duty(CRKT)					2.00	
	Circus/Carnv					25.00	
	Alterations					5.00	
	Fire Repairs					15.00	
	E Lights				4	1.00	4.00
	E Generators					20.00	
PANELS	Service	Remote	Main			4.00	
TRANSFORMER	0-25 Kva					5.00	
	25-200 Kva					8.00	
	Over 200 Kva				-	10.00	
			TOTAL AMOUNT	DUE			
	MINIMUM FEE/COM	MERCIAL 35.00	MINIMUM FEE		25.0	0	35.00

CONTRACTORS NAME Place Electric		MASTER LIC. #	10626		
ADDRESS	166 Summit St	Ptld	LIMITED LIC. #		
TELEPHONE	797-9954				

SIGNATURE OF CONTRACTOR

BUILDING PERMIT REPORT

DATE: 4/12/	ADDRESS: 1/83 Carpised Id
REASON FOR PERMIT:_	rener lisis
BUILDING OWNER:	53 Brown
	Kusishan.
PERMIT APPLICANT:	Abrehiel Anny for APPROVAL: A 14 × 16 × 17 × 18 × 19 × 19 × 19 × 19 × 19 × 19 × 19
	CONDITION(S) OF APPROVAL

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- Precaution must be taken to protect concrete from freezing.
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsun board or the equivalent applied to the garage means of ½ inch gypsun board or the eQUivalent applied to the garage means of ½ inch gypsun board or the eQUivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- 7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 8. Headroom in liabitable space is a minimum of 7'6".
- 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
- 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. fl.
- 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- 15. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required sinoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.

The Fire Alarm System shall be maintained to NFPA #72 Standard.

The Sprinkler System shall maintained to NFPA #13 Standard.

All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

(16) (12) (19) All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office. 24.

Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.

25 All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade. 26.


27.

28.

Heltone Chief of Code Enforcement

Lt. McDougall, PFD Marge Schmuckal

- Jugni Sy



TO DE WARD 2X21 1/2 LOWB TO MARCH BYISTIN NEW CELLING TO BE INSTALLED SPRIMMENT HEADS MOUE, ADDEDS PER LEDE CALDET TO BE REDIDLE