City of Portland, Maine - Building or Use Perm. Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:	,	Phone:		Permit No: 9 9 0 43 1
Owner Address:	Lessee/Buyer's Name:	Phone: 871-9046	Business	sName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:			Perinit Issued: MAY 5 1999
Past Use:	Proposed Use:	COST OF WORK	:	PERMIT FEE: \$ 25.00	
		FIRE DEPT. A Deptition of the content of the con	pproved enied	INSPECTION: Use Group: A3Type5	CITY OF PORTLAND
Proposed Project Description:		Signature:	TIVITIE	Signature: Hoffen	Zone: CBL: 037-1-003 Zoning Approval:
Dining On Sidowalk "1	Action: Approved Approved with Conditions: Denied			Special Zone or Reviews: Shoreland Wetland Flood Zone	
Permit Taken By:	Date Applied For:	Signature:		Date:	□ Subdivision □ Site Plan maj □minor □mm □
 This permit application does not preclude Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and 	g, septic or electrical work. arted within six (6) months of the date of		le	PERMIT ISSUED	□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied Historic Preservation
				ITH REQUIREMENTS	☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review
					Action:
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree to in is issued, I certify that the code officia	conform to all applicable I's authorized representative ode(s) applicable to such p	laws of thi e shall hav ermit	is jurisdiction. In addition,	☐ Appoved ☐ Approved with Conditions ☐ Denied Date:
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	9	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE			PHONE:	CEO DISTRICT
White	-Permit Desk Green-Assessor's C	anary-D.P.W. Pink-Pub	lic File I	vory Card-Inspector	

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	48712	(ongres	St 04/6	1707	and
Total Square Footage of Proposed Structure		Square Footage of Lo	ot		
Tax Assessor's Chart, Block & Lot Number	Owner:	B. Bro-	n	Telephone#:	
Chart# (35) Block# I Lot# (33)					
Owner's Address Brown + Sons	2	Name (If Applicable)	, c.	ost Of Work:	\$ 25
482 Congress St	18	Kozy Kt	Chen		Cr
Proposed Project Description:(Please be as specific as possible		871	-01048		
Dining on Sideworld	"1999"				
Contractor's Name, Address & Telephone					Rec'd By
Current Use: Pertaurion of		Proposed Use:	Sano	0	
Separate permits are requir	end for Internal & Ext	amel Dlumbing LIVAC	and Electrical installa	hian	
	f Your Deed or of your Constr 3) A Plot P for the above pro e plan. 4) Build ruction docume all of the following ding porches, de	Purchase and Sal ruction Contract, lan/Site Plan posed projects. The ding Plans ints must be design ing elements of corecks w/ railings, an	e Agreement if available e attached ned by a registere astruction: d accessory structu	MAY 4 K d design produces)	NSPECTION AND, ME
equipment, HVAC equipment (air hand	dling) or other ty				
	operty, or that the pro		ed by the owner of reco	ord and that I have	
I hereby certify that I am the Owner of record of the named prowner to make this application as his/her authorized agent. I application is issued, I/certify that the Code Official's authorizenforce the provisions of the codes applicable to this permit.	agree to conform to a	applicable laws of th	is jurisdiction. In addition	on, if a permit for	work described in th
owner to make this application as his/her authorized agent. I application is issued. Veertify that the Code Official's authorized	agree to conform to a	applicable laws of the	is jurisdiction. In addition enter all areas covered Date:	on, if a permit for by this permit at a	work described in the any reasonable hour

5100 SIDIE WALK FROM DUOR OF NOLOFER 6 B114/2 3 Front DOOR TO 51012 WALL 144/18 191 -SIDE WALL CONGRESS STRREI (9/ 3

RODUCE	TURNER BARKER	R INSURANCE	ONLY AN	D CONFERS N THIS CERTIFICA	UED AS A MATTER OF THE PROPERTY OF THE POES NOT AMERICAL BY THE PROPERTY OF TH	HE CERTIFICATE ND, EXTEND OR	
ONE INDIA ST			COMPANIES AFFORDING COVERAGE				
PORTLAND ME 04101			COMPANY	PEERLESS	S INS CO		
ISURED	CHRISTINA LEV	NIS	COMPANY				
	77 HENNESSEY	DRIVE	COMPANY				
	PORTLAND	ME 04103	COMPANY				
INDIC CER	IS TO CERTIFY THAT THE PO CATED, NOTWITHSTANDING AN DIFICATE MAY BE ISSUED OR	LICIES OF INSURANCE LISTED BELC NY REQUIREMENT, TERM OR COND MAY PERTAIN, THE INSURANCE AF F SUCH POLICIES. LIMITS SHOWN M	ITION OF ANY CONTR FORDED BY THE PO	RACT OR OTHER DELICIES DESCRIBED	DOCUMENT WITH RESPECT TO	T TO WHICH THIS	
TR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	ЦМП	rs .	
-	COMMERCIAL GENERAL LIABILITY CLAIMS MADE X OCCUR	GL9121571	11/22/98	11/22/99	GENERAL AGGREGATE PRODUCTS - COMP/OP AGG PERSONAL & ADV INJURY	\$1,000,000 \$1,000,000 \$1,000,000	
	OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE FIRE DAMAGE (Any one fire)	\$1,000,000 \$ 100,000	
					MED EXP (Any one person)	s 5,000	
	OMOBILE LIABILITY ANY AUTO				COMBINED SINGLE LIMIT	\$	
-	ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person)	\$	
	HIRED AUTOS NON-OWNED AUTOS				BODILY INJURY (Per accident)	\$	
					PROPERTY DAMAGE	s	
GAR	AGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$	
	ANY AUTO				OTHER THAN AUTO ONLY:		
					EACH ACCIDENT AGGREGATE	\$	
EXC	ESS LIABILITY				EACH OCCURRENCE	s	
	UMBRELLA FORM				AGGREGATE	\$	
	OTHER THAN UMBRELLA FORM		W			\$	
	RKERS COMPENSATION AND			The page later to the page of	WC STATU- TORY LIMITS ER		
	LOYERS' LIABILITY				EL EACH ACCIDENT	\$	
1	PROPRIETOR/ TNERS/EXECUTIVE INCL				EL DISEASE-POLICY LIMIT	S	
ОТН	CERS ARE: EXCL				EL DISEASE-EA EMPLOYEE	\$	
	OUTDOOR SIGN	VEHICLES/SPECIAL MEMS AND TWO OUTSIDE TA	BLES			5.	
ERTIF	CATE HOLDER		CANCELLAT	ION			
ggger en vincinge	CITY OF PORT	LAND	EXPIRATION	DATE THEREOF, TH	ESCRIBED POLICIES BE CAN HE ISSUING COMPANY WILL TO THE CERTIFICATE HOLDER	ENDEAVOR TO MAIL	
	389 CONGRESS PORTLAND ME		BUT FAILUR	E TO MAIL SUCH NO	TICE SHALL IMPOSE NO OBLI	GATION OR LIABILITY	

BUILDING PERMIT REPORT
REASON FOR PERMIT: Outside Dining 1999 Season
REASON FOR PERMIT: OUTSIDE Dining 1999 Season
BUILDING OWNER: J.B. Brown
PERMIT APPLICANT: KOZY KITCHE 7 - 1Contractor
USE GROUP $A-3$ BOCA 1996 CONSTRUCTION TYPE $3B$
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met:
Approved with the following conditions: $*/(*34)$

V 1.

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.

(A 24 hour notice is required prior to inspection)

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- Every sleeping room below the fourth story in buildings of Use Groups R and 1-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

			Date
1 permy de de la Compliance			Type Foundation: Framing: Plumbing: Final: Other:
6/22/19- Chacked location, they are in comp			
5/22/59- C/22/59-			

- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

X 34.	Pacase Compacio	allached form	and relurn	10 1/15 OFFICE
.)	or This permit	15 VOIQ.		
35.				

36.

Samuel Holises, Building Inspector Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 12-14-98

^{**}On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.