#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Owner: Phone: Location of Construction: Permit No: was a facilities . S. 33 . . . . . 991267 Owner Address: Lessee/Buyer's Name: Phone: BusinessName: 建氯化 医毛髓线 集成 Printer Land Committee Permit Issued: Phone: Address: Contractor Name: 7/3-1/26 La Company of the Later of the Company 6 1999 COST OF WORK: Proposed Use: PERMIT FEE: Past Use: \$ 1 \$ 51.00 April 1 Jan & State Miller & Co. C. **FIRE DEPT.** □ Approved INSPECTION: Signage ☐ Denied Use Group: \* Type: CBL: Zone: 130C 0 46 Signature: 7 Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.K.D.) Action: Approved 1 December 2018 to the company of the contract Special Zone or Reviews: Approved with Conditions: Land to the state of the state ☐ Shoreland Denied many out once to wait on \$75 : \$ 17. The parameter is been on □ Wetland ☐ Flood Zone La Sala Maria □ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: 117- . . - / . Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... Same and the state of the state □ Denied Print le le la la la telle to 14 12:1 11: **Historic Preservation** Marking to the contract of □ Not in District or Landmark □ Does Not Require Review ☐ Requires Review **PERMIT ISSUED** WITH REQUIREMENTS Action: **CERTIFICATION** ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 11-61 - 19 ADDRESS: SIGNATURE OF APPLICANT DATE: PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

### **BUILDING PERMIT REPORT**

DATE: 220CT.99 ADDRESS: 482 Congress ST. CBL: 37-I-693				
REASON FOR PERMIT: Signage.				
REASON FOR PERMIT: SIGNAGE.  BUILDING OWNER: J. B. 13 rown & Sons				
PERMIT APPLICANT: /Contractor Pro.5Ty/e De S19 17				
USE GROUP SIGNAGE, CONSTRUCTION TYPE				
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments)  The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)  Construction Cost:  Permit Fees:  CONDITION(S) OF APPROVAL				
This permit is being issued with the understanding that the following conditions are met: $\frac{1}{1}$				
<ol> <li>This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.</li> </ol>				

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)"ALL LOT LINES SHALL BE CLEARLY MARKED **BEFORE CALLING.**"

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0 6.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 4," maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
 All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self

closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA#10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

<i>J</i> J.	Glass and glazing shart meet the requirements of chapter 24 of the building code.
X34.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35.	
36.	
37.	

P. Saffuer Hoffses Building Inspector cc: L. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 7/24/99

38.

<sup>\*\*</sup>On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approyal.

### SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS					
ADDRESS: 482 Congress St. ZONE: B-) OWNER: V.B. Brown a Sons					
APPLICANT: The Portland Phoenix					
ASSESSOR NO					
SINGLE TENANT LOT? YES NO  MULTI TENANT LOT? YES NO  FREESTANDING SIGN? YES NO DIMENSIONS  (ex. pole sign)  MORE THAN ONE SIGN? YES NO DIMENSIONS  (attached to bldg) (MUVIL +ype design)  MORE THAN ONE SIGN? YES NO DIMENSIONS  LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:  21.00					
LOT FRONTAGE (FEET):  BLDG FRONTAGE (FEET):  AWNING YES NO IS AWNING BACKLIT? YES NO					
HEIGHT OF AWNING:					
is there any communication, message, trademark or symbol on in the transfer of					
AREA FOR COMPUTATION					
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE					
EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES					
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.					
SIGNATURE OF APPLICANT: Author, R. Tayler DATE: Oct 20, 1999					

### J. B. BROWN & SONS

482 CONGRESS STREET
P.O. BOX 207
PORTLAND, MAINE 04112
PHONE 207-774-5908
FAX 207-774-0898

October 18, 1999

The Portland Phoenix, LLC Attention: Gib Fullerton 482 Congress Street # 501 Portland, ME 04101

RE: Signage authorization

Dear Gib,

CC:

J.B. Brown and Sons, as Landlord at 482 Congress Street, Portland, Maine, hereby grants permission to The Portland Phoenix, LLC, as tenant at 482 Congress Street to install signage on the northeast side of the building facing Monument Square.

Sincerely, Steven J. Reynolds

Steven S. Reynolds Vice President

Tony Taylor, Pro-Design

PROD	Hastings-Tapley Insurance A 271 Cambridge Street P. O. Box 410128	<u> </u>		THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.  COMPANIES AFFORDING COVERAGE					
	Cambridge, MA 02141-0901		COMPANY	COMPANY					
INSU	The Boston Phoenix, Inc. Attn: Charles Walter 126 Brookline Avenue		COMPANY C	COMPANY B COMPANY					
	Boston MA 02215		COMPANY			74.			
	VERAGES THIS IS TO CERTIFY THAT THE POLICIES OF I INDICATED, NOTWITHSTANDING ANY REQUIR CERTIFICATE MAY BE ISSUED OR MAY PERT EXCLUSIONS AND CONDITIONS OF SUCH POL	REMENT, TERM OR CONDIT 'AIN, THE INSURANCE AFF	ION OF ANY CONT ORDED BY THE PO	RACT OR OTHER D LICIES DESCRIBED	OCUMENT WITH RESPECT OF HEREIN IS SUBJECT TO	T TO WHICH THIS			
CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/OD/YY)	POLICY EXPIRATION DAYE (MM/DD/VY)	LIMIT	rs			
A	SENERAL LIAGHTY  X COMMERCIAL GENERAL LIAGULTY  CLAIMS MADE X OCCUR  DWNER'S & CONTRACTOR'S PROT  3MG 213	of	8/29/98 8/29/99	8/29/99 8/29/00	GENERAL AGGREGATE PRODUCTS - COMPJOP AGG PERSONAL & ADV INJURY EACH OCCURRENCE FIRE DAMAGE (Any one first MCD EXP (Any one porson)	\$ 2000000 \$ 2000000 \$ 1000000 \$ 1000000 \$ 500000			
	AUTOMOBILE LIABILITY  ANY AUTO  ALL OWNED AUTOS  SCHEDULED AUTOS  HIRED AUTOS  NON-OWNED AUTOS  ORANGE LIABILITY  ANY AUTO  EXCESS LIABILITY  UMBRIELLA FORM  OTHER THAN UMBRILLA FORM  WORKERS COMPENSATION AND  EMPLOYERS, LIABILITY  INCL  PARTNERS/EXECUTIVE  OFFICERS ARE:  EXCL				COMBINED SINGLE LIMIT  BODILY INJURY (Por Derson)  BODILY INJURY (Por Derson)  PROPERTY DAMAGE  AUTO ONLY - EA ACCIDENT  OTHER THAN AUTO ONLY  EACH ACCIDENT  AGGREGATE  EACH OCCURHENCE  AGGREGATE  WC STATU- TORY LIMITS - ER  EL EACH ACCIDENT  EL DISEASE - EA EMPLOYEE	5 6 8 3 8 3 2 3			
CER	PIPTION OF OPERATIONS/LOCATIONS/PHICLES/SPLCI/ Named Insured includes: The Portland Phoenix L 482 Congress Street, Suite 501, Partland ME Or  TIFICATE HOLDER  The Portland Phoneix LLC Attn; Bill Reistein Fax #1-207-773-8905 Portland Me  DRD 25-8 (1/95)	LC. Locution covered:	EXPIRATION  10 DAYS BUT FAILURE	Y OF THE ABOVE C DATE THEREOF, THI WRITTEN NOTICE TO TO MAIL SUCH NO IND UPON THE C	DESCRIBED POLICIES BE CAN E ISSUING COMPANY WILL THE CERTIFICATE HOLDER P FICE SHALL IMPOSE NO OBLI- DMPANY, ITS AGENTS OR	CELIED DEFORE THE ENDEAVOR TO MAIL VAMED TO THE LEFT, GATION OR LIABILITY			

# INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

Enfo	procedure of the control of the cont				
1.	Certificate of Liability listing the City as additional insured.				
2.	Letter of permission from the owner				
3.	A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)				
4.	Indicate on the plan all existing and proposed signs				
5.	Computation of the following:				
	A) Sign area of each existing and proposed building sign				
	B) Sign area height and setback of each existing and proposed freestanding sign				
6.	A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).				
7.	Certificate of flammability required for awning/canopy at time of application.				
8.	UL # required for lighted signs at the time of application. $N/A$				
Fee f	for permit - \$30.00 plus \$0.20 per square foot				
	for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each tional \$1,000.000.				
recor	TE: Once a sketch plan has been filed for a property, the code enforcement office will keep a rd of the plan so that a new sketch plan will not be required for later changes to signage on roperty. In such an instance, applicants will only be required to submit information				

applicable to the new sign.

ACORD, CERTIF	ICATE OF LIABIL	ITY INS	<b>URANCE</b>	DATE (MM/DD/YY) 10/20/99			
PRODUCER  Hastings-Tapley Ins 271 Cambridge Stre P. O. Box 410128	THIS CERT CNLY AN HOLDER.	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION CNLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.					
Cambridge, MA 02141-0901			COMPANIES AFFORDING COVERAGE  COMPANY A Lumbermens Mutual Iris. Co.				
The Boston Phoenix, Inc.		COMPANY B	COMPANY				
Attn: Charles Walter							
Boston MA	02215	COMPANY					
COVERAGES  THIS IS TO CENTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH NESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.							
CO TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPRATION DATE (MINI/DD/YY)	LIMITS			
A GENERAL LIABILITY  X COMMERCIAL GENERAL LIABILITY  CHAME MADE X DOCUR  DIVINERS & CONTRACTOR'S PROT  AUTOMOBILE LIABILITY  ANY AUTO  ALL GWINED AUTOS  SCHEDULED AUTOS  HIRLD AUTOS  NON-OWNED AUYOS  CARAGE LIABILITY  ANY AUTO  EXCESS LIABILITY  UMARELLA FORM  OTHER THAN UMBRELLA FORM  WORKERS COMMENSATION AND EMPLOYERS' LIABILITY  THE PROPRIETORY PARTNERSEXECUTIVE OFFICERS ARE:  OTHER	3MG 21308405	8/29/99	8/29/00	GENERAL AGGREGATE   \$ 2000030			
DESCRIPTION OF OPERATIONS/LDCATIONS/VE- The named Insured Includes The Por	tland Phoenix LLC.						
The City of Portland  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE TEXTIFICATE HOLDER  The City of Portland  389 Congress Street  Portland ME 04101  ACORD 25 5 (1/95)  CANCELLATION  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE TEXTIFICATE HOLDER NAMED TO THE LEXIFICATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR YOUR DAYS WRITTEN NOTICE TO THE CENTRICATE HOLDER NAMED TO THE LETTER OF ANY KIND UPON THE COMPANY. IT AGENTS OR REPRESENTATIVE  ACORD 25 5 (1/95)  CANCELLATION  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE TO EXPRISE THE EXPRISE OF THE CENTRE OF THE CENTRE OF THE CENTRE OF THE CENTRE OF THE LETTER OF THE CENTRE OF THE COMPANY. IT AGENTS OR REPRESENTATIVE  ACORD 25 5 (1/95)  CANCELLATION  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE TO EXPRISE THE EXPRISE OF THE CENTRE OF T							

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

(ARE) DE

## Sign Permit Pre-Application

### Attached Single Family Dwellings/Two-Family Dwelling

### Multi-Family or Commercial Structures and Additions Thereto


In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

·						
Location/Addressof Construction (include Portion of Building)  482 Congress	: St.	· · · · · · · · · · · · · · · · · · ·	. ·			
Total Square Footage of Proposed Structure	•	Square Footage of	La 6000			
Tax Assessor's Chart, Block & Lot Number  Chart# 037 Block# Lot# 003	Owner:	Brown &	'Sons	Telephone#:	7745908	
Owner's Address: 482 Congress St	Lessee/Buyer's N Portland	ame (If Applicable)	uc	Total Sq. Ft. of Sign	Fee \$ <del>3≠0</del> 0 5/.00	
Proposed Project Description: (Please be as specific as possible) MURAL TYPE GRAPHIC DESIGN ON 3 ADVOINING PANTELS OF .040 ALVMINUM ON IN TUBULAR FRAME. EACH PANEL ATTACHED TO WALL ON #8 X 3//2 EXPANSION BOITS IN MORTAR JOINTS (ISIGN) TOTAL SQ FT.						
Contractor's Name, Address & Telephone PROSTYLE DESIGN/SuiTE 501, 142 HIGH ST PURTLAND 775 3269 Rec'd By MB						
Current Use:	·	Proposed Use:	Sam	ځ		
multitenant office/C	communic	ial				
Signature of applicant: Chuthony K. Tayl	br. pr	of.	Date: Sct,	20, 1999	3	
Signage Permit Fee: \$30.00 plus .20 per square foot of signage						

Areand be parant





THE PORTLAND



15'0"

921FIXX
RADIO NETWORK