Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 01/28/16

1ST FLOOR FRAMING PLAN

0' 1' 5' 10'

SCALE 1/4"=1'-0"

NOTES:

1. SEE GENERAL STRUCTURAL NOTES FOR MORE INFO.

FRAMING PLAN SYMBOLS KEY	
▫	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
◄	JOIST BEARING
◄/	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
⊢	FLUSH FRAMED JOIST BEARING WITH HANGER
▨	WOOD STUD BEARING WALL BELOW
▨	(E) MULTI-WYTHE BRICK MASONRY WALL TO REMAIN
"X"T	NUMBER OF TRIM STUDS UNDER HEADER
"X"K	NUMBER OF KING STUDS ADJACENT TO HEADER

STATE OF MAINE
AARON C. JONES
No. 10968
LICENSED
PROFESSIONAL ENGINEER
10/17/15

Structural Integrity
Consulting Engineers, Inc.
77 Oak Street
Portland, ME, 04101
p. 207-774-4614
f. 866-793-7835
www.structuralintegs.com

BUILD WITH CONFIDENCE

©2014 Structural Integrity Consulting Engineers, Inc.

SI# 15-0216

MARK MUELLER ARCHITECTS A.I.A.
100 Commercial Street
Suite 205
Portland, Maine 04101
Phone: 207.774.9057
Fax: 207.773.3851
Email:
mark@muellerarchitects.com

©COPYRIGHT
MUELLER ARCHITECTS, LLC

RENOVATIONS OF:

EXISTING BUILDING

11 BROWN STREET
PORTLAND, MAINE 04101

1ST FLOOR FRAMING PLAN

REVISIONS	
1. REV. 1	11-09-15 RAMP TO PT
REV. 2	12-28-15 LANDINGS

DATE: Oct. 17th, 2015

PROJECT: 11 BROWN ST.

DRAWN BY: MKL

CHECK BY: ACJ

S1.1