#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 11 FREE STREET 773-8832 MONUMENT WAY, INC. Owner Address: Lessee/Buyer's Name: Phone: BusinessName: PO BOX 528, PORTLAND, MAINE 04112 Permit Issued: Contractor Name: Address: Phone: SPURWINK SYSTEM 207-582-1880 Past Use: Proposed Use: COST OF WORK: PERMIT FEE: \$ (7 SF) £31.40 COMMERCIAL COMMERCIAL INSPECTION:5/94 C/Q FIRE DEPT. □ Approved ☐ Denied Use Group: Type: CBL: 038-A-001 Zone:\_ Signature: Signature: Proposed Project Description: Zoning Approval PEDESTRIAN ACTIVITIES DISTRICT ( Action: Approved Special Zone or Reviews: EXTERIOR HANGING WOOD SIGN Approved with Conditions: □ Shoreland Denied □ Wetland ☐ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: GAYLE JANUARY 4, 2001 Zoning Appeal This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Variance ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation tion may invalidate a building permit and stop all work.. □ Approved □ Denied Historic Preservation \*\*\* MAIL TO: RICHARD WA Not in District or Landmark 11 FREE STREET □ Does Not Require Review ☐ Requires Review PORTLAND, ME Action: **CERTIFICATION** □ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Approved with Conditions authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, □ Denied if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit JANUARY 4, 2001 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: CEO DISTRICT

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

# THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

## SIGNAGE APPLICATION

## THIS IS NOT A PERMIT CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

Location/Address of Construction:	must be made before permits of any kind are	{		
Total Square Footage of Proposed Structure	Richard Square Fortige of Lor			
Tux Assessor's Chart, Block & Lot Number	Owner:	Telephone #:		
Chart#036 Block# A Lot#	Monu ment Way, S PORTIANT, ME OY112	lmg, 773 8832		
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Cost Of Work:		
TALENT TLESE	1115000 50.	Foc: \$(754)\$ 31,40		
Current use:	Proposed use: Com	mercial		
Project description: (X750.00 /4	nging wood Sign			
	<u>'</u>			
Contractor's Name, Address & Telephone  Spunwish Syms 1.	207-582-1880	Rec'd By:		
Please check off the following indicating	g that you have included the below it	ems to expedite the process		
	of this sign application:			
<ul><li>Certification of Liability" listing the Certification of Letter of Dermission from the Own</li></ul>				
•	plan indicating the following: $$	<b>列 3</b>		
☐ Drawing of the property showing	-			
☐ Location of all buildings and pro	perty setbacks from all buildings	8		
	howing street frontage and any rig	tht etways		
☐ Indicate on drawing the dimension		(God)		
Define in footage the frontage of	•			
	ignage and dimensions of each sig			
Indicate on drawing all proposed	I signage and dimension of each si	gn ndina nian		
□ Sign area neight and schook of 6	each existing and proposed freesta	noms sism		

### THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

<ul> <li>Certification of flammability required for awning/canopy at time</li> </ul>	ne of application
☐ UL # required for lighted signs at the time of Final Inspection.	
information will invalidate the Sign Permit.	

The Provisions of Section 3102.0 of the City's Building Code "The BOCA National Building Code 1999 edition" shall govern the construction, alteration, repair and maintenance of outdoor signs together with the associated appurtenant and auxiliary devices in respect to structural and fire safety. In accordance to section 3102.4.4 of BOCA construction documents and owners consent is all follows; "Before any permit is issued for the erection of a sign, Construction Documents shall be filed with the code official showing the dimensions, materials and required details of construction, including loads, stresses and anchorage. The applications shall be accompanied by the written contract of the owner or lessees of the premises upon which the sign is to erected. NO PERMIT CAN OR WILL BE ISSUED UNLESS THIS INFORMATION IS SBUMITTED AND APPROVED BY THE INSPECTIONS OFFICE.

### **ELECTRICAL SIGNAGE PERMITS/RESPONSIBLITIES**

All sign companies or any persons engaged in the installation, interchange or maintenance of signage in the City of Portland must have the Electrician or Electrical Contractor who provided power to the sign(s) or associated equipment apply for an electrical permit in the Inspections Office.

It is the responsibility of your company to contact your sub-contractor or he owner to inform them of this policy. Whether your company does the final connections, which requires a valid Maine Electricians License or your sub contractor provides this service; permits and inspections shall be required.

Failure to comply with this procedure may result in the denial of sign permits by this office for your company or its representation to install or interchange any future signage in the City of Portland.

If the property is located in a historic district, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:		Date:	1/4	101	
	<del>/</del>		/ /		

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

#### BUILDING PERMIT REPORT

•	- · ·	
DATE: 4 Junua-1 2000 ADDRE	ess: 11 Free STreeT	CBL: <u>Ø 38-A- gg</u> /
REASON FOR PERMIT: Signa 9.	g	
BUILDING OWNER: Monumen	ot Way Inc	
PERMIT APPLICANT:	/CONTRACTOR_SP	urwink Sys.
USE GROUP:CONSTRUCTION TY	PE:CONSTRUCTION COST:	PERMIT FEES <b>231.49</b>
The City's Adopted Building Code (The BOCA Nation The City's Adopted Mechanical Code (The BOCA N		÷
<u>c</u>	CONDITION(S) OF APPROVAL	
This permit is being issued with the understand	ling that the following conditions shall be met:	1 *36 *32
1 This permit does not excuse the applicant from mea	eting applicable State and Federal pules and laws	

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. 5.

Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical

Code/1993). Chapter 12 & NFPA 211

- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

- All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics). 27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) 31. Please read and implement the attached Land Use Zoning report requirements. 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. 33. Bridging shall comply with Section 2305.16. 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) 35. All flashing shall comply with Section 1406.3.10. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). please hanging Sign please read cories 3102.6. (See attached) read and

Sanu Hoffses, Building Inspector
Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator
Michael Nugent, Inspection Service Manager

SH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 14.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00



SPURWINK SIGNS, INC. 115 BRUNSWICK AVE., GARDINER, ME 04345 phone - 207-582-1880 fax - 207-582-0198 e-mail - spwink@mint.net web site - www.spurwinksigns.com

N.T.S. SCALE \$ 970,00 PROJECT EXTERIOR & INTERIOR SIGNAGE PRICE DRAWN BY TERY \$ 48.50 LOCATION 11 FREE STREET PORTLAND IN 12-6-00 DATE \$480.00 CUENT INITIAL STAFFING / TALENT TREE LABOR DEVISION # #1 N/A CONTACT DEE THOMPSON LBARB WIGTON AND - This sketch represents considerable time & effort. \$1,498,50 PHONE (713) 361-7529 / (207) 774-5300 TOTAL We will provide you (the client) with one lavout/design. (7)3) 780-0722 1(207)\$ 749.25 FAX 50% DEPOSIT Any additional loyout & design time will be billed at \$ 749,25 our hourly rate of \$ 40.00 in 1/4 hour increments. **NOTATION** BALANCE DUE NET 15. DATE 12/6/00 ACCEPTED BY DATE COPYRIGHT 2000, SPURWINK SIGHS, INC.

2 OF

1.45"

LISTINGS

LETTERING

TRES

ST. 16' FRONTAGE ON FREE ST. 16X2=| SETISAGE - I' FROM CURIS

_	ACORD CERT	FICATE OF L	ABI	LITY II	VSURAI	VCE		ATE (MM/DD/YY)	
	DUGER (207) 774-6257	FAX (207)774-2994	- · · · · · · · · ·					1/03/2001	
_	ark Associates	FMA (20/)//4-2994		THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE					
	31 Congress Street			HOLDER T	HIS CERTIFICATI	E DOES NOT AMEND, E FORDED BY THE POLICE	XTEN	iD OR	
PO Box 3543 Portland, ME 04104			INSURERS AFFORDING COVERAGE						
EŲ	RED Wigton Group				Hanover Ins				
	11 Free Street Portland, ME 04101				Hanover Insi	France Company	-		
	FOI CIANG, ME 04101			INSURER C:	<del></del>	· · · · ·			
				INSURER D: INSURER E:	•				
01	/ERAGES			HOUREN E.					
A) M	HE POLICIES OF INSURANCE LISTED MY REQUIREMENT, TERM OR CONDI MY PERTAIN, THE INSURANCE AFFO DLICIES, AGGREGATE LIMITS SHOW	ITION OF ANY CONTRACT OR OTH PROED BY THE POLICIES DESCRIBE	ER DOÇU ED HEREIN	MENT WITH RES I IS SUBJECT TO	PECT TO WHICH T	HIS CERTIFICATE MAY BE	ISSUE	ED OR	
R	Type of Insurance	POLICY NUMBER	P?	ATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIM	TS		
	GENERAL LIABILITY	ZDP5815843-02		8/01/2000	08/01/2001	EACH OCCURRENCE	\$	1,000,000	
	X COMMERCIAL GENERAL LIABILITY	ì				FIRE DAMAGE (Any one fire)	5	100,000	
	CLAIMS MADE X OCCUR	1				MED EXP (Any one person)	S	5,000	
١.		į		•		PERSONAL & ADV INJURY	5	1,000,000	
						GENERAL AGGREGATE	5	2,000,000	
	GEN'L AGGREGATE LIMIT APPLIES PER: POLICY PRO- JECT LOC		ļ			PRODUCTS - COMPIOP AGG	\$	2,000,000	
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT (Es socident)	\$		
	ALL OWNED AUTOS SCHEDULED AUTOS					BODILY INJURY (Per person)	s		
	HIRED AUTOS					BODILY INJURY (Per accident)	\$		
						PROPERTY DAMAGE (Per accident)	\$		
	GARAGE LIABILITY					AUTO ONLY - EA ACCIDENT	\$		
	ANY AUTO					OTHER THAN EA ACT			
_						Д	3 8		
	OCCUR CLAIMS MADE					AGGREGATE	5		
	OCOON OUTIMO NUMBE					AGGREGATE	1=		
	DEDUCTIBLE					<del></del>	1,		
	RETENTION \$						15	-	
	WORKERS COMPENSATION AND					WC STATU- OTH	-	Accessed the section of the second constraints	
	EMPLOYERS' LIABILITY					E.L. EACH ACCIDENT	5		
						E.L. DISEASE - EA EMPLOYE	<b>I 5</b>		
		<u> </u>				E.L. DISEASE - POLICY LIMIT	<u></u>		
	OTHER								
r	RIPTION OF OPERATIONS A COATIONS AND THE TENTH OF THE HAM	EMCLES/EXCLUSIONS ADDED BY END Med as additional insu	Pred Wi	special provise th respect	ons s to Genera	l Liability			
EF	TIFICATE HOLDER AD	DITIONAL INSURED; INSURER LETTER		CANCELLATI	ON			less reserve to	
						RISED POLICIES SE CANCEL	LED BI	PORE THE	
Expiration date thereof, the (osuing company will endeavor to mail									
			10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT,						
City of Portland			BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY						
389 Congress St			OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.						
Portland, ME 04101			Mark Saxby						
SC	ORD 25-S (7/97) FAX: (20	7)775-2660		Mark SaxD	, ,			PORATION 1988	

#### MONUMENT WAY, INC.

ONE MONUMENT WAY

P.O. BOX 528

PORTLAND, MAINE 04112

207/773-0225 TELEFAX 207/773-8832

December 28, 2000

City of Portland 389 Congress Street Portland, ME 04101

Dear Sir or Madam,

This letter is to confirm that Kim Volk of Monument Way, Inc. ("Lessor"), the owner of the building located at 6-15 Monument Square and 9-17 Free Street and referred to as One Monument Way, does hereby give permission to Barbara and Richard Wigton of Talent Tree Staffing Services, Inc. ("Lessee"), to erect a hanging sign attached to the building above their location at 11 Free Street, in a manner consistent with existing signs on that block of Free Street.

Lessor reserves the right to approve sign design before installation.

Sincerely,

Kim Volk President

Bulkike Wight

Seen & Agreed J

By: Barbaric Wight

Its: Frinduse Owner