#### DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

JB BROWN & SONS

Located at

10 FREE ST

**PERMIT ID:** 2015-02073

**ISSUE DATE:** 10/14/2015

**CBL:** 038 A001002

has permission to Interior office renovations of existing office space located on the First Floor (Suite

100).

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger

/s/ Jonathan Rioux

Fire Official

**Building Official** 

### THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

**Building Inspections** 

Fire Department

Use Group: B

Type: III

**ENTIRE** 

IBC, 2009 (MUBEC)

## BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

# Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

#### **REQUIRED INSPECTIONS:**

Close-in Plumbing/Framing Electrical - Commercial Fire Inspection Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8						4-8716	2015-02073	08/25/2015	038	8 A001002	
Proposed Use: Same: First Floor - Office (Suite 100)							Project Description:				
						Interior office renovations of existing office space located on the First Floor (Suite 100).					
N	ote:	Historic ions:	Status:	Approved	Re	viewer:	Deborah Andrews	s Approval D		09/22/2015 • Issue: ☑	
No Co		Zoning ions: approves the pr		Approved w/Conditions			Tammy Munson	Approval D		09/10/2015 • Issue: 🗹	
N	ept: ote:		cti Status:	Approved w/Conditions	Re	viewer:	Jonathan Rioux	Approval D		10/14/2015 • Issue: ✓	
		ions:	1:	i	lll		d Table 202 0 af 4	h- IDC 2000 (MIII	DEC)		
	Interior wall and ceiling finish requirements by occupancy shall comply with Table 803.9 of the IBC, 2009 (MUBEC).										
	This project includes alterations that Maine state law requires for compliance with the 2010 ADA Standards for Accessible Design.										
3)	Ventilation of this space is required per ASRAE 62.2, 2007 edition.										
	Insu	lation shall com	ply with the	EIECC, 2009 (Maine Stat	e Energy	Codes).					
4)		13.3 Fire-resistance-rated walls. Penetrations into or through fire walls, fire barriers, smoke barrier walls and fire partitions shall omply with Sections 713.3.1 through 713.3.3. Penetrations in smoke barrier walls shall also comply with Section 713.5.									
5)	Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.										
	ept: ote:	Engineering D	PS Status:	Not Applicable	Re	viewer:	Benjamin Pearson	Approval D		08/26/2015 • Issue:	
		ions:									
1)	Grea	ase Program. If a	approval is a	to Engineering DPS as it needed for this project by golis-Pineo at 207-874-89	the Engi	neering I	Department of Publ				
D	ept:	Fire	Status:	Approved w/Conditions	Re	viewer:	Craig Messinger	Approval D	ate:	09/30/2015	
N	ote:								Ok to	Issue: 🗹	
		ions:									
1)		A separate Suppression System Permit is required for all new suppression systems, including standpipe systems, and sprinkler work effecting more than 20 heads. This review does not include approval of system design or installation.									
2)		A separate Fire Alarm Permit is required for new systems; or for work effecting more than 5 fire alarm devices; or replacement of a fire alarm panel with a different model. This review does not include approval of fire alarm system design or installation.									
3)		Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.									
4)	Shal	Shall meet the requirements of NFPA 101, Chapter 39, Existing Business Occupancies.									
5)	Shal	l meet the requi	rements of 2	2009 NFPA 1 Fire Code.							

**Located at:** 10 FREE ST

**CBL:** 038 A001002

**PERMIT ID:** 2015-02073

6) All construction shall comply with City Code Chapter 10.

**PERMIT ID:** 2015-02073 **Located at:** 10 FREE ST **CBL:** 038 A001002