



RCP LEGEND	
	2' X 2' EXISTING CEILING PANEL ACP-X
	NEW 2' X 2' ACOUSTICAL CEILING PANEL ACP-1
	2' X 2' NEW ACOUSTICAL CEILING PANEL ACP-2
	NEW OPSIUM SOFFIT OMB-1
	EXISTING OPSIUM SOFFIT OMB-X
	CEILING HEIGHT
	HVAC SUPPLY DIFFUSER
	EXISTING HVAC SUPPLY DIFFUSER
	HVAC EXHAUST OR RETURN AIR REGISTER
	EXISTING HVAC EXHAUST OR RETURN AIR REGISTER
	2' X 2' RECESSED FLUORESCENT LIGHT FIXTURE
	RECESSED MTLWASHING DOWNLIGHT
	6" RECESSED FLUORESCENT DOWNLIGHT
	4" CHANNEL REFLECTOR WALL WASHER
	2' X 2' EMERGENCY LIGHTING CIRCUIT
	RECESSED CONTACT FLUORESCENT DOWNLIGHT WIRING TO NIGHT OR EMERGENCY LIGHTING CIRCUIT
	WALL MOUNTED EXIT SIGN
	CEILING MOUNTED EXIT SIGN
	CEILING MOUNTED DIRECTIONAL EXIT SIGN
	WS WET SPRINKLER PIPING
	WS EXISTING WET SPRINKLER PIPING
	WS CONNECT TO EXISTING
	NEW RECESSED/CONCEALED SPRINKLER HEAD (TYPE TO MATCH BUILDING STANDARDS U.O.N. ON DRAWINGS)
	NEW UPRIGHT SPRINKLER HEAD
	EXISTING SPRINKLER HEAD TO BE REMOVED AND PLUG PIPING ABOVE CEILING
	EXISTING SPRINKLER HEAD TO REMAIN
	EXISTING SPRINKLER HEAD TO BE RELOCATED

- RCP GENERAL NOTES**
- REFER TO ELECTRICAL DRAWINGS FOR LIGHTING SCHEDULE.
 - ALL CEILINGS TO BE CENTERED IN ROOM, U.O.N.
 - ALL NEW CEILINGS TO BE 9'-0" U.O.N.
 - THE FIRE PROTECTION CONTRACTOR SHALL PROVIDE NEW SPRINKLER HEADS AND PIPING AS REQUIRED TO SERVE ALL NEW SPRINKLER HEADS AND PIPING AS SHOWN ON THIS SHEET.
 - THE FIRE PROTECTION CONTRACTOR SHALL BE RESPONSIBLE FOR ENGINEERING, DESIGN AND HYDRAULIC CALCULATIONS OF THE SPRINKLER SYSTEM TO COMPLY WITH THE REQUIREMENTS OF NFPA 13, OMBAN AMENDMENT, FROM THE APPROXIMATE TEST AS REQUIRED BY THE LOCAL FIRE DEPARTMENT.
 - SPRINKLER SYSTEM PLANS MUST BE REVIEWED AND APPROVED BY THE LOCAL FIRE DEPARTMENT PRIOR TO SPRINKLER SYSTEM MODIFICATIONS OR ALTERATION.
 - REMOVE AND REPLACE ALL CEILING TILES WHERE DAMAGED.
 - TYPE CENTER SPRINKLER HEADS IN CEILING TILE.

ISSUE LOG	TD BANK
REVISION	TEENANT RENOVATION
DATE	1 PORTLAND SQUARE
DESCRIPTION	CAMBRIDGE, MASSACHUSETTS 02110

NO.	1	2/5/2010	PERMIT SET
DATE			
DESCRIPTION			
SCALE	1/8"=1'-0"		
DRAWN BY	AAB		
CHECKED BY	AAB		
PROJ. ARCH./ENGR.	AAB		
PROJ. MGR.	SFD		
JOB NO.	09053V 09063.01		
	© SYMMES MAINI & MCKEE ASSOCIATES, INC. 2010		

**LOWER LEVEL
REFLECTED CEILING
PLAN**