

**REFLECTED CEILING GENERAL NOTES**



- A. MECHANICAL & ELECTRICAL WORK ON THESE PLANS IS FOR FIXTURE/EQUIPMENT TYPE AND GENERAL LOCATION ONLY. GC AND DESIGN BUILD MECHANICAL/ELECTRICAL CONTRACTORS TO VERIFY ALL EQUIPMENT AND NOTIFY ARCHITECT WITH ANY DISCREPANCIES OR FIXTURE INTERFERENCES AFTER DESIGN COMPLETED. ALL MECHANICAL/ELECTRICAL WORK TO BE DESIGN BUILD AND FOLLOW ALL APPLICABLE CODES.
- B. GC AND DESIGN BUILD MECHANICAL/ELECTRICAL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING DRAWINGS AND NOTIFYING ARCHITECT WITH ANY DISCREPANCIES.
- C. ANY MODIFICATIONS TO SPRINKLER SYSTEM TO BE DESIGN/BUILD. FIRE SPRINKLER CONTRACTOR IS RESPONSIBLE TO FOLLOW ALL APPLICABLE CODES. PROVIDE NEW MATERIAL AND EQUIPMENT AS REQUIRED TO MATCH EXISTING.
- D. EXISTING CEILING GRID AND TILE TO REMAIN. REPLACE CEILING TILES WITH NEW TO MATCH (ONLY WHERE REQUIRED) AND/OR ADJUST EXISTING CEILING LAYOUT AS SHOWN ON PLAN.
- E. PROVIDE 4'-0" OF SOUND ATTENUATING BATT INSULATION LOCATED ABOVE CEILING 2'-0" ON EACH SIDE OF NEW PARTITIONS.
- F. DESIGN BUILD MECHANICAL CONTRACTOR TO REZONE AND ADJUST SYSTEMS TO OPERATE CORRECTLY PER NEW LAYOUT. PROVIDE NEW MATERIAL AND EQUIPMENT AS REQUIRED TO MATCH EXISTING.
- G. REUSE SALVAGED EQUIPMENT IF FULLY OPERATIONAL ONLY. PROVIDE NEW TO MATCH EXISTING AS REQUIRED.

**REFLECTED CEILING KEYNOTES**

- 200. NO CEILING WORK, THIS ROOM.
- 201. PROVIDE NEW CEILING TILES AND GRID (IF REQUIRED) THIS ROOM. MATCH SUITE STANDARD EXISTING CEILING GRID & TILE SPECIFICATION TO MATCH AS CLOSELY AS POSSIBLE. REPLACE DAMAGED OR BROKEN CEILING TILES WITH NEW OR SALVAGED TO MATCH EXISTING.
- 202. EXISTING CEILING GRID, TILE AND LIGHTING TO REMAIN THROUGHOUT SUITE. CONTRACTOR TO SHIFT AND RELOCATE LIGHTS AND TILES AT AREA OF WORK TO ACHIEVE PROPER LIGHTING THROUGHOUT. IF ANY NEW LIGHT FIXTURE IS REQUIRED, MATCH EXISTING SUITE STANDARD. VERIFY SCOPE OF CEILING WORK ON-SITE.
- 203. RE CIRCUIT LIGHTING AS NEEDED FOR SWITCHING, THIS ROOM.

**REFLECTED CEILING SYMBOLS**

SYMBOL	DESCRIPTION
	2' x 2' FLUORESCENT DIRECT/INDIRECT FIXTURE - SUITE STANDARD.
	2' x 4' FLUORESCENT DIRECT/INDIRECT FIXTURE - SUITE STANDARD.
	RECESSED LIGHT FIXTURE - PROVIDE NEW TO MATCH SUITE STANDARD.
	CEILING MOUNTED EXIT LIGHT WITH DIRECTIONAL ARROW (S). SHADED PORTION DESIGNATES DISPLAYABLE FACE (S). MATCH EXISTING SUITE STANDARD - CLEAR W/ RED LIGHTING. REUSE EXISTING AS AVAILABLE OR PROVIDE NEW TO MATCH EXISTING IF NEEDED.
	EXISTING FIRE SPRINKLER HEAD, FOR REFERENCE ONLY.
	TOGGLE SWITCH - SINGLE POLE.
	DIMMER SWITCH.
	3-WAY TOGGLE SWITCH.
E or EX	DENOTES EXISTING LOCATION.
RE	RELOCATED EXISTING/SALVAGED.
	KEYNOTE.
	EXISTING GWS CEILING TO REPAIR.
	NEW GWS CEILING AT DESIGNATED HEIGHT.



**PARTIAL FIFTH FLOOR REFLECTED CEILING PLAN**  
SCALE: 1/8"=1'-0"

**NELSON**  
Nelo Architecture, Inc.  
a licensed affiliate  
1201 Marquette Avenue South - Suite 200  
Minneapolis, MN 55403  
Phone: (612) 822-1211  
Fax: (612) 822-1008

Client:  
**RBC WEALTH MANAGEMENT**  
RBC PLAZA  
60 S. 6TH STREET  
MINNEAPOLIS, MN 55402

ISSUED FOR PERMIT: 01/29/2016  
ISSUED FOR BID: 02/03/2016  
ISSUED FOR LL REVIEW: 01/29/2016  
Description: No. 1 By: Date:

Richard B. Sutton  
No. 3715  
STATE OF MINNESOTA

RBC PORTLAND OFFICE RENOVATION  
RBC WEALTH MANAGEMENT  
TWO PORTLAND SQUARE, 5TH FLOOR  
PORTLAND, ME 04101  
Project Title & Address:

**PARTIAL FIFTH FLOOR REFLECTED CEILING PLAN**  
Sheet Title:  
Proj. No: 16-01836.00  
Drawn By: DLF  
Project Manager: RDS  
Prepared By: DLF  
Date: [blank]  
Reviewed By: RDS  
Date: [blank]  
Approved By: RDS  
Date: [blank]  
ALL DIMENSIONS AND CONDITIONS MUST BE CHECKED AND VERIFIED ON SITE BY THE CONTRACTOR AND SUB CONTRACTORS. THE PROJECT MANAGER SHALL BE NOTIFIED IN WRITING OF ANY DISCREPANCIES PRIOR TO PROCEEDING WITH THE WORK.  
© NELSON 2004 ALL RIGHTS RESERVED

**A2-1**

Plot Date: 3/20/2016 10:28:14 AM File Name: U:\proj\James Lingo\Labate America v\ME\16-01836-00-REV.rvt - Project: MEJ\_Devonport\_CD\1\_Devonport\_CD.rvt User: Daley Park Device: DWG To PDF.pc3 Plot Style: NELSON.rlt Plot Number: