SINK COMBS DETHLEFS

Copyright by Sink Combs Dethlefs, P.C.
4314 Lincoln Street, Suite 100 Denver, Colorado 80216
303 399 8000 FAX 399 0202

TECHNICAL NOTES:

1. MOUNT TO FACE OF SCHEDULE. REFER TO SECTION 1/A4.2 FOR MORE INFORMATION.
2. REFEED EXISTING TEL/DATA JACKS TO POS SYSTEM SERVER VIA NEAREST BOX. REFER TO DETAIL J1/E0.3B.
3. DATA JACK FOR POS SYSTEM. CONNECT TO POS SYSTEM SERVER VIA NEAREST BOX. REFER TO DETAIL J1/E0.3B.
4. CONNECT TO FIRE ALARM SYSTEM FOR AUTOMATIC OPEN ON ACTIVATION OF SMOKE CONTROL SYSTEM (ZONE 3).
5. DUCT MOUNTED SMOKE DETECTOR PROVIDED BY DIV. 23, INSTALLED BY DIV. 23, & CONNECTED TO THE FIRE ALARM SYSTEM BY DIV. 26. OBTAIN 120V POWER FROM NEARBY RECEPTACLE CIRCUIT.

0	CONSTRUCTION DOCUMENTS	01-21-2013
REV.	DESCRIPTION	DATE

CONSTRUCTION DOCUMENTS

01-21-2013

CURRENT ISSUE STATUS

Date: 09/05/13

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

CITY OF PORTLAND, MAINE
RESURGAM

C:\Documents and Settings\jpf\Desktop\CCCC Electri
01/21/2013 1:31:20 PM