SINK COMBS DETHLEFS

Copyright by Sink Combs Dethlefs, P.C.

1234 Lincoln Street, Suite 100 Denver, Colorado 80203

303 399 8080 FAX 399 0202

TECHNICAL NOTES:

1. JUNCTION BOX ABOVE CANOPY CEILING WITH 2" EMPTY CONDUIT & PULL STRING TO BT 3115 FOR COMMUNICATIONS / CONTROL FOR FUTURE OS/CI FISSION BOARDS.
2. DUCT MOUNTED SMOKE DETECTOR PROVIDED BY DIV. 28, INSTALLED BY DIV. 21, & CONNECTED TO THE FIRE ALARM SYSTEM BY DIV. 28, OBTAIN 120V POWER FROM NEARBY RECEPTACLE CIRCUIT.

REV.	DESCRIPTION	DATE
3	CONSTRUCTION DOCUMENTS	01-21-2013
2	SB #009	12-05-2012
1	SB #007	11-02-2012
0	NW ENTRY CONSTRUCTION DOCS	10-01-2012

CONSTRUCTION DOCUMENTS

01-21-2013

CURRENT ISSUE STATUS

Date: 09/05/13

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

CITY OF PORTLAND, MAINE · RESURGAM

01/21/2013 2:09:11 PM
C:\Users\sbrown\Documents\SCDEC Electric\