

City of Portland, Maine – Building or Use Permit Application 389-Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 21 Pleasant St		Owner: Pleasant St Limited		Phone:		Permit No.: 70674	
Owner Address:		Lessee/Buyer's Name: George's Restaurant 21 Pleasant St Pld, ME 04101		Phone:		BusinessName:	
Contractor Name:		Address:		Phone: 774-5260		Permit Issued: JUN 27 1997 CITY OF PORTLAND	
Past Use: Restaurant		Proposed Use: Same		COST OF WORK: \$		PERMIT FEE: \$ 25.00	
				FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
				Signature: <i>[Signature]</i>		Signature:	
Proposed Project Description: Conduct Outside Dining - 1997 Season				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)			
				Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied: <input type="checkbox"/>			
Permit Taken By: Mary Gresik				Date Applied For: 27 May 1997			

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Approval:
ok - shall comply with
 Special Zone or Reviews:
 Shoreland *Traffic engineer*
 Wetland *Fog*
 Flood Zone
 Subdivision *6/24/97*
 Site Plan major minor mm
Can not use the entire
 Zoning Appeal
 Variance *side walk -*
 Miscellaneous *Area must*
 Conditional Use *be kept*
 Interpretation *clear per*
 Approved *The Regs,*
 Denied

PERMIT APPROVED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

George T. Kando 31 Sheridan St #3
 SIGNATURE OF APPLICANT George Kando ADDRESS: *Portland, ME* DATE: *19 June 97*
~~27 May 1997~~

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: *6/19/97*
D. Andrews

CEO DISTRICT *2*
A. Powell

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 21 Pleasant St		Owner: Pleasant St Limited		Phone:		Permit No: 970674			
Owner Address:		Lessee/Buyer's Name: George's Restaurant 21 Pleasant St Portland, ME 04101		Phone:		Business Name:			
Contractor Name:		Address:		Phone: 774-5260		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: JUN 27 1997 CITY OF PORTLAND </div>			
Past Use: Restaurant		Proposed Use: Same		COST OF WORK: \$ _____ FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied				PERMIT FEE: \$ 25.00 INSPECTION: Use Group: Type:	
Proposed Project Description: Conduct Outside Dining - 1997 Season				Signature: <i>[Signature]</i> PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____				Zone: CBL: 038-E-024 Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 27 May 1997		Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED
WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

14 June 97
27 May 1997

SIGNATURE OF APPLICANT George Kando	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

2

BUILDING PERMIT REPORT

DATE: 25 June 97 ADDRESS: 21 Pleasant St
REASON FOR PERMIT: Outside Dining
BUILDING OWNER: Pleasant St. Limited
CONTRACTOR: George's Best
PERMIT APPLICANT: ↑ APPROVAL: *1 *27 *28 ~~DENIED~~

CONDITION(S) OF APPROVAL

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1; R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

Thomas Corp.

TO THE EXTENT OF THE COVERAGE PROVIDED BY THIS POLICY, THE INSURER SHALL BE RESPONSIBLE FOR THE COST OF THE LOSS AND OF THE COST OF THE DEFENSE AND COST OF SETTLEMENT.

GENERAL LIABILITY
COMMERCE
POLICY

DESCRIPTION

CLASS

FORM

NO. OF

EX

CO

A

CC

COVER

PER

21

DE

INSUR


INSUR

SCA

SO


PROD

ACORD CERTIFICATE OF INSURANCE



Thank you,
 Deutbolke

If you have any questions or comments,
 please call either Dean or George @ 774-5260.



We would like you to consider allowing
 "Georges" to have sidewalk seating.
 It would look as follows:

Dean Hoehle
 Georges Restaurant
 21 Pleasant St.
 774-5260

Dear Ding:
 CITY CLERKS OFFICE
 PORTLAND, OREGON
 RECEIVED
 APR 25 1997

CONDITIONS FOR SIDEWALK OCCUPANCY PERMIT

Written consent and agreement relating to occupancy of the City of Portland sidewalk in the front, side, and/or rear of the building at:

21 PLEASANT ST. PORTLAND, ME

in Portland, Maine, by the owner of the establishment being:

d.b.a. GEORGE'S (KOKOPELLI GRILLE INC.)

doing business as: _____

hereby, to the fullest extent permitted by law, shall defend, indemnify and hold harmless the City, its officers and employees, from and against all claims, damages, losses and expenses, just or unjust, including, but not limited to costs of defense and attorney's fees, arising out of the establishment's occupancy of the sidewalk, provided that any such claims, damage, loss or expense (1) is attributable to bodily injury, sickness, disease, or death, or to injury to or destruction of tangible property including the loss of use therefrom, and (2) is caused in whole or in part by any negligent act or omission of the establishment, anyone directly or indirectly employed by it, or anyone for whose act it may be liable.

Signed and Acknowledged:

George T. Sunelo
Establishment Owner

Dated:

May 26, 1997

Producer
 Excess Insurance
 Underwriters
 2338 Congress Street
 Portland ME 04104

This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policies below.

COMPANIES AFFORDING COVERAGE

Insured
 RAPPETTE HOOD CORPORATION
 JOHN RAPPETTE DBA
 RR 2, BOX 610
 BRIDGTON ME 04009

- Company letter A ACCEPTANCE INSURANCE CO
- Company letter B
- Company letter C
- Company letter D
- Company letter E

COVERAGES This is to certify that policies of insurance listed below have been issued to the insured named above for the policy period indicated, notwithstanding any requirement, term or condition of any contract or other document with respect to which this certificate may be issued or may pertain, the insurance afforded by the policies described herein is subject to all the terms, exclusions and conditions of such policies. Limits shown may have been reduced by paid claims.

Co Lt	Type of Insurance	Policy number	Policy Effective	Policy Expire	ALL LIMITS IN THOUSANDS
A	GENERAL LIABILITY X Commercial General Liab. Claims made X Occurrence - Owner's & contractors protective - -	CL 99916319	2-24-97	2-24-98	General aggregate.....\$2,000 Products-completed operations aggregate..\$1,000 Personal & advertising injury....\$1,000 Each occurrence.....\$1,000 Fire damage (any one fire).....\$50 Medical expense (any one person).....\$EXCL
	AUTOMOBILE LIABILITY - Any auto - All owned autos - Scheduled autos - Hired autos - Non-owned autos - Garage liability -				CSL \$ Bodily Injury (per person) \$ Bodily Injury (per accident) \$ Property damage \$
	EXCESS LIABILITY - Umbrella form - Other than umbrella form				Each occurrence Aggregate \$ \$
	WORKERS' COMPENSATION AND EMPLOYERS' LIABILITY				Statutory \$ (each accident) \$ (disease-policy limit) \$ (disease-each empl.)
	OTHER -				

Description of operations/locations/vehicles/special items

FIRE SUPPRESSION PER TERMS & CONDITIONS OF POLICY

Certificate holder
 GEORGES RESTAURANT
 2123 PLEASANT STREET
 PORTLAND ME 04101

CANCELLATION Should any of the above described policies be cancelled before the expiration date thereof, the issuing company will endeavor to mail 10* days written notice to the certificate holder named to the left, but failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents or representatives.

Authorized representative