



REVISION

PROJECT NAME

INTERIOR RENOVATION TO
 F.L. PUTNAM INVESTMENT
 MANAGEMENT COMPANY

245 COMMERCIAL STREET, STE 500 PORTLAND, MAINE

1/FEET

COVER SHEET

DATE: 9 FEB '16

SCALE: NO SCALE

DRAWN: MFFH/mgk

JOB NO: 160102

1/FEET

AO

COPYRIGHT REPRODUCTION OR REV. OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION FROM GRANT HAYS ASSOCIATES IS PROHIBITED.

INTERIOR RENOVATIONS AT

F.L. PUTNAM INVESTMENT MANAGEMENT COMPANY

245 COMMERCIAL STREET, STE 500

PORTLAND, MAINE 04101

ABBREVIATIONS

AFF ALUM or AL AWP	ABOVE FINISH FLOOR ALUMINUM ACOUSTICAL WALL PANEL	HC HD WD HDR HDWE HM HORIZ HT	HANDICAP HARDWOOD HEADER HARDWARE HOLLOW METAL HORIZONTAL HEIGHT	S SAT	SOUTH SUSPENDED ACOUSTICAL TILE CEILING
BIT BM BOT BRG BRK	BITUMINOUS BENCH MARK BOTTOM BEARING BRICK	ID IF INSUL INT	INSIDE DIAMETER INSIDE FACE INSULATION INTERIOR	SC SD SCHED SFCT SFS SGB	SHOWER CURTAIN SOAP DISPENSER SCHEDULE SECTION SUSPENDED GYPSUM BOARD CEILING
C CAB CDB CDD CH	CARPET CABINET CHALK BOARD CENTER TO CENTER CONCRETE FLOOR WITH HARDENER CONTROL JOINT CEILING CONCRETE MASONRY UNIT CONCRETE CONTINUOUS CONSTRUCTION CONTRACTOR CERAMIC TILE	INT or JT KEC KP	JOINT KITCHEN EQUIPMENT CONSULTANT KICK PLATE	SHT SIM SND SPEC SQ SS STD STL STRUCT STV SV	SHEET SIMILAR SANITARY NAPKIN DISPOSAL SPECIFICATIONS SQUARE SYNTHETIC SPORTS SURFACE STANDARD STEEL STRUCTURAL STRAIGHT VINYL BASE SHEET VINYL
CJ CL CLG CLU CONC CONT CONST CONTR CT	CJ CL CLG CLU CONC CONT CONST CONTR CT	L LAB LNF LOC LS	LAVATORY LABEL (FIRE) LITE LOCATION LOCKSET	T TD TH THK TO TOB TOM TOW TP TYP	TEMPERED (GLASS) TACK BOARD THERMAL (INSULATED) THICKNESS TOP OF TOP OF BEAM TOP OF MASONRY TOP OF WALL TOILET PAPER DISPENSER TYPICAL
DBL DC DIA DIM DNA DR DTL DWG	DOUBLE DOOR CLOSER DIAMETER DIMENSION DOES NOT APPLY DOOR DETAIL DRAWING	M MAS MAX MB MEC-1 MFCR MIN MISC MO MRGB MTL	MARBLE MASONRY MAXIMUM MARKER BOARD MECHANICAL MANUFACTURER MINIMUM MISCELLANEOUS MASONRY OPENING MOP OPENING MOISTURE RESISTANT GYPSUM BOARD METAL	VB VCT VERT VWC	VAPOR BARRIER VINYL COMPOSITION TILE VERTICAL VINYL WALL COVERING
E EA EF EJ ELEV EM/HD	EAST EACH EACH FACE EXPANSION JOINT ELEVATION ELECTRICAL ELEVATOR ELECTROMAGNETIC HOLD OPEN EQUAL EACH WAY ELECTRIC WATER COOLER EXPANSION EXT	N NA NIC NO NOM NTS	NORTH NOT APPLICABLE NOT IN CONTRACT NUMBER NOMINAL NOT TO SCALE	W WC WD WF WG WP	WEST WITH WATER CLOSET WOOD WATER FOUNTAIN WIRE GLASS WOOD PANELING
FCS FD FDN FE FFE FIN FIN FL or FF FIN GR FLOOR FR FRMG FT FV FWC	FLOOR COATING SYSTEM FLOOR DRAIN FOUNDATION FIRE EXTINGUISHER FINISH FLOOR ELEVATION FINISH FLOOR FINISH GRADE FLOOR FIRE RATING FRAMING FEET (FOOT) FIELD VERIFY FABRIC WALL COVERING	OA OC OD OPNG OPP	OVERALL ON CENTER OUTSIDE DIAMETER OUTSIDE FACE OPENING OPPOSITE	P PTD PB PL PLY WD PNE PS PT PT & D PTN	PAINT PAINTED PANIC BAR PLATE PLYWOOD PANEL PASSAGE LATCH SET PRESSURE TREATED PAPER TOWEL & WASTE DISPENSER PARTITION
G GA GALV GB GC GWB	GRANITE GALFGE GALVANIZED GRAB BARS GENERAL CONTRACTOR GYPSUM WALL BOARD	RD RE REF REIN REQD RM RO	ROOF DRAIN REFER REFRIGERATOR REINFORCED REQUIRED ROOM ROUGH OPENING		

GENERAL NOTES

- ALL WORK SHALL CONFORM TO LOCAL AND STATE LAWS, ORDINANCES AND PREVAILING EDITIONS OF ADOPTED BUILDING CODES. IT IS THE CONTRACTOR'S RESPONSIBILITY TO SECURE ALL PERMITS FOR WORK.
- THE CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO COMMENCING THE WORK AND REPORT ANY DISCREPANCIES TO THE ARCHITECT. CONTRACTOR SHALL PROCEED WITH THE WORK ONLY AFTER SUCH DISCREPANCIES HAVE BEEN RESOLVED BY THE ARCHITECT. CONTRACTOR SHALL ALLOW A 48 HOUR TIME FRAME FOR RESOLVING DISCREPANCIES ONCE THE ARCHITECT HAS ACKNOWLEDGED THE CONDITION.
- THE CONTRACTOR SHALL REVIEW AND VERIFY ALL EXISTING CONDITIONS PRIOR TO STARTING THE WORK IN ANY GIVEN AREA.
- WORK WITH GIVEN DIMENSIONS AND LARGE SCALE DETAILS. DO NOT SCALE THE DRAWINGS AS THE REPRODUCTIVE PROCESS TENDS TO DISTORT THE ACCURACY OF THE GRAPHIC SCALE INDICATED.
- ALL CONSTRUCTION ACTIVITIES SHALL BE PERFORMED IN A NEAT, SAFE, AND CLEAN MANNER. ALL CONSTRUCTION WASTE SHALL BE REMOVED FROM THE BUILDING. SITE BURNING IS NOT ALLOWED. LEAVE WORK AREA IN A CLEAN, SAFE CONDITION AT THE END OF EACH WORK DAY.
- ALL CONSTRUCTION DEBRIS SHALL BE DISPOSED OF AT AN APPROVED OFF-SITE FACILITY IN COMPLIANCE WITH ALL REGULATIONS.
- INSTALL SOLID BLOCKING AT WALL FRAMING BEHIND ALL SURFACE MOUNTED FIXTURES.
- THE LOCATION OF ANY DOOR JAMBS NOT DIMENSIONED SHALL BE 6" FROM ADJACENT PERPENDICULAR WALL.
- ALL NEW INTERIOR WALLS SHALL HAVE FULL-THICK ACOUSTICAL BATT INSULATION.
- THESE ARCHITECTURAL DRAWINGS WERE PREPARED FOR THE OWNER & CONSTRUCTION MANAGER AS PART OF AN ABBREVIATED SERVICES AGREEMENT, AND AS SUCH, DO NOT DELINEATE ALL ASPECTS OF THE WORK.
- THE CONSTRUCTION MANAGER SHALL BE RESPONSIBLE FOR THE COORDINATION OF ALL ASPECTS OF THE WORK, INCLUDING BUT NOT LIMITED TO MECHANICAL AND ELECTRICAL DESIGN-BUILD ENGINEERING, BUILDING TRADES & DISCIPLINES.
- DOORWAYS SHALL HAVE A MINIMUM CLEAR WIDTH OF 32" WITH THE DOOR OPEN 90 DEGREES, MEASURED BETWEEN THE FACE OF THE DOOR AND THE OPPOSITE STOP.
- ALL DOORS SHALL HAVE LEVER HANDLE HARDWARE, EXCEPT AT SECURED STORAGE ROOMS, MECHANICAL ROOMS, AND ELEVATOR MACHINE ROOMS.

MATERIALS

	CONCRETE
	CONCRETE MASONRY UNIT
	BRICK
	GRAVEL
	SOIL
	STUD PARTITION (EXISTING)
	STEEL
	WOOD FRAMING
	WOOD BLOCKING
	PLYWOOD
	GYPSUM BOARD
	SUSPENDED ACOUSTICAL TILE
	BATT INSULATION
	RIGID INSULATION
	FINISH WOOD
	ONE HOUR RATED PARTITION
	TWO HOUR RATED PARTITION
	EXISTING PARTITION (SCREENED)
	NEW PARTITION

SYMBOLS

	ROOM NUMBER
	DOOR NUMBER
	WINDOW NUMBER
	BUILDING SECTION
	WALL SECTION
	DETAIL SECTION
	CASEWORK ELEVATION
	INTERIOR ELEVATION
	VERTICAL ELEVATION
	PARTITION TYPE
	STRUCTURAL CENTERLINE

PROJECT TEAM

GENERAL CONTRACTOR

VILLAGE BUILDERS
 21 NEW PORTLAND ROAD
 GORHAM, MAINE 04038
 207.839.6072
 DAN GRANT

DRAWING INDEX

- AO COVER SHEET
- A1 FLOOR PLAN & REFLECTED CEILING PLAN
- A2 SCHEDULES & DETAILS

CONSTRUCTION SET