Inspections Division

Date: 06/22/16

4th Floor Ceiling Plan:

3/16"=1'-0"

A1	LED 2x2 troffer Finelite: HPR-LED-A-2X2-DCO-B-8-35-120V-SC-C2 Ceiling at 8-0
LR 4	LED linear direct recessed 48x2 Focal Point Seem2 FSM2L-FL-Lumen Output-35K-1C-UNV-LD-Ceiling configuration (G3?)-WH-4' Ceiling at 8-0
LR 2	LED linear direct recessed 24x2 FSM2L-FL-Lumen Output-35K-1C-UNV-LD-Ceiling configuration (G3?)-WH-4' Ceiling at 8-0
R1	Prescolite Lightforms 4" Square recessed LED with square open trim LF4SQLEDG4-120 volt-0-10V dimming - 4SLEDG4 35k WT B24 Ceiling at 8-0
P1	Pendant Cylinder with Black finish, centered on joists, at 8'-2 AFF Beta-Calco #51 1103-WD-BL-CS
D/I 8	Finelite Series 16 direct/indirect linear pendant fixtures, 8"w x 2" high
D/I 16	Fixture at 7-6 bottom of joists at 8-9, deck at 9-8

Josef Chalat, Architect
327 Ocean House Road
Cape Elizabeth, Maine 04107
207-318-3234
AzimuthBlu@gmail.com

WTF
Lisa Whited, Founder/CTO
workplace transformation facilitation
207-329-2189
lisa@workplacetf.com

Michael Barton
Value and Constructability Analyst
The Congress Group
207-939-5432
Mike@workplacetf.com

Mechanical Engineering:
Bennett Engineering
Will Bennett
207-865-9475
Will@bennettengineering.net

General Contractor:
Zachau Construction
1185 U.S. Route One
Freeport, ME 04032
Larry Ross
207-807-8979
larry@zachauconstruction.com

MEMIC

4th Fl. Office Tenant Improvement
245 Commercial Street
Portland, Maine

Building Owner:
Casco View Holdings, Inc.
PO Box 1137
Portland, ME 04104

Owner Contact
Catherine Lamson,
Senior Vice President
Chief Administrative Officer
207-791 3304

City of Portland Information:
CBL 038 F006001

Date	Purpose
2016-05-12	fast track permit

4th Floor Ceiling Plan
Cross Section

Sheet Number

a1.2