

City of Portland, Maine - Building or Use Permit Application
 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

PERMIT ISSUED	
Permit No. 01-0879	Issue Date: AUG 22 2007
CBL: 038 F009001	

Location of Construction: 456 Fore St	Owner Name: Harbor Plaza Associates II	Owner Address: Po Box 3572 PORTLAND	Phone: 207-761-2881
Business Name: Maine Employers Mutual Ins. Co.	Contractor Name: Bailey Sign Company Inc.	Contractor Address: 9 Thomas Drive Westbrook	Phone: 2077742843
Lessee/Buyer's Name: Maine Employers Mutual Ins. Co.	Phone: n/a	Permit Type: Signs - Permanent	Zone: B-3

Past Use: Comm. Office	Proposed Use: Same: Replace 208 SqFt of Existing Signage w/ 206 SqFt to Reflect Name Change	Permit Fee:	Cost of Work: \$0.00	CEO District: 1
		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: <i>Signage</i>	

Proposed Project Description:
Replace 208 SqFt of Existing Signage w/ 206 SqFt to Reflect Name Change

Signature: _____
 PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)
 Action: Approved Approved w/Conditions Denied
 Signature: _____ Date: 8/21/07

Permit Taken By: cjh	Date Applied For: 07/17/2001	Zoning Approval
--------------------------------	--	------------------------

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: <i>OK S</i> 7/22/07	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date: _____	Historic Preservation <input type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied TO D.A. 7/20 Date: _____
--	---	---	--

MA 8/20/07
 PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHONE

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

01-0879

SIGNAGE APPLICATION

THIS IS NOT A PERMIT
CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 201 Commercial Street

Total Square Footage of Proposed Structure <u>2064</u>	Square Footage of Lot <u>320,0004</u>
--	---

Tax Assessor's Chart, Block & Lot Number Chart# <u>38</u> Block# <u>F</u> Lot# <u>9</u>	Owner: <u>Harbor Plaza Associates</u>	Telephone #: <u>761-2881</u>
--	--	---------------------------------

Lessee/Buyer's Name (If Applicable) <u>Maine Employers Mutual Ins. Co.</u>	Owner's/Purchaser/Lessee Address: <u>201 Commercial Street Portland, Maine</u>	Total s.f of signs <u>206</u> x .20 \$ <u>41.20</u> , plus \$30.00 TOTAL \$ <u>71.20</u>
---	---	--

Current use: office building Proposed use: same

Swapping signage to reflect name change 58 sq. ft of new signage is less than existing

Project description: remove existing signage on front & left walls and replace with new letters per print - existing 58 sq. ft = 208~~4~~ - new sq. ft. 206~~4~~ (2 signs)

Applicants Name, Address & Telephone:
Bailey Sign Company 9 Thomas Drive Westbrook, ME 04092 774-2843

Contractor's Name, Address & Telephone:
Bailey Sign Company
9 Thomas Drive Westbrook ME 04092 774-2843

Who shall we contact when the permit is ready: Judy Trainor | Bailey Sign
Telephone: 774-2843

If you would like it mailed, what mailing address should we use:
Bailey Sign Company
9 Thomas Drive Westbrook Maine 04092

7/17
Rec'd By: CH

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

If the property is located in a **HISTORIC DISTRICT**, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>Judy Trainor / Bailey Sign</i>	Date: <i>7-16-01</i>
---	----------------------

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

BY FILLING OUT THIS APPLICATION IS DOES NOT MEET THAT YOU WILL BE APPROVED FOR THE AMOUNT OF SIGNAGE YOU ARE APPLYING FOR

IT IS SUGGESTED THAT YOU DO NOT ORDER ANY SIGNAGE UNTIL YOU HAVE RECEIVED YOUR SIGN PERMIT THAT HAS BEEN SIGNED BY THE BUILDING, ZONING AND POSSIBLE HISTORICAL OFFICIALS OF THIS OFFICE

BUILDING PERMIT REPORT

DATE: 20 July 2001 ADDRESS: 4.56 Fore Street CBL: 038-F-009

REASON FOR PERMIT: Signage - Replacement

BUILDING OWNER: Harbor Plaza Assoc.

PERMIT APPLICANT: _____ / CONTRACTOR Bailey Sign Company, Inc.

USE GROUP: _____ CONSTRUCTION TYPE: _____ CONSTRUCTION COST: _____ PERMIT FEES: 71.20


The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *37

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "**ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING.**"
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) **R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.**
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
29. All requirements must be met before a final Certificate of Occupancy is issued.
30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
32. Please read and implement the attached Land Use Zoning report requirements.
33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
34. Bridging shall comply with Section 2305.16.
35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
36. All flashing shall comply with Section 1406.3.10.
37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).


 P. Samuel Hodges, Building Inspector
 Cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 261 Commercial Street ZONE: B-3

OWNER: Harbor Plaza Associates

APPLICANT: Bailey Sign Company Inc.

ASSESSOR NO. _____

PLEASE CIRCLE APPROPRIATE ANSWER

SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO

FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS _____ HEIGHT _____

MORE THAN ONE SIGN? YES NO DIMENSIONS _____ HEIGHT _____

SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS 5'4" X 19'5"

MORE THAN ONE SIGN? YES NO DIMENSIONS 5'4" X 19'5"

AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK _____

IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? _____

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:

This is a multi-tenant Bldg. but, Maine Employers Mutual is the only tenant with signage -

*** TENANT BLDG. FRONTAGE (IN FEET): Commercial Street - 2400 ft
*** REQUIRED INFORMATION front elevation

AREA FOR COMPUTATION

left elevation - 4200 ft
Cross street

*Decreases the
Existing Signage
by 2 ft*

YOU SHALL PROVIDE:


A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: Judy Trainor / Bailey Sign DATE: 7-16-01

WRITTEN CONSENT AND AGREEMENT RELATING TO A CERTAIN SIGN PROPOSED TO BE
 ERECTED ON A BUILDING AT 261 COMMERCIAL STREET
 IN PORTLAND, MAINE HARBOR PLAZA ASSOC. being the owner of the premises
 at 261 COMMERCIAL ST. in Portland, Maine hereby gives consent to the
 erection of a certain sign owned by MAINE EMPLOYERS MUTUAL INS. CO. over the
 public sidewalk or on the building from said premises as described in
 application to the Division of Inspection Services of Portland, Maine for a
 permit to cover erection of said sign:

And in consideration of the issuance of said permit HARBOR PLAZA ASSOC.
 owner of said premises, in event said sign shall cease to serve the purpose
 for which it was erected or shall become dangerous and in event the owner of
 said sign shall fail to remove said sign or make it permanently safe in case
 the sign still serves the purpose for which it was erected, hereby agrees
 for himself or itself, for his heirs, its successors, and his or its
 assigns, to completely remove said sign within ten days of notice from said
 Inspector of Buildings that said sign is in such condition and of order from
 him to remove it.

In Witness whereof, the owner of said premises has signed this consent and
 agreement this 11 day of JULY 2001.


 GENERAL PARTNER
 HARBOR PLAZA ASSOC.

03/25/88

ACORD CERTIFICATE OF LIABILITY INSURANCE

EP ID M1
BAILE-7

DATE (MM/DD/YY)
03/26/01

PRODUCER
Morse, Payson & Noyes Ins.
P.O. Box 406
Portland ME 04112-0406
Phone: 207-775-6000 Fax: 207-775-0339

INSURED
Bailey Sign, Inc.
Bruce Bailey
9 Thomas Dr.
Westbrook ME 04092

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

INSURER A: **Commercial Union York Ins. Co.**
INSURER B: **MAINE EMPLOYERS MUTUAL**
INSURER C:
INSURER D:
INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	GENERAL LIABILITY	YMR771947	04/01/01	04/01/02	EACH OCCURRENCE	\$ 1,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				FIRE DAMAGE (Any one fire)	\$ 100,000
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person)	\$ 5,000
					PERSONAL & ADV INJURY	\$ 1,000,000
					GENERAL AGGREGATE	\$ 2,000,000
					PRODUCTS - COMP/OP AGG	\$ 2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC					
A	AUTOMOBILE LIABILITY	REN'L OF #YMAH40710	04/01/01	04/01/02	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
	<input checked="" type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)	\$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
	<input checked="" type="checkbox"/> HIRED AUTOS				PROPERTY DAMAGE (Per accident)	\$
<input checked="" type="checkbox"/> NON-OWNED AUTOS						
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
	<input type="checkbox"/> ANY AUTO				OTHER THAN EA ACC	\$
					AUTO ONLY: AGG	\$
	EXCESS LIABILITY				EACH OCCURRENCE	\$
	<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	\$
	<input type="checkbox"/> DEDUCTIBLE					\$
	<input type="checkbox"/> RETENTION \$					\$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	1810058334	04/01/01	04/01/02	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS	OT-H-ER
					E.L. EACH ACCIDENT	\$ 500,000
					E.L. DISEASE - EA EMPLOYEE	\$ 500,000
					E.L. DISEASE - POLICY LIMIT	\$ 500,000
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS
City of Portland is named as Additional Insured with respects to General Liability.

CERTIFICATE HOLDER	N	ADDITIONAL INSURED; INSURER LETTER:	CANCELLATION
CITYPOR			SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.
City of Portland 389 Congress St. Portland ME 04101			Morse Payson & Noyes Insurance

19'-5 3/16"

NOTES:

DESIGN STATUS:

5'-4" FACIA V.O.

MEMMIC

BRICK FACIA

4'-0"

44 7/16" U.C. LOGO TYPE + 7/8" OUTLINE

SIDE VIEW
N.T.S.

(2) SETS OF REPLACEMENT LETTERS

BUILDING ELEVATIONS COLOR OPTION A


(2) SETS OF CHANNEL NEON LETTERS - SELF CONTAINED

OVERALL COPY AREA 4'-0" X 19'-5 3/16"

FACES: WHITE WITH CUT-OUTS OF ACRYLITE 605-DGP BLUE LEAVING WHITE OUTLINE


1" TRIM: PMS COOL GREY 5

9" RETURNS: PMS COOL GREY 5



ALUMINUM "U" BRACKETS
3/16" T. X 1 1/2" H. X 6 3/4" L X 2" PROJECTION

CROSS SECTION
LETTER CONSTRUCTION &
BRICK FACIA INSTALLATION
N.T.S.



SEE ELECTRICAL NOTES

BRICK FACIA

3/8" S.S. MOLLY BOLTS 2 PER BRACKET

3/8" S.S. NUT & BOLT

1" TRIM

9" RETURN OF .040" ALUMINUM
3mm DIBOND
ALUMINUM COMPOSITE BACKS

ALUMINUM
LOCK WASHER
SEALED W/ SILICONE

MOUNTING OF CHANNEL NEON LETTERS
for LOCATIONS WITH ELECTRIC ACCESS AVAILABLE
USE LIQUITITE CONNECTORS THRU WALL

UL # BH050249
BH050250

PERMIT PRINT

PRESENTATION PRINT DATE:

PROGRESS PRINT #.:

CONSTRUCTION/MOUNTING: DATE:

PERMIT/SITE PLAN: DATE:

APPROVED MANUFACTURING:

DATE:

VOLTAGE: 120

REVISIONS: 7/13/01 OPTION A / ADD MOUNTING

Bailey Sign
www.baileysign.com
9 Thomas Drive
Col. Westbrook Executive Park
Westbrook, ME 04092
207-774-2843 / 1-800-539-SIGN
Fax: 774-1193
E-Mail: newsign@baileysign.com
© COPYRIGHT 2001

PLEASE NOTE:
THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.
THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.
COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED
IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:
MAINE EMPLOYEES MUTUAL
LOCATION: **INSURANCE**
261 COMMERCIAL STREET
PORTLAND, MAINE

SALESPERSON: B.B. DRAWN BY: L.W.M.

ACCEPTANCE SIGNATURE DATE: _____


CLIENT _____

PS. # P-404 W.O. # 4621

SCALE 1/2" = 1' DATE 6/29/01

DRAWING NO: SHEET 1 OF 1 04640 BR1






(2) SETS OF REPLACEMENT LETTERS

FRONT COMMERCIAL STREET ELEVATION

LEFT SIDE ELEVATION



PLEASE NOTE:
 THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.
 THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.
 COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED
 IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:
MAINE EMPLOYEES MUTUAL
 LOCATION: **INSURANCE**
261 COMMERCIAL STREET
PORTLAND, MAINE

SALESPERSON: **B.B.** DRAWN BY: **L.W.M.**

ACCEPTANCE SIGNATURE _____ DATE: _____
 CLIENT _____


PS. # **P-404** W.O. # **4621**

SCALE **APPROX. 1/16" = 1'** DATE **6/29/01**

DRAWING NO: _____
 SHEET **1** OF **1** **04640 B-A**



VOLTAGE: 120



5'-4"
FACIA V.O.

RIGHT ELEVATION

ds

*existing sign to
be replaced with
new*

WILL BE REMOVED



PLEASE NOTE:

THIS IS A PRELIMINARY DRAWING. IT IS NOT TO BE USED FOR CONSTRUCTION OR FOR ANY OTHER PURPOSE. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED. THE DESIGNER ASSUMES NO LIABILITY FOR ANY ERRORS OR OMISSIONS. THIS DRAWING IS THE PROPERTY OF THE DESIGNER AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. ALL RIGHTS ARE RESERVED.

© COPYRIGHT



Bailey Sign
9 Thomas Drive
Col. Westbrook Executive Park
Westbrook, ME 04092
207-774-2843 / 1-800-539-SIGN

CUSTOMER
ME EMPLOYERS' MUTUAL INSUR.
LOCATION
261 COMMERCIAL ST.
PORTLAND, ME

SALESPERSON
A. NOYES

DRAWN BY
L.W.MERRIFIELD

REVISIONS	3/8/94 ADD LETTERS

P.S. # D-190	W.O. #
-----------------	--------

SCALE APPROX. 1/16" = 1'	DATE 12/2/93
--------------------------------	-----------------


ACCEPTANCE SIGNATURE	DATE
SALES CLIENT	

DRAWING NO. 02800 F R 1
SHEET /

Replace the set.

150'

5'-4"



LEFT ELEVATION

Existing sign to be replaced with new

Handwritten signature or initials

Forest Corner



PLEASE NOTE:

THIS DRAWING IS THE PROPERTY OF BAILEY SIGN INCORPORATED. IT IS TO BE USED ONLY FOR THE PROJECT AND LOCATION SPECIFIED HEREON. ANY REUSE OR REPRODUCTION OF THIS DRAWING WITHOUT THE WRITTEN PERMISSION OF BAILEY SIGN INCORPORATED IS STRICTLY PROHIBITED.

© COPYRIGHT

BAILEY SIGN INCORPORATED

9 Thomas Drive
Col. Westbrook Executive Park
Westbrook, ME 04092
207-774-2843 / 1-800-539-SIGN

CUSTOMER
ME EMPLOYERS' MUTUAL INSUR.
LOCATION
261 COMMERCIAL ST.
PORTLAND, ME

SALESPERSON
A. NOYES

DRAWN BY
L.W.MERRIFIELD

REVISIONS	3/8/94 ADD LETTERS & DELETE PLAZA

P.S. # D-190	W.O. #
-----------------	--------

SCALE APPROX. 1/16" = 1'	DATE 12/2/93
--------------------------------	-----------------

ACCEPTANCE SIGNATURE	DATE
SALES CLIENT	

DRAWING NO. 02800 G
SHEET ___ / ___