

int. finish: primed pine interior
back prime

ext. finish: primed pine exterior

ext. casing: primed pine non finger-jointed 2 1/2" 5/4 flat casing
primed pine non finger-jointed 6" 5/4 flat casing - top
primed pine non finger-jointed 2 1/2" 5/4 flat casing - side


jamb depth: 4 9/16"

screen: no screen

window hardware: oil rubbed bronze sash lock
beige jamb hardware

Item#: 1 Location: UNIT 1 Qty: 1

Total: \$1,714.25




Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 40 1/4" x 71 5/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 2 1/2" 5/4 flat casing; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".

Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

Item#: 2 Location: UNIT 2 Qty: 1

Total: \$1,709.43



Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 38 3/4" x 70 9/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 2 1/2" 5/4 flat casing; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".


Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

1/4" = 1' 0" - All drawings are exterior views.

Item#: 3 Location: UNIT 3 Qty: 1

Total: \$1,710.23




Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 38 3/4" x 70 13/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 2 1/2" 5/4 flat casing; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".

Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

Item#: 4 Location: UNIT 4 Qty: 1

Total: \$1,658.69




Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 38 3/4" x 66 7/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 6" 5/4 flat casing – top; primed pine non finger-jointed 2 1/2" 5/4 flat casing – side; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # SHIP HEAD CASING LOOSE; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".

Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

Item#: 5 Location: UNIT 5 Qty: 1

Total: \$1,663.51



Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 39 1/4" x 67 9/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 6" 5/4 flat casing – top; primed pine non finger-jointed 2 1/2" 5/4 flat casing – side; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # SHIP HEAD CASING LOOSE; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".

Item#: 5 Location: UNIT 5 Qty: 1


Total: \$1,663.51

Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

Item#: 6 Location: UNIT 6 Qty: 1

Total: \$1,664.31



Manufacturer: Marvin; wood ultimate double hung; call number: custom; rough opening: 39 1/2" x 67 9/16" (with subsill); 4 9/16" jamb depth; oil rubbed bronze sash lock; beige jamb hardware; primed pine interior; back prime; primed pine exterior; primed pine non finger-jointed 6" 5/4 flat casing – top; primed pine non finger-jointed 2 1/2" 5/4 flat casing – side; screen: no screen; primed pine simulated thick subsill; installed installation brackets; glass add for all sash/panels; non finger-jointed blindstop; non finger-jointed subsill; non finger-jointed sill; # SHIP HEAD CASING LOOSE; # CHANGE CSG OVERLAP ON HEAD TO 1 15/32" & ON SIDES TO 1 3/4".

Top & Bottom Sashes

Primed pine sash exterior, primed pine sash interior, insulated glass, clear, black perimeter and spacer bar, 7/8" simulated divided lite – with spacer bar – black – rectangular grille – special lite cut 3 wide x 2 high: primed pine exterior – primed pine interior, putty exterior glazing profile, ovolo interior glazing profile.

Total Material \$10,120.42

Sub Total \$10,120.42

Sales Tax (5.5%) \$556.62

Grand Total

\$10,677.04

Payment schedule terms

\$5,338.52 deposit due upon acceptance

\$5,338.52 deposit due upon delivery



Built around you.

CONSISTENT APPROACH WITH REFERENCE TO ARCHITECTURE
These drawings shall be prepared and color coordinated based on the
Architect's color palette. The color palette shall be provided by the
Architect. The color palette shall be provided by the Architect.
The color palette shall be provided by the Architect.
The color palette shall be provided by the Architect.

REVISIONS
DATE: 10/24/2017

PROJECT: RESTORATION UNIT # 2E BRANLEY BUILDING
DETAILER: ELWOOD LAMBER & HARDWARE YORK-DCO
DRAWN: PETER FLEISHMAN
CHECKED: ELWOOD LAMBER & HARDWARE YORK-DCO

SHEET
2
OF 2

<p>1 HEAD SCALE: 1" = 1'-0"</p>	<p>1 JAMB SCALE: 1" = 1'-0"</p>	<p>1 NOT USED SCALE: 1" = 1'-0"</p>	<p>12 NOT USED SCALE: 1" = 1'-0"</p>
<p>1 CHECKRAIL SCALE: 1" = 1'-0"</p>	<p>1 DIVIDER SCALE: 1" = 1'-0"</p>	<p>1 NOT USED SCALE: 1" = 1'-0"</p>	<p>11 NOT USED SCALE: 1" = 1'-0"</p>
<p>1 SILL SCALE: 1" = 1'-0"</p>	<p>1 HEAD SCALE: 1" = 1'-0"</p>	<p>1 NOT USED SCALE: 1" = 1'-0"</p>	<p>14 NOT USED SCALE: 1" = 1'-0"</p>



Built around you.

FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.


REVISION:

CREATED: 06/26/2017

PKY: 00000000000000000000


PROJECT: 14 RECEPTION / UNIT # 25 SIMSET BUILDING
DRAWING: ELEVATION LUMBER & HARDWARE-YORK-00
DRAWN: PETER FLEISHMAN
CHECKED: JESSICA

SHEET
1
OF 2




UNIT 1
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 1
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.




UNIT 2
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 2
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.




UNIT 3
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 3
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.




UNIT 4
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 4
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.



UNIT 5
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 5
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.



UNIT 6
SCALE: 3/4\"/>

SPECIFICATIONS
05/1
Mark Line UNIT 6
Blank Mirror
Blank Wood
Elastic Foam Panel
Elastic Foam
Piano Finish Panel
Product: Ultra-Ultra Double Hung
Unit Type: Ultra-Ultra Double Hung
Glass: Pilkington 60, Clear, Black
Drain Type: 200° Reciprocal 60, 90° Ejector - Black
Hardware Type: Ball-Bolt, L&R Type: Home, No Finger Pull
Hardware Color: Oil Rubbed Bronze
Screen Type: No Screen
Glass Removal Color: None
Jamb Depth: 4 1/2\"/>
FOR DESIGN INTENT ONLY, NOT FOR MANUFACTURE.

MARVIN DESIGN GALLERY

a complete window and door showroom
by Eldredge

Marvin Design Gallery

317 Marginal Way
Portland, ME 04101
(207) 772-2003 Fax: (207) 772-0418
Sales Person: Peter Fleishman
pfleishman@marvinportland.com
www.marvinbyeldredge.com

June 29, 2017

JARED HARTLEY
J H RESTORATION
Work: 207-929-3774
Email: JARED HARTLEY
<jhrestoration@gmail.com>

Project: UNIT # 2E SWASEY BUILDING
REVISED 6-29-17
269 COMMERCIAL STREET
PORTLAND, ME 04103

PROPOSAL

The Marvin Design Gallery proposes to supply all product as listed below. Please review to ensure all sizing and specifications are correct and meet your project requirements. Marvin products are special order items and may not be changed, cancelled or returned once the order is approved and processed.

**PLEASE NOTE:

- * SCREENS ARE NOT INCLUDED. SIZES NEED TO BE FIELD VERIFIED AFTER INSTALLATION OF WINDOW UNITS.
- * SHIP HEAD CASING LOOSE FOR SCRIBING AND TRIMMING IN THE FIELD, BY OTHERS, FOR LINE ITEMS #4, #5, AND #6.
- * DECORATIVE EXTERIOR TRIM TO BE SUPPLIED AND INSTALLED BY OTHER.
- * NO TEMPERED GLASS IS INCLUDED.
- * THESE UNITS ARE SIZED TO THE EXISTING MASONRY OPENINGS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CREATE A NEW ROUGH OPENING FOR PROPER INSTALLATION OF WINDOW UNITS.

GENERAL PRODUCT SPECIFICATIONS EXCEPT AS NOTED BELOW

manufacturer: Marvin

product line: wood

glass: insulated glass

clear

ovolo interior glazing profile

bar type: 7/8" simulated divided lite - with spacer bar - black - rectangular grille