DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

CUMMING JEAN S & VIRGIL CUMMING JTS

Located at

269 COMMERCIAL ST

PERMIT ID: 2016-02542

ISSUE DATE: 10/25/2016

CBL: 038 G00202D

has permission to Remodel the kitchen, entry hall and bath, no structual alterations

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

N/A /s/ Jeanie Bourke

Fire Official Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

Use Group: R-2 **Type:** 3B Residential building (condominium 1

01 24)

NFPA 13 sprinkler system

Unit 2D

MUBEC/IBC 2009

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases 6 months.
- If the inspection requirements are not followed as stated below, additional fees may be incurred due to the issuance of a "Stop W Order" and subsequent release to continue.

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing w/Fire & Draft Stopping Electrical Close-in w/Fire & Draftstopping Final - Commercial Final - Electric

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of	Portland, Mai	ine - Bu	ilding or Use Permit		Permit No:	Date Applied For:	CBL:	
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874				874-8716	2016-02542	09/27/2016	038 G00202D	
Proposed Use:				Proposed	Proposed Project Description:			
Residential condominium				Remod	Remodel the kitchen, entry hall and bath, no structual alterations			
						•		
D 4	TT' - 4	G4 4	A	D .	D.1 1. A 1	. 4 15	10/10/2016	
Dept:	Historic	Status:	Approved	Reviewer:	Deborah Andrew	* *		
Note:							Ok to Issue: 🗹	
Conditions:								
Dept:	Zoning	Status:	Approved w/Conditions	Reviewer:	Christina Stacey	Approval Da	ite: 10/24/2016	
Note:							Ok to Issue: 🔽	
Conditions:								
1) This unit shall remain a residential condominium (single family). Any change of use shall require a separate permit application for review and approval.								

- 2) This permit is not approving any lot coverage or setback requirements for the existing structure. It is approving interior work only.
- 3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

 Dept:
 Building Inspecti Status:
 Approved w/Conditions
 Reviewer:
 Jeanie Bourke
 Approval Date:
 09/28/2016

 Note:
 Ok to Issue:
 ✓

Conditions:

- 1) Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all sleeping rooms, protecting outside these rooms, and on every level.
 - The same is required for existing buildings, where permanent wiring is feasible; or at the very least battery operated smoke detectors are required. Verification of this will be upon inspection.
- 2) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 3) Penetrations in or through fire resistance rated assemblies shall be protected by an approved penetration firestop system installed as tested in accordance with ASTM E814 or UL 1479.
- 4) All fire separation partitions, barriers and horizontal assemblies at adjacent occupancies or dwelling units shall maintain rating and continuity.
- 5) Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to sleeping rooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.
- 6) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.