

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT

This is to certify that

PARK WONBAE & IP BOON PARK JTS

Located at

626 CONGRESS ST(#630)

PERMIT ID: 2017-00212

ISSUE DATE: 04/10/2017

CBL: 039 A001001

has permission to **Installation of Commercial Hood located in main kitchen cook line** provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ David Petruccelli

/s/ Michael Russell, MS, Director

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703
or email: buildinginspections@portlandmaine.gov

**Check the Status of Permit or Schedule an Inspection at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

REQUIRED INSPECTIONS:

Final - Fire

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit		Permit No: 2017-00212	Date Applied For: 02/21/2017	CBL: 039 A001001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: Same: Restaurant "Mi Sen"		Proposed Project Description: Installation of Commercial Hood located in main kitchen cook line		
Dept: Historic		Status: Approved w/Conditions	Reviewer: Robert Wiener	Approval Date: 04/10/2017
Note:		Ok to Issue: <input checked="" type="checkbox"/>		
Conditions:				
1) Total fan height from roof surface is not to exceed 6'. HP staff expects the installer to reduce the total height if possible - potentially to 5.5'.				
2) HP staff understands the new location for the rooftop fan is to be approximately 10' towards Park Street from the existing make-up air unit on the roof, in a line with that air unit. This location is further from Congress Street than the existing fan.				
Dept: Fire		Status: Approved w/Conditions	Reviewer: David Petruccelli	Approval Date: 03/09/2017
Note: Batch stamp and download, done		Ok to Issue: <input checked="" type="checkbox"/>		
Conditions:				
1) Any changes to cooking equipment or arrangement shall be submitted for further review.				
2) Hood suppression system shall comply with NFPA 17A, 96, and UL 300. Activation of the suppression system shall activate the fire alarm system if available. A letter of compliance will be required at the time of final inspection stating: the date the system was tested for operation, fuel gas shut off, and fire alarm connection if applicable. The Class K fire extinguisher and proper signage should be located at the suppression system pull station.				
3) A separate Non-Water Based Suppression System permit is required. This review does not include approval of the suppression system design or installation.				
4) Any cutting and welding done will require a Hot Work Permit from Fire Department.				
5) Installation shall comply with City Code Chapter 10 and NFPA 96, Standard for ventilation Control and Fire Protection of Commercial Cooking Operations, 2008 edition. A signed letter of certification is required.				