

PARTIAL ROOF FRAMING PLAN

1/2" = 1'-0"

NOTES:

1. "*" INDICATES: SIMPSON TIE DOWNS (SEE SECTION 2/S2) (TYP. 4 PLACES)
2. "***" INDICATES: CLEAN EXISTING STEEL LINTELS COMPLETELY USING ROTATING WIRE BRUSH FREE OF RUST, DEBRIS, OIL, AND GREASE TO BARE STEEL. COAT W/PRIMER PAINT TNEMEC 10-99 ALKYD RUST INHIBITIVE PRIMER, 2.0 TO 3.5 MILS DRY THICKNESS, OR APPROVED ALTERNATE AND TOP COAT TNEMEC SERIES 2 TNEMEC-GLOSS ENAMEL, 3.0 TO 5.0 MILS DRY THICKNESS, OR APPROVED ALTERNATE. - REINFORCE AS INDICATED ON DWG S1.
3. "E" INDICATES: EXISTING
4. "V.I.F." INDICATES: CONTRACTOR TO "VERIFY IN FIELD"
5. "TYP" INDICATES: TYPICAL
6. "WP" INDICATES: WORK POINT
7. "AFF" INDICATES: ABOVE EXISTING "FINISH (SUB) FLOOR"
8. "(KIPS)" INDICATES: STRUCTURAL GRAVITY BEAM REACTION (kips) + VERTICAL BEAM REACTION DUE TO LATERAL LOAD (kips) AS APPLICABLE TO BE INCORPORATED INTO OVERALL STRUCTURAL DESIGN OF BUILDING PREPARED BY STRUCTURAL INTEGRITY CONSULTING ENGINEERS, INC.

THESE DRAWINGS HAVE BEEN DEVELOPED BY L&L STRUCTURAL ENGINEERING SERVICES, INC. FOR THE TITLED SET ONLY. THE DRAWINGS ARE THE SOLE PROPERTY OF L&L ENGINEERING SERVICES, INC. AND THEY SHALL NOT BE USED, LENT, COPIED OR ALTERED WITHOUT THE WRITTEN CONSENT OF L&L STRUCTURAL ENGINEERING SERVICES, INC.

L & L STRUCTURAL
ENGINEERING SERVICES, INC.
SIX Q STREET
SOUTH PORTLAND, MAINE 04106
PHONE: (207) 767-4830
FAX: (207) 799-5432
EMAIL: JLEASURE@L-L-ENG.COM

STATE OF MAINE
JOSEPH H. LEASURE
No. 6242
LICENSED
PROFESSIONAL ENGINEER

rev.	date	description	appr'd
A	07/07/17	FOR PERMIT ONLY	JHL
0	07/11/18	FOR CONSTRUCTION	JHL

designed by: JHL
drawn by: R.W. P.M
checked by: JHL
scale: AS NOTED
date: 07/07/2017
plot date: 07/11/2018
project # 2016-211

BUILDING LOCATED AT
602 CONGRESS STREET
PORTLAND, MAINE

BUILDING REVIEW
ROOF FRAMING PLAN

S1.5