



Permit Application


If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Address/Location of Construction: 612 Congress ST Portland		
Total Square Footage of Proposed Structure:		
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 039 A038001	Applicant Name: Address Qi Shen 444 North Rd City, State & Zip Yarmouth ME 04096	Telephone: (415) 871-3157 Email: Shenchi@gmail.com
Lessee/Owner Name (if different than applicant): Address: Blue Bay, LLC City, State & Zip: SY MEADOW Pond Rd Telephone: S. Berwick, ME (207) 644-3713 03908 E-mail: N.INSANALLY@TWC.COM	Contractor Name (if different from Applicant): Address: Mark Alexander 190 US RT 1 Box 134 City, State & Zip: Falmouth ME 04105 Telephone: (207) 615-2980 E-mail: markalexeclipse-NRG.COM	Cost Of Work: \$ 14,500 C of O Fee: \$ _____ Historic Rev \$ _____ Total Fees : \$ _____
Current use (i.e. single family) <u>EMPTY</u>		
If vacant, what was the previous use? <u>Clothing</u>		
Proposed Specific use: <u>RESTAURANT</u>		
Is property part of a subdivision? <u>NO</u> If yes, please name _____		
Project description: <u>Ventilation Hood and exhaust</u>		
Who should we contact when the permit is ready: <u>MARK ALEXANDER</u>		
Address: <u>190 US RT 1 Box 134</u>		
City, State & Zip: <u>FALMOUTH, ME 04105</u>		
E-mail Address: <u>markalexeclipse-NRG.COM</u>		
Telephone: <u>(207) 615-2980</u>		

Please submit all of the information outlined on the applicable checklist.
Failure to do so causes an automatic permit denial.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at www.portlandmaine.gov, or stop by the Inspections Division office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature:  **Date:** 2/17/16

This is not a permit; you may not commence ANY work until the permit is issued.



Jeff Levine, AICP, Director
Planning & Urban Development Department

Tammy Munson, Director
Inspections Division

Commercial Hood / Exhaust Application

Dear Applicant,

The following is a checklist to assist you in filing for a permit for a Kitchen Exhaust system. Please complete this and submit job specific construction documents that demonstrate compliance.

1. Type of System:

Type I Type II

Type I systems are systems that vent fryers, grills, broilers, ovens or woks.

Type II systems are systems that vent steamers and other non-grease producing appliances.

2. Type of Materials:

Is the hood Stainless steel or other type of steel? STAINLESS STEEL

If other, what type? _____

Is the duct work Stainless steel or other type of steel? GALVANIZED STEEL / Rolled Steel
20 GAUGE

If other, what type? _____

Thickness of the steel for the hood: 18 GAUGE Thickness of the duct for the hood: 20 GAUGE

Type of Hood and Duct Supports 3/8" Steel Threaded Rod, 1/2 Lags

Type of seams and Joints Welded / Telescopic - Sealed

Grease Gutters provided? YES Hood Clearance reduction to Combustibles design /specs:

9" WRAPPED DUCT

Duct Clearance reduction to Combustibles design /specs:

18"

Vibration Isolation System: FLOOR MOUNT SPRING VIBRATION ISOLATORS



Jeff Levine, AICP, Director
Planning & Urban Development Department

Tammy Munson, Director
Inspections Division

Air Velocity within the duct system 9400 CFM

Grease accumulation prevention system: GRAVITY DRAIN, CLEANOUTS + COLLECTOR

Cleanouts: YES (2) AT BUILDING EXIT AND AT EXIT FAN (ROOF)

Grease Duct enclosure: STAINLESS

Exhaust Termination: Roof X Wall _____

Fire Suppression System: ANSUL

Exhaust fan mounting and clearance from the roof / wall or Combustibles:
5', ROOF MOUNTED, VIBRATION SPRINGS 3/8 LAGS/BOLTS

Exhaust fan distance from property lines: 10'

Exhaust fan distance from other vents or openings: 10'

Exhaust fan distance from adjacent buildings: 30'

Exhaust fan height above adjoining grade: 44'

3. Hood Specs

Style of Hood: PROOF SLIP FRONT TAPPED WITH FRONT SUPPLY

Type of Filter: Baffle - NSF Certified 16x16

Height of filter above nearest cooking surface: _____

Capacity of hood CFM: 3410 CFM

Make up Air system description and capacity:
SINGLE PHASE 18X18, 12" BLOWER
3600 CFM @ 0.300 WC, 1.5 HP 230V, GALVANIZED



Jeff Levine, AICP, Director
Planning & Urban Development Department

Tammy Munson, Director
Inspections Division

Electronic Signature and Fee Payment Confirmation

Notice: Your electronic signature is considered a legal signature per state law.

By digitally signing the attached document(s), you are signifying your understanding this is a legal document and your electronic signature is considered a **legal signature** per Maine state law. You are also signifying your intent on paying your fees by the opportunities below.

I, the undersigned, intend and acknowledge that no permit application can be reviewed until payment of appropriate permit fees are **paid in full** to the Inspections Office, City of Portland Maine by method noted below:

- Within 24-48 hours, once my complete permit application and corresponding paperwork has been electronically delivered, I intend to **call the Inspections Office** at 207-874-8703 and speak to an administrative representative and provide a credit/debit card over the phone.
- Within 24-48 hours, once my permit application and corresponding paperwork has been electronically delivered, I intend to **hand deliver** a payment method to the Inspections Office, Room 315, Portland City Hall.
- I intend to deliver a payment method through the U.S. Postal Service mail once my permit paperwork has been electronically delivered.

Applicant Signature:

Date:

2/11/16

I have provided digital copies and sent them on:

Date:

TOTAL CFM 2000

782-2235

576-1863 PAUL ROY

NOTE: All electronic paperwork must be delivered to buildinginspections@portlandmaine.gov or by physical means ie; a thumb drive or CD to the office.