

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that

THE SKINNY LLC

Located at

132 SPRING ST

PERMIT ID: 2017-01448

ISSUE DATE: 11/30/2017

CBL: 039 D013001

has permission to **Installation of hanging sign (7 sf)**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.	A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.
---	---

N/A

/s/ Michael Russell, MS, Director

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

Building Inspections

Fire Department

1st floor - personal services/tattoo studio

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703
or email: buildinginspections@portlandmaine.gov

**Check the Status of Permit or Schedule an Inspection at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

REQUIRED INSPECTIONS:

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit		Permit No: 2017-01448	Date Applied For: 09/13/2017	CBL: 039 D013001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: Tattoo shop	Proposed Project Description: Installation of hanging sign (7 sf)			
Dept: Historic Status: Approved w/Conditions Reviewer: Robert Wiener Approval Date: 10/23/2017 Note: Ok to Issue: <input checked="" type="checkbox"/>				
Conditions:				
1) No additional lighting is approved with this permit, but HP staff strongly recommends replacing the existing small, white fixtures intended for sign illumination with small, black fixtures instead, to have more recessive fixtures that are compatible with the façade. 2) HP staff strongly advises that the existing sign bracket be shortened slightly by the removal of the large, pointed "arrowhead" at the end of the arm. The bracket is overly large and heavy, and staff recommends replacing the pointed cap with a simple flush cap.				
Dept: Zoning Status: Approved w/Conditions Reviewer: Christina Stacey Approval Date: 11/29/2017 Note: B-3 zone, multitenant Ok to Issue: <input checked="" type="checkbox"/> Unit frontage 14' = 28 sf max sign allowed proposed 7 sf - OK				
Conditions:				
1) Window decals and signage are allowed without permit approval provided that they do not obscure more than 50% of the window area. 2) Encroachments into public ways must be a minimum of 8' above grade for signs and 7' for awnings per section 3202 of IBC 2009. 3) Signage and awning installations must comply with Chapters 16 (Structural Loads), 31 (Materials) & 32 (ROW Height & Encroachments) of the IBC 2009 building code. 4) This is being issued with the understanding that as a fast track, the owner is responsible for scheduling inspections for the work being done and the inspector may require modifications to the work that has been completed if it does not meet code. 5) ANY exterior work requires a separate review and approval thru Historic Preservation. This property is located within an Historic District. 6) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.				