



LEVEL 3 & LOW ROOF FRAMING PLAN
1/4"=1'-0"

- NOTES:
- INDICATES SPAN DIRECTION OF 3/4" APA RATED SHEATHING.
 - H1 INDICATES (2) 2x12 WOOD HEADER
H2 INDICATES (2) 1 3/4x9 1/2 LVL
L1 INDICATES L3 1/2x3 1/2x5/16 H.D. GALV STEEL LINTEL
L2 INDICATES (2) L4x3 1/2x5/16 L1V PAINTED STEEL LINTEL
L3 HATCH INDICATES TOP OF SHG EL. 14'-3 7/8"

HIGH ROOF FRAMING PLAN
1/4"=1'-0"

- NOTES:
- INDICATES SPAN DIRECTION OF 5/8" APA RATED SHEATHING.
 - H1 INDICATES (2) 2x10 WOOD HEADER
L1 INDICATES L3 1/2x3 1/2x5/16 H.D. GALV STEEL LINTEL
TOP OF SHG EL. 32'-0 5/8" AT HIGH POINT.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS, INC. IT SHALL NOT BE REPRODUCED, COPIED, LOANED, LENT, OR IN ANY MANNER DISSEMINATED WITHOUT THE WRITTEN CONSENT OF BECKER STRUCTURAL ENGINEERS, INC. ON COMPLETION OF WORK, IF REQUESTED.

Designed	DB	Scale	NOTED
Drawn	App	Date	08/15/15
Checked	PBB	Becker Job Number	3620

35 PLEASANT STREET
RENOVATION & ADDITION

LEVEL 3 & ROOF FRAMING PLAN

Rev No	Date	Issued For	Apprd
	08/15/15	ISSUED FOR PERMIT	



BECKER
STRUCTURAL ENGINEERS

75 York Street, Portland, Maine 04101
207.879.1838 • beckerstructural.com