

FOUNDATION PLAN

1/4"=1'-0"

NOTES:

1. REF ELEVATION IS TOP OF SLAB AT GARAGE, ASSUMED TO BE EL 5'-6".
2. TOP OF WALL EL 4'-10" U.N.O.
3. TOP OF FOOTING EL 2'-0" U.N.O.
4. BP-X INDICATES COLUMN BASE TYPE. SEE S4.



NEW LEVEL 2A FRAMING PLAN

1/4"=1'-0"

NOTES:

1. TOP OF SHTG EL AT LEVEL 2A INTERIOR FLOOR 14'-4 1/4" U.N.O.
2. TOP OF SHTG EL AT LEVEL 2A EXTERIOR DECK 13'-10".
3. TOP OF STEEL EL AT LEVEL 2A 14'-2" U.N.O.
4. INDICATES 3/4" APA RATED FLOOR SHTG.
5. INDICATES MOMENT CONNECTION. SEE DETAILS DWG S5.
6. MF-1 INDICATES MOMENT FRAME. SEE ELEVATIONS DWG S5.
7. HATCH INDICATES AREA OF EXTERIOR DECK.



SLAB PLAN

1/4"=1'-0"

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK, IF REQUESTED.

BECKER
STRUCTURAL ENGINEERS
75 York Street, Portland, Maine 04101
207.879.1838 ■ beckerstructural.com

STATE OF MAINE — PAUL B. BECKER NO. 6554 — REGISTERED PROFESSIONAL ENGINEER

Rev No	Date	Issued For	Apprd
	04/28/16	ISSUED FOR PERMIT ONLY	

35 PLEASANT STREET
RENOVATION & ADDITION

FOUNDATION & LEVEL 2A FRAMING PLAN

Designed	Scale
DB	NOTED
Drawn	Date
APP	04/28/16
Checked	Becker Job Number
PBB	3620.01

S1