



SECTION 1
3/4"=1'-0"

SECTION 2
3/4"=1'-0"

SECTION 3
3/4"=1'-0"

SECTION 4
3/4"=1'-0"

SECTION 5
3/4"=1'-0"

SECTION 6
3/4"=1'-0"

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS, INC. IT SHALL NOT BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BECKER STRUCTURAL ENGINEERS, INC. ON COMPLETION OF WORK, IF REQUESTED.

NOTE: SEE TYP. HSS COL. TO BEAM CONN. DETAIL DWG S4 & MOMENT CONN. DETAIL AT EAST WALL.

PL 1"x8x0'-11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

PL 1"x8x11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

PL 1"x8x11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

PL 1"x8x11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

PL 1"x8x11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

PL 1"x8x11"
W/(4)-1/5/16" HOLES FOR
(4)-3/4" HEADED ANCHOR RODS
(9" EMBED & 5" PROJ.)

Drawn	DB	Scale	NOTED
Checked	PBB	Becker Job Number	3620
Date	08/15/15		

35 PLEASANT STREET
RENOVATION & ADDITION

FOUNDATION SECTIONS & DETAILS

Rev No	Date	Issued For	Apprd
	08/15/15	ISSUED FOR PERMIT	

BECKER STRUCTURAL ENGINEERS
75 York Street, Portland, Maine 04101
207.879.1838 • beckerstructural.com

PAUL B. BECKER
NO. 6564