8/7/13, 10:49 AM: /Volumes/DESIGN/\_ACTIVE CLIENTS/SPR-133 Spring Street/SPR-04 ARCHICAD/SPR-20130606\_PERMIT\_STAMPED.pln

EXTENT OF UNPROTECTED OPENINGS IN EXTERIOR WALLS CLOSE TO A LOT LINE:

NORTH-EAST WALL IS BETWEEN 5' & 10' OF LOT LINE

ALLOWABLE PERCENTAGE OF UNPROTECTED OPENINGS = 25% (PER 2009 IBC TABLE 705.8)

NORTH-WEST WALL IS BETWEEN 10' & 15' OF LOT LINE ALLOWABLE PERCENTAGE OF UNPROTECTED OPENINGS = 45% (PER 2009 IBC TABLE 705.8)


AREA OF NORTH-EAST ELEVATION = 263 SF

AREA OF UNPROTECTED WIN./DOOR = +/- 55 SF AREA OF UNPROTECTED VENTS = +/-5 SF AREA OF UNPROTECTED OPENINGS = +/-60 SF UNPROTECTED PERCENTAGE OF WALL = +/- 22.8%


LIFE SAFEY SYMBOL KEY: REFER TO A5.1 FOR FIRE RATED ASSEMBLIES


ONE (1) HOUR PARTITION / BARRIER (1-WAY ONLY)

ONE (1) HOUR PARTITION / BARRIER (2-WAY)



**SECTION** 





780 SF

423 SF


112 SF

ROOF/CEILING 1 HR. - FIRE-RATED FOR EXPOSURE


(2009 IBC 712.3)

7'-2 1/2" +

EXIST. APT.



06/06/2013





FOR PERMIT

PROJECT: I33 SPRING ST JOHN STADLER I33 Spring St Portland, ME

DRAWING: LIFE SAFETY Scale: DRAWN BY: JJT REVISED: AUGUST 07, 2013 Date: June 6, 2013

INTERIOR WALL 1 HR. FIRE-RATED — FOR EXPOSURE

FROM BOTH SIDES (2009 IBC 706.1)

**SECTION** 

SCALE: 1/8" = 1'-0'