



PO BOX 345 | BELFAST, ME 04915

Phone: (800) 615-2004 (207) 338-6490  
 Fax: (800) 244-9505 (207) 930-7030

Dealer  
 QUOTATION

QUOTE EXPIRES

**BILL TO:**

Rufus Deering Company  
 383 Commercial Street  
 Portland, ME 04101  
 Phone: 207-772-6505 Fax: 207-772-6981

**SHIP TO:**

Rufus Deering Company  
 383 Commercial Street  
 PO Box 880  
 Portland, ME 04104  
 Phone: 207-772-6505

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
343848	Ordered	85517	11/14/2016 8:41:27 AM
QUOTED BY	TERMS	CONTACT NAME	PROJECT NAME
Kevin Hall			York Street Phase Two

LINE #	DESCRIPTION	QTY	LIST PRICE	DISCOUNT	NET PRICE	EXTN
--------	-------------	-----	------------	----------	-----------	------

100-1 MISC-CLARA 1

Direct Drop Delivery  
 Scheduled for 10-21-2016 after 7AM but before 11AM  
 Ship to: Opechee Construction  
 Corner of High & York Street  
 Portland, Maine  
 Site Contact Person: Dave 603-556-0287  
 Dealer Contact: Phil Becker 207 329-4219

come in from the east end of Commercial Street, go west,  
 look for Maple Street on right, Just before Rufus Deering,  
 take Maple Street to stop sign, take left onto York Street,  
 you will see the project on right.


Opening:  
 O.S.M.:

Tag: None Assigned

LINE #	DESCRIPTION	QTY	LIST PRICE	DISCOUNT	NET PRICE	EXTN
--------	-------------	-----	------------	----------	-----------	------

200-1 44

Special Clara Starrett EnergyCore New Construction  
 Double Hung  
 White Interior, Dark Brown Exterior, GC5 Glazing Class  
 (1-1/8" Triple Pane Low-E / Clear / Clear, w/Argon), 2/2  
 Lite 5/8" Flat, White Int/Dark Brown Ext Grille in  
 Airspace, Brushed Nickel Dual Lock, White Tilt Latch,  
 w/Balance Covers, White Window Opening Control  
 Device, Insert Full Screen Applied  
 Drywall Return, 3/4" (All Four Sides), w/Nailing Flange,  
 No J Channel, No Exterior Casing  
 1/4" Added to Width and Height of Unit Size for New  
 Construction. See O.S.M. for dry dimensions.  
 Unit 1: UFactor: 0.21, SHG: 0.23, VLT: 0.41, CR: 69  
 Energy Star Qualified (Northern)



Opening: 36.375" X 61.375"  
 O.S.M.: 35.875" X 60.875"


Tag: A

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
343848	Ordered	85517	11/14/2016 8:41:27 AM
QUOTED BY	TERMS	CONTACT NAME	PROJECT NAME
Kevin Hall			York Street Phase Two

LINE #	DESCRIPTION	QTY	LIST PRICE	DISCOUNT	NET PRICE	EXTN
--------	-------------	-----	------------	----------	-----------	------

300-1 23

Special Clara Starrett EnergyCore New Construction  
 Double Hung 0" Vertical Mull  
 45.781 X 73.875 Unit Size ; 45.781 X 73.875 Unit Size,  
 White Interior, Dark Brown Exterior, GC5 Glazing Class  
 Top Sash(1-1/8" Triple Pane Low-E / Clear / Clear,  
 w/Argon) Bottom Sash(1-1/8" Triple Pane Tempered  
 Low-E / Clear / Clear, w/Argon), 2/2 Lite 5/8" Flat,  
 White Int/Dark Brown Ext Grille in Airspace, Brushed  
 Nickel Dual Lock, White CUSTODIAL Tilt Latch,  
 w/Balance Covers, **Extended sash stop to limit bottom  
 sash to 4" opening,** Insert Full Screen Applied  
 Drywall Return, 3/4" (All Four Sides), w/Nailing Flange,  
 No J Channel, No Exterior Casing  
 1/4" Added to Width and Height of Unit Size for New  
 Construction. See O.S.M. for dry dimensions.  
 Unit 1: UFactor: 0.21, SHG: 0.23, VLT: 0.41, CR: 69  
 Energy Star Qualified (Northern)  
 Unit 2: UFactor: 0.21, SHG: 0.23, VLT: 0.41, CR: 69  
 Energy Star Qualified (Northern)




Opening: 92.375" X 74.625"  
 O.S.M.: 91.875" X 74.125"

Tag: B

LINE #	DESCRIPTION	QTY	LIST PRICE	DISCOUNT	NET PRICE	EXTN
--------	-------------	-----	------------	----------	-----------	------

400-1 4

Special Clara Starrett EnergyCore New Construction  
 Double Hung 0" Vertical Mull  
 35.781 X 60.625 Unit Size ; 35.781 X 60.625 Unit Size,  
 White Interior, Dark Brown Exterior, GC5 Glazing Class  
 (1-1/8" Triple Pane Low-E / Clear / Clear, w/Argon), 2/2  
 Lite 5/8" Flat, White Int/Dark Brown Ext Grille in  
 Airspace, Brushed Nickel Dual Lock, White Tilt Latch,  
 w/Balance Covers, White Window Opening Control  
 Device, Insert Full Screen Applied  
 Drywall Return, 3/4" (All Four Sides), w/Nailing Flange,  
 No J Channel, No Exterior Casing  
 1/4" Added to Width and Height of Unit Size for New  
 Construction. See O.S.M. for dry dimensions.  
 Unit 1: UFactor: 0.21, SHG: 0.23, VLT: 0.41, CR: 69  
 Energy Star Qualified (Northern)  
 Unit 2: UFactor: 0.21, SHG: 0.23, VLT: 0.41, CR: 69  
 Energy Star Qualified (Northern)



Opening: 72.375" X 61.375"  
 O.S.M.: 71.875" X 60.875"

Tag: C

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
343848	Ordered	85517	11/14/2016 8:41:27 AM
QUOTED BY	TERMS	CONTACT NAME	PROJECT NAME
Kevin Hall			York Street Phase Two

Quote is good for thirty days. MBC's products are "made-to-order." To achieve MBC's short lead times, we begin production immediately upon your order entry. Therefore, orders cannot be changed and units cannot be returned for credit. Please check this quote thoroughly and promptly for errors so MBC can ensure your order was entered as intended. MBC may ask you to sign a confirmation on some units before we proceed with production.

**Thank you for all of your efforts!**

CUSTOMER SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

**We appreciate the opportunity to provide you with this quote!**