Location of Construction:	Owner:	Phone:	773-4391	Permit No: 970252
Owner Address: SAA Ptid, ME D4101	Lessee/Buyer's Name:	Phone: Busines	ssName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK: \$ 2,700.00	PERMIT FEE: \$ 35.00	MAR 2 7 1997
2-fam	Same	FIRE DEPT. Approved Denied Signature:	Use Group 9.3 Type: 5D BOCA 96 Signature: Hollan	Zone: CBL: G40-C-021
Proposed Project Description:		PEDESTRIAN ACTIVITI		Zoning Approval:
Construct Deck (28 x 8)	Second Story	Denied	with Conditions:	Special Zone or Reviews: ☐ Shoreland ☐ Wetland ☐ Flood Zone
Permit Taken By: Kary Greetk	Date Applied For:	Signature:	Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbing, so Building permits are void if work is not started tion may invalidate a building permit and sto 	d within six (6) months of the date of issua	nce. False informa-		☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
	WITH REQUIRE	WITH DED	REQUIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable here. SIGNATURE OF APPLICANT	CERTIFICATION e named property, or that the proposed wor as his authorized agent and I agree to conf issued, I certify that the code official's au our to enforce the provisions of the code(s	k is authorized by the owner of form to all applicable laws of the thorized representative shall ha	record and that I have been is jurisdiction. In addition,	☐ Approved ☐ Approved with Conditions ☐ Denied Date:
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction;	Owner:		Phone:		Permit No: 70052
27 High St		ana & William	-	773-4391	Permit No: y 7 0 2 5 2
Owner Address: SAA Ptld, ME 04101	Lessee/Buyer's Name:	Phone:	BusinessN	lame:	ISSUED
Contractor Name:	Address:	Phone	e:		Permit Issued:
SAA	D. Miles	COST OF WOR	V. In	EDMER EFE	MAR 2 7 1997
Past Use:	Proposed Use:	\$ 2,700.0	The second secon	PERMIT FEE: 35.00	
0. 6		FIRE DEPT.		NSPECTION: Deck	CO Y DE PORTIANO
2-fam	Same		A 4	Use Group: 123 Type: 5B	CHILL CT T CESTEANING
				SOCA96, 10	Zone: 040-C-021
D I D		Signature:		ignature: Helpes	Zoning Approval: 3 mm ts of Pr
Proposed Project Description:				DISTRICT (P.A.D.)	OV -S I The line
Construct Deals (20 - 0	C. C		Approved wit	h Conditions:	Special Zone or Reviews:
Construct Deck (28 x 8) Second Story		Denied Wit		□ Shoreland Conditions
					□Flood Zone 3/24/1/
	1.00	Signature:		Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
Permit Taken By: Mary Gresik	Date Applied For:	25 March 1997			owner Not gary to put
	× 6				Variance on Togono
 This permit application does not preclude the 	The second secon	State and Federal rules.			☐ Miscellaneous
Building permits do not include plumbing,	HI-KNY				☐ Conditional Use
Building permits are void if work is not start		ssuance. False informa-			☐ Interpretation ☐ Approved
tion may invalidate a building permit and s	top all work				☐ Denied
		P1			Historic Preservation
		MITTE	ERMIT		DNot in District or Landmark
WITH REQUIREMENTS					☐ Does Not Require Review
			-OIPE	MEAN	☐ Requires Review
				LANG	Action:
	CERTIFICATION				□Appoved
I hereby certify that I am the owner of record of t					☐ Approved with Conditions
authorized by the owner to make this application				A transfer of the second secon	□ Denied
if a permit for work described in the application areas covered by such permit at any reasonable				the authority to enter all	Date: 3/26/9 7
areas covered by such permit at any reasonable	nout to emote the provisions of the cou	acts) applicable to such	permit		
Esth 1) 4 / All	× ×	25 March 1997	DD:	3-4391	7 1 1 1
SIGNATURE OF APPLICANT William N	utting ADDRESS:	DATE:		PHONE:	D. HUDGENS
, all tall	7,0				
RESPONSIBLE PERSON IN CHARGE OF WO	RK, TITLE		P	PHONE:	CEO DISTRICT
					CEO DISTRICT Z
White-I	Permit Desk Green-Assessor's Ca	nary-D.P.W. Pink-Pu	iblic File Ivo	ory Card-Inspector	

LAND USE - ZONING REPORT

ADDRESS: 27 High Street DATE: 3/26/97
REASON FOR PERMIT: 2nd Story 28'X 8 Deck
BUILDING OWNER: DIAMA W. Clam N. Hugc-B-L: 40-C-21
PERMIT APPLICANT: MEN
APPROVED: 11. The Conditions DENIED:
#6, 49
CONDITION(S) OF APPROVAL
 During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing shall not be increased during maintenance
reconstruction. 3. All the conditions placed on the original, previously approved, permit issued on
are still in effect for this amendment. 4. Your present structure is legally nonconforming as to rear and side setbacks. If you were
to demolish the building on your own volition, you will <u>not</u> be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's
ordinances. In order to preserve these legally non-conforming setbacks, you may only
rebuild the garage in place and in phases. 5. This property shall remain a single family dwelling. Any change of use shall require a
separate permit application for review and approval. Our records indicate that this property has a legal use of + wo units. Any change
in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage.
Separate permits shall be required for future decks and/or garage. Other requirements of condition As we discussed The ordinatic Edoes No.
Allaro my open exterior stoirways on freescapes. None is
proposed for This 2nd Floor deck, Please Note That New Put Exterior Stans will be Allowed:
EXTENIOR STAIRS WILL DE MITOURUR
Marge Schmuckal, Zoning Administrator,
Asst. Chief of Code Enforcement

	please check off the appropr	iate descr	ipcion .
	FOUNDATION		Frost Wall, min 4" below grade. 8"thick
			Sono Tube, 4° below grade 6" min. on footing, hard pan or bedrock. Other
	SPAN OF SILL AGAINST SOL	<u></u>	Size
	SPAN OF SILL AGAINST SOL	54)	Distance between foundation support
	JOISTS SPAN	81.	
*	JOISTS SIZE	· // 2	x 6 2 x 8 2 x.10
*	DISTANCE BETWEEN JOISTS		"O.C24"O.Cother
	DECKING "	5/	4 ocher explain
J. Mar. 18 8	GUARD HEICHT		36" 42"
	DISTANCE BETWEEN BALUSTER	X	4" spacing between
	STAIR CONSTRUCTION		9" cread 81/4" rise
·	please use space below for d	raving of	deck with measurements.
8	(2nd Floor) Lan	135	3.5.
4/2"1 ×	> 2x8 (13'abovi gronnd)	/ <u>/ </u>	1111111 42" Rail

25/ 10/mside Fell Proposed Oeck

BUILDING PERMIT REPORT

DATE: 27 MAY 97	ADDRESS: 27 High ST.	
REASON FOR PERMIT: To Canstrus	ct 2 STory deck	
BUILDING OWNER: Nutting D		
CONTRACTOR: Owner	•	
PERMIT APPLICANT:	APPROVAL:*/ *2*3*7	DENIED

CONDITION(S) OF APPROVAL

- X 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- ₹3. Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 - 8. Headroom in habitable space is a minimum of 7'6".
 - 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 - Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self-closer's.
 - 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an 16. approved type.
- 17. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 18. The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 19. 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. 20. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 21. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code. 24.
- 25. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.

and implement items 6 and 9 of The attached 26. read

27.

28.

Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal