



CENTER WALL ON COLUMN LINE

CENTER WALL ON COLUMN LINE

ALIGN EDGE OF WALL WITH THIS BRICK EDGE

CONF RM  
102

OFFICE  
103

OFFICE  
104

SERVER  
105

COPY  
106

OFFICE  
107

OFFICE  
108

OFFICE  
109

ENTRY  
101

OPEN OFFICE  
110

COMMON PATH OF TRAVEL  
MUST BE 100 FEET OR LESS.

OFFICE  
111

OFFICE  
112

LUNCH  
113

OFFICE  
115

OFFICE  
N6

EQUAL

EQUAL

MECH  
114

REMOVE DOOR AND SIDELITE,  
PATCH TO MATCH EXISTING,  
REUSE DOOR AND SIDELITE AT  
NEW ENTRY PER OWNER'S  
DIRECTION. PLACE DOOR SUCH  
THAT COMMON PATH OF  
TRAVEL REQUIREMENT IS MET.

ALLWAYS USE 5/8" F.R. TYPE 'X'  
GPDW ON HALLWAY OR  
TENANT TO TENANT WALLS IF  
NONE EXISTS ALLREADY AND  
SEAL TIGHT TO MAKE  
SMOKEPROOF.

MECHANICAL ROOM TO BE 1  
HR RATED WITH 60 MIN RATED  
DOOR AND ALL NECESSARY  
DETECTORS PER CODES.

**—** = NEW WALL

1 SUITE 102  
A1.1 Scale: 1/8" = 1'-0"

NOTE: SEAL ALL WALLS AT COLUMNS, BEAMS & DECK TIGHT TO MAKE SMOKE PROOF.  
ALL WALLS TO GO UP TO DECK THEREFORE, INFILL BETWEEN JOISTS IF NECESSARY.

BUILDING PERMIT SET  
FOR CONSTRUCTION

Drawing Number  
**A1.1**

Drawing Title  
**FIRST FLOOR PARTIAL PLAN**

Date: 2/8/13  
Project Number: 13.01  
Scale: 1/8" = 1'-0"  
Reference: NONE

J.B. Brown & Sons, Inc.  
30 Danforth Street  
Portland ME 04101

Project Title  
**Suite 102 Bendett & McHugh**

Copyright 2013 Michael Belleau Architect  
61 Pleasant Street Portland ME 04101 (207)874-7668  
www.michaelbelleau.com Maine Licensed Architect

**bell  
eau**

Note: Do not scale these drawings.  
These drawings are approximate.  
Contractor to verify all dimensions in field.  
This drawing property of Michael Belleau Architect  
and not to be copied or reproduced in part or whole.  
Copyright 2013 Michael Belleau Architect