City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 20-36 Denforth Street	Owner: J.B. Brown & Sans		Phone: 774-59	08	Permit No: 9 9 0 7 3 9
Owner Address: 482 Congress Street Puld, HE 041	Lessee/Buyer's Name:	Phone:	BusinessNa	me:	PERMIT ISSUED
Contractor Name:	Address: 111 Compercial St. Filand	Phone: COST OF WORK	75-2683	ERMIT FEE:	Permit Issued:
Past Use:	Proposed Use:	\$42,000		230.00	Jac 1 0 1555
Office	Office	FIRE DEPT. A		SPECTION: se Group: 1/2 Type 30C496	CITY OF PORTLAND Zone: CBL: 040-D-001
Proposed Project Description:		Signature: PEDESTRIAN AC		gnature: OISTRICT (P.X.D	
Interior Memovations with Tenant	Wit Up	Action: Ap	pproved pproved with enied	U	Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By:	Date Applied For:	6-29-99		Date.	☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbing, s Building permits are void if work is not started tion may invalidate a building permit and st 	ed within six (6) months of the date of issue op all work	ance. False informa-	anl Name	han	 ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
	Call 19	776- Page	1348	PERMIT ISSUET	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has been described.	as his authorized agent and I agree to consiste issued, I certify that the code official's at	form to all applicable lathorized representative	owner of reco laws of this ju	ord and that I have irisdiction. In addi	□ Approved □ Approved with Conditions tion, □ Denied
		6-29-89			
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PH	IONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	RK, TITLE		PF	IONE:	CEO DISTRICT
Militar D	amult Dook Cross Assessed's Const	- DDW Dist Date	ta Etta I	. Cand Incarete	ub

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	20-36 - DANFOLTH ST	
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 040 Block# Lot# 00	J.B. Blown + Sons	Telephone#: 774-5908
Owner's Address: 482 CUNGLESS ST 04101	Lessee/Buyer's Name (If Applicable) SUN YACHT CHARTELS	Cost Of Work: Fee \$ 230
Proposed Project Description: (Please be as specific as possible INTELIOL LEND VATIONS CIO Michael Monaghin	Tenant Fit UP	
Contractor's Name, Address & Telephone 775-269 MONAGHAN WOOD WO	83 III COMMERCIAN ELS INC. PORTIAND MÉ	04/01 Rec'd By U/3
Current Use: Office	Proposed Use: OFFICE	
•HVAC(Heating, Ventililation and Air Con You must Include the following with you applicati 1) ACopy of 2) A Copy	Your Deed or Purchase and Sale Agreement of your Construction Contract, if available 3) A Plot Plan/Site Plan	1993 BOCA Mechanical Code. Call P/U michael Monagh
Minor or Major site plan review will be required f	or the above proposed projects. The attached	V 014 771 134
checklist outlines the minimum standards for a site	e plan.	
	4) Building Plans	PAGER
 A complete set of construction drawings showing Cross Sections w/Framing details (included) Floor Plans & Elevations Window and door schedules Foundation plans with required drainage 	ding porches, decks w/ railings, and accessory str	JUN 2 9 1999
	lling) or other types of work that may require spec	
All the second of the second o	Certification	franced and that I have been authorized but
I hereby certify that I am the Owner of record of the named pro	perty, or mar me proposed work is audiorized by the owner of	i record and that I have been addictized by

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

entitive the provisions of the codes appricable to this permit.	
Signature of applicant:	Date: 6-29-99

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

ADDRESS: 20-30 Jamph PERMIT APPLICATION FOR: in James 12					
Note: Your property is an individually designated landmark structure or is located within a designate district. As such, alterations to the building exterior or site which are visible from a public way are surreview and approval under Article IX (Historic Preservation) of the Land Use Code. Your building or application has been reviewed to determine whether the nature or scope of the project requires review, whether it meets the standards of the historic preservation ordinance.	ed historic bject to sign permit				
ACTION					
Does not Require Review (e.g. Interior work only / alteration is not readily visible from a p	oublic way)				
Note: this finding is based on the understanding that the application entails interior work only or that the proposed exterior alteration(s) will not be readily visible from a public way. If your project entails exterior or site alterations (including the installation of sign(s), awnings, or exterior lighting for such) these alterations must be reviewed and approved prior to commencing with the work. Centact 874-8726 for more information.					
Denied Reason for Denial:					
Approved as submitted					
Approved with conditions (see below)					
Conditions of Approval:					
Contact Historic Preservation Staff (874-8726 or 874-8728) prior to installation of sign(s) to confirm approved location.					
Your sign permit includes no reference to exterior lighting; if lighting is included, please submit information on fixtures and specifications on installation.					
Other conditions:	Other conditions:				
1.					
2.					
3.					

	BUILDING PERMIT REPORT
DA	ATE: 30 June 99 ADDRESS: 20 - 36 Dan fo-ThST_ CBL: 040-D-00/
	EASON FOR PERMIT: Interior Renovation
ВП	JILDING OWNER: J. B. Brown & Sons.
PE	ERMIT APPLICANT: Mongaghan Woodwoods IDC.
IJS	E GROUP BOCA 1996 CONSTRUCTION TYPE 33
	CONDITION(S) OF APPROVAL
	is permit is being issued with the understanding that the following conditions are met:
Ap	proved with the following conditions: * / *//, */3, *201,*22 *23 *22 *34 #3/
V 1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
. 3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10
	percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The
	thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not
	Iess than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations
	shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and
	shall be covered with not less than 6" of the same material. Section 1813.5.2
4.	Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from comers of foundation and a
5.	maximum 6' o.c. between bolts. (Section 2305.17) Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6.	Precaution must be taken to protect concrete from freezing. Section 1908.0
7.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the
8.	proper setbacks are maintained. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or l-1 shall be separated from adjacent interior
	spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached
	- side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch
	gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical
	Code/1993). Chapter 12 & NFPA 211
10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
\mathcal{A}^{11}	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42",
	except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures,
	open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall
	not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-
	3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
£ 12	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13.	Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread,
i –	7" maximum rise. (Section 1014.0)
14. 15.	The minimum headroom in all parts of a stainvay shall not be less than 80 inches. (6'8") 1014.4 Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door
15.	approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools.
	Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All
	egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The
	minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building extenor with no communications to other apartment units. (Section 1010.1)
X17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
Are.	(Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic
	extinguishment. (Table 302.1.1)

All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's

Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be

19.

Sand 155UE	Date
Live dats being held gan	Inspection Record
die d	Type Foundation: Framing: Plumbing: Plumbing: Other:
Cor 0- are line 14 Mar gives ax. 74 Two	
5/26 Fig - 7112 Comple 3/22/04 Comple 3/23/04 Ober	

installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2. A portable fire extinguisher shall be located as per NFPA#10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) The Fire Alarm System shall maintained to NFPA #72 Standard. The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996) Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996). Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. Separate penns the required Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.

36.

Annual Motives, Building Inspector

AcDougall, PFD

rge Schmuckal, Zoning Administrator

PSHELLISH & DRUG

25.

26. 27.

28.

29.

30.

33. 34.

35.

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

Glass and glazing shall meet the requirements of Chapter 24 of the building code.

125 Proposed 55411 Need STATO Fine