### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 207-774-5908 ##20-36 Danforth St. Suite #213 J.E. Brown & Sons Lessee/Buyer's Name: Owner Address: Phone: BusinessName: 482 Congress St. PO Box 207 Alemifer Moore-Chris Dingwel Contractor Name: FOR LAND, HE 04112 Permit Issued Address: Phone: 0 1999 COST OF WORK: PERMIT FFF. Past Use: Proposed Use: \$ 30.00 Tattoo Studio Vacant FIRE DEPT. Approved INSPECTION: Use Group: 13 Type 3 12 □ Denied CBL:040-D-001 Zone: 100CA 98 Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P Change of Use from vacant space (which was formerly a Action: Approved Special Zone or Reviews: photographers atudio) to a tattoo studio. Approved with Conditions: ☐ Shoreland Denied ☐ Wetland □ Flood Zone ☐ Subdivision Signature: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: UB 8-23-99 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. 2. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation □Approved tion may invalidate a building permit and stop all work... \*\*\*Send to: Jennifer Moore & Chris Dingwell □ Denied 20-36 Danforth St. Suite #213 Historic Preservation Portland, ME 04101 □ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review PERMIT ISSUED WITH REQUIREMENTS Action: CERTIFICATION ☐ Appoved ← I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Approved with Conditions □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 8-24-99 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

CEO DISTRICT

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## **Building or Use Permit Pre-Application**

# Attached Single Family Dwellings/Two-Family Dwelling

# Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

101

				DUILC
Location/Addressof Construction (include Portion of Building)	x20	360 Danforth S	1 44	#213
Total Square Footage of Proposed Structure		Square Footage of Lot		
Tax Assessor's Chart, Block & Lot Number  Chart# 04 0 Block# D Lot# 001	Owner:	Brown + Sons		hone#: 7-774-5908
Owner's Address: 482 Congress Street P.C. Box 207 Portland ME112	Lessee Buyer's ? Se no: Chr. s	Name (If Applicable) for Moore Dingwell	Cost Of Wo	s 36_
Proposed Project Description: (Please be as specific as possible)  Changing USE of V  a photography Shulio	to	space which a tattoo st	rdio,	formily
Contractor's Name, Address & Telephone VACO	OT	TATT	00	Rec'd By UB
Current Use: VACTO PACTO CARAPTER	os Studio	Proposed Use:	#00 Sn	0/0
•All construction must be conducted in compli •All plumbing must be condu •All Electrical Installation must comply w •HVAC(Heating, Ventililation and Air Cond You must Include the following with you application 1) ACopy of Y	ance with the cted in complicate vith the 1996 Nationing) instant our Deed or Infrom Construction (a) A Plot Plant the above propolant.	ance with the State of Maine P National Electrical Code as amo llation must comply with the 1 Purchase and Sale Agreement uction Contract, if available an/Site Plan posed projects. The attached	as amended lumbing Co ended by Se 993 BOCA	ode. ection 6-Art III.
		ing Plans	Treated (7)	W 15 U W 15 L
TI I CA A T	A STATE OF THE STA	And the state of t	C	

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

differed the provisions of the codes appricable to this perinic.	
Signature of applicant: 1000 1000	Date: Aug 23, 1999

Huilding Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

aprot sq Feet Door. window.

### BUILDING PERMIT REPORT

DATE: 24 Aug 99 , ADDRESS: 20-36 Danfor Th ST CBL: \$46-D-\$61					
DATE: 24 Aug 99 ADDRESS: 20-36 Danfor Th ST CBL: \$46-D-\$6/ REASON FOR PERMIT: Change of USE Vacant To Talloo Studio.					
BUILDING OWNER: J. B. 13 rown & Son 5.					
PERMIT APPLICANT: 1Contractor Moore Dinguel					
USE GROUP B CONSTRUCTION TYPE 33					
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)					
CONDITION(S) OF APPROVAL					

This permit is being issued with the understanding that the following conditions a	ire met: X/	*33 ×3	1435	_
Approved with the following conditions:		11	<del></del>	

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 1/2" from corners of foundation and 4. a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify 7. that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private parages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building 10.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces 11. for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- Headroom in habitable space is a minimum of 7'6". (Section 1204.0) 12.
- Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise. All other Use Group minimum 11" 13. tread, 7" maximum rise. (Section 1014.0)
- The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 14.
- Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door 15. approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits 16. directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

		00 16				Date			
9/21/99- Gre con on phone - and 1/2 walls bring installed	Phinding 1859-194 - Went over all 12g. Willins Dingwell	v/27/99- Final-appears to be done per plan- ok to				Inspection Record Type	Foundation: Framing:	Plumbing: Final: Other:	

17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self
• * *	closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of
	the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke
	detectors shall be installed and maintained at the following locations):
	• In the immediate vicinity of bedrooms
	<ul> <li>In all bedrooms</li> <li>In each story within a dwelling unit, including basements</li> </ul>
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall
	receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
(20.)	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved
(31)	type. (Section 921.0) The Fire Alexan System shall register and to NEDA #72 Standard
(21)	The Fire Alarm System shall maintained to NFPA #72 Standard. The Sprinkler System shall maintained to NFPA #13 Standard.
(1) (1) (1) (1) (1)	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0
	of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open
0.5	any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of
	Inspection Services.
, 26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
<del>2</del> 7.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until
,	all electrical (min.72 hours notice) and plumbing inspections have been done.
28. 29.	All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building
29.	Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical
2	Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. Any Effection count requires A Seffences A Seffences and implement the attached Land Use Zoning report requirements. Any Effection 2305.5.1 and 2305.5.3 of the City's Building Code.
31 $32$	Please read and implement the attached Land Use Zoning report requirements.
32. -33.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.
∠34.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code
	1006)
/35.	Signage Anall reguine a separate permit
36.	
30.	
37.	
	· · · · · · · · · · · · · · · · · · ·
38.	
	) 1/ A 1/
10	
P. Sam	ETHOMES, Building Inspector
cc:	Le McDougall, PFD
	Marge Schmuckal, Zoning Administrator
P 561 7/24/99	Mary - A

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

