2 / A11 BUILDING SECTION
3/16" = 1'-0"

NOTES (BUILDING SECTIONS):

1. 3 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #5512)
2. 1/2 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #5561)
3. 2 HR. FIRE-RATED ENCLOSURE (SEE PLAN FOR WALL TYPE DESIGNATION)
4. SUSPENDED ACOUSTICAL CEILING (NON-RATED)
5. GYPSUM BD. CEILING (NON-RATED)
6. 1 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #G205)
7. 1/2 HR. FIRE-RATED CORRIDOR WALLS (U.L. #U419)
8. 1/2 HR. FIRE-RATED SEPARATION WALLS (U.L. #U419)

REVISION SCHEDULE

DATE	REVISION DESCRIPTION	BY

© COPYRIGHT 2012 BY O.C.C.

COPECHEE
CONSTRUCTION CORPORATION
11 CORPORATE DRIVE, BELMONT NH 03220
PHONE (603)527-9090 FAX (603)527-9191

BUILDING SECTIONS

PROJECT:
COMMERCIAL & MAPLE STREET
MIXED USE DEVELOPMENT
PORTLAND, ME

LICENSED ARCHITECT
DONALD W. BLAJDA
No. 2936
STATE OF MAINE

DATE: 02-19-13
SCALE: SEE PLAN
DRAWN BY: KPH

SHEET: A11