Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 07/12/13

NOTES-GRANITE VENEER:

SEE DW6, A16 & A21.1 FOR GRANITE SILL & HEADER FLASHING AND ANCHORAGE DETAILS.

SEE DW6, A7 FOR PLAN DETAILS AT FIRST FLOOR.

1. SINGLE PIECE SILL-7⅝" HIGH X FULL WIDTH OF WINDOW UNIT W/SLOPED TOP TO DRAIN.
2. THREE PIECE SILL-7⅝" HIGH W/SLOPED TOP TO DRAIN.
3. SINGLE PIECE FROM WINDOW TO WINDOW AT PILLARS-7⅝" HIGH BY WIDTH AS SHOWN ON FLOOR PLANS.
4. RANDOM LENGTH PIECES FROM 36"-60" IN LENGTH-7⅝" HIGH. DO NOT ALIGN VERTICAL JOINTS IN ADJOINING COURSES.
5. ALTERNATE COURSES AT CORNERS.

ALL VERTICAL JOINTS AT GRANITE TO BE FLUSH JOINTS.
ALL HORIZONTAL JOINTS AT GRANITE TO BE WEATHERED JOINTS.

ALL EXPOSED FACES OF GRANITE VENEER TO BE SPLIT-FACE.
NO SAWN ENDS ARE TO BE EXPOSED TO VIEW.

1A/A9 PORTE COCHERE ELEVATION
1/8" = 1'-0" (LOOKING TOWARD YORK ST.)

1/A9 MAPLE STREET ELEVATION
1/8" = 1'-0"

2/A9 COMMERCIAL STREET ELEVATION
1/8" = 1'-0"

LICENSED ARCHITECT
DONALD W. BLAJDA
No. 2936
STATE OF MAINE

REVISION SCHEDULE		
DATE	REVISION DESCRIPTION	BY
05-22-13	ADDED CONTROL JOINTS AND GRANITE COURSING & NOTES	
06-17-13	REVISED GRANITE JOINT LOCATIONS.	
07-09-13	REVISED WINDOW UPILLIONS AT HOTEL ENTRANCE. REVISED GRANITE COURSING AT MAPLE ST. ELEVATION.	

© COPYRIGHT 2012 BY O.C.C.

CONSTRUCTION CORPORATION
11 CORPORATE DRIVE, BELMONT NH 03220
PHONE (603) 527-9090 FAX (603) 527-9191

BUILDING ELEVATIONS

PROJECT:
COMMERCIAL & MAPLE STREET
MIXED USE DEVELOPMENT
PORTLAND, ME

DATE: 05-09-13
SCALE: SEE PLAN
DRAWN BY: KPH

SHEET: A9