Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 07/12/13

NOTES (BUILDING SECTIONS):

1. 3 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #5512) (U.L. #D902 AT 1
2. 1 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #5561) ½ HR. REQ'D.)
3. 2 HR. FIRE-RATED ENCLOSURE (SEE PLAN FOR WALL TYPE DESIGNATION)
4. SUSPENDED ACOUSTICAL CEILING (NON-RATED)
5. GYPSUM BD. CEILING (NON-RATED)
6. 1 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #5205)
7. 1 HR. FIRE-RATED CORRIDOR WALLS (U.L. #U419) ½ HR. REQUIRED)
8. 1 HR. FIRE-RATED SEPARATION WALLS (U.L. #U419) ½ HR. REQUIRED)
9. 1 HR. FIRE-RATED SEPARATION WALLS (U.L. #U419)
10. SEE NOTE ON FIFTH FLOOR CEILING PLAN RE:SOUND TREATMENT AT UNDERSIDE OF SIXTH FLOOR FRAMING.

2 / A11 WALL/FLOOR FLASHING AT POOL AREA
NOT TO SCALE
PROVIDE @ ALL WALLS IN POOL ROOM.

1 / A11 BUILDING SECTION
3/16" = 1'-0"

REVISION SCHEDULE		
DATE	REVISION DESCRIPTION	BY
05-16-13	REVISED CEILINGS AT POOL AND MEETING ROOM	
06-03-13	ADDED DETAIL 2/A11	

© COPYRIGHT 2012 BY O.C.C.

CONSTRUCTION CORPORATION
11 CORPORATE DRIVE, BELMONT NH 03220
PHONE (603) 527-9090 FAX (603) 527-9191

BUILDING SECTIONS

PROJECT:
COMMERCIAL & MAPLE STREET
MIXED USE DEVELOPMENT
PORTLAND, ME

LICENSED ARCHITECT
DONALD W. BLAJDA
No. 2936
STATE OF MAINE

DATE: 05-09-13
SCALE: SEE PLAN
DRAWN BY: KPH

SHEET: A11