Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 07/12/13

NOTES (BUILDING SECTIONS):

1. 3 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #G512) (U.L. #D902 AT 5¼" SLAB)
2. 1 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #G561) ½ HR. REQ'D.)
3. 2 HR. FIRE-RATED ENCLOSURE (SEE PLAN FOR WALL TYPE DESIGNATION)
4. SUSPENDED ACOUSTICAL CEILING (NON-RATED)
5. GYPSUM BD. CEILING (NON-RATED)
6. 1 HR. FIRE-RATED FLOOR/CEILING ASSEMBLY (U.L. #G205)
7. 1 HR. FIRE-RATED CORRIDOR WALLS (U.L. #U419) ½ HR. REQUIRED)
8. 1 HR. FIRE-RATED SEPARATION WALLS (U.L. #U419) ½ HR. REQUIRED)
9. 1 HR. FIRE-RATED SEPARATION WALLS (U.L. #U419)

NOTES (STAIRWELL):

9. PROVIDE IDENTIFICATION SIGNAGE PER ADAAG SECTION 4.3.11.5 & IBC SECTION 1022.8.1
10. RETURN HANDRAIL TO WALL (TYP.)
11. CONTINUOUS HANDRAILS (TYP.)
12. ENCLOSED STANDPIPE
13. 2" WIDE NON-SLIP TREAD NOSING WITH CONTRASTING COLOR. TYPICAL AT ALL NOSINGS

12 A17 STAIR HANDRAIL DETAIL
1 1/2" = 1'-0"

1 A17 SECTION @ STAIR A
1/4" = 1'-0"

2 A17 SECTION @ STAIR B
1/4" = 1'-0"

9 A17 STAIR B-THIRD/FOURTH/FIFTH FLOOR PLANS
1/4" = 1'-0"

10 A17 STAIR B-SIXTH FLOOR PLAN
1/4" = 1'-0"

11 A17 STAIR-SECTION @ TOP LANDING
1" = 1'-0"

8 A17 STAIR B-SECOND FLOOR PLAN
1/4" = 1'-0"

7 A17 STAIR B-FIRST FLOOR PLAN
1/4" = 1'-0"

6 A17 STAIR A-SIXTH FLOOR PLAN
1/4" = 1'-0"

5 A17 STAIR A-THIRD/FOURTH/FIFTH FLOOR PLANS
1/4" = 1'-0"

4 A17 STAIR A-SECOND FLOOR PLAN
1/4" = 1'-0"

3 A17 STAIR A-FIRST FLOOR PLAN
1/4" = 1'-0"

LICENSED ARCHITECT
DONALD W. BLAJDA
No. 2936
STATE OF MAINE

REVISION SCHEDULE		
DATE	REVISION DESCRIPTION	BY

© COPYRIGHT 2012 BY O.C.C.

COPECHEE
CONSTRUCTION CORPORATION
11 CORPORATE DRIVE, BELMONT NH 03220
PHONE (603) 527-9090 FAX (603) 527-9191

STAIR SECTIONS & DETAILS

PROJECT:
COMMERCIAL & MAPLE STREET
MIXED USE DEVELOPMENT
PORTLAND, ME

DATE: 05-09-13
SCALE: SEE PLAN
DRAWN BY: KPH

SHEET: A17