



PROVIDE 10 MIL POLY VAPOR BARRIER ON POOL SIDE OF WALLS AND CEILING SEAL ALL JOINTS, PENETRATIONS AND SEAMS. SEE ADDITIONAL NOTES ON DWS. A22.

PROVIDE WATERPROOFING MEMBRANE AT THE BASE OF ALL POOL ROOM WALLS-SEE DETAIL 2/A11.

ALL COLUMNS AT FIRST FLOOR LEVEL TO BE PROTECTED FOR THEIR FULL LENGTH AS DETAILED ON DWS. A01 FOR 3 HR. FIRE RESISTANCE RATING.

INTERIOR HALLS TO BE HALL TYPE 2 UNLESS NOTED OTHERWISE.

Entry area not shown correct, design per original hotel drawings. For new vestibule, see Drawing A.0 and for details see A.1

* AT WALLS NOTED WITH THIS SYMBOL, PROVIDE 5/8" TILE BACKER BOARD FOR THIN BRICK VENEER FINISH AT WINDOW OPENINGS-HRAP TO MEET WINDOW FRAMES.

DATE	REVISION DESCRIPTION
04-27-13	REVISED WALK WALLS, FIRE-RATED WALL AT ELEVATORS, LOBBY, DELETED DOOR W/KA @ OFFICE AREA, ADDED SHELF AT LUGGAGE STORAGE
10-17-13	DELETED POOL PATIO ENCLOSURE.
01-30-14	ADDED BIKE STORAGE ROOM AT RESIDENCE ELEVATOR LOBBY. IELB2

LOPECHEE
 CONSTRUCTION CORPORATION
 11 CORPORATE DRIVE, BELMONT NH 03220
 PHONE (603) 527-9090 FAX (603) 527-9191

FIRST FLOOR PLAN

PROJECT: **COMMERCIAL & MAPLE STREET MIXED USE DEVELOPMENT**
 PORTLAND, ME

DATE: 05-09-13
 SCALE: SEE PLAN
 DRAWN BY: KPH

A1
 SHEET:

FIRST FLOOR PLAN
 1/8" = 1'-0"
 PLAN