

FIRST FLOOR PLAN

1/8" = 1'-0"


GENERAL NOTES

- All interior brick walls scheduled to remain exposed and all structural framing members including joists, beams, columns, and decking shall be sandblasted and coated with a clear sealer. Typical at all floors except for the 5th floor where sand blasting of all framing elements except columns is not required. No sandblasting work is required at the basement. Samples of blasting and finish will be required for owner review and approval prior to proceeding with work.
- Existing floor decking at first floor to remain as is unless specifically scheduled for new flooring in the finish schedule. Areas of first floor scheduled for new flooring shall receive 1 layer of 1/2" plywood underlayment.

LEGEND

- RC
1 Hr. Room to have 1 hr. rated ceiling: 2 layers of 5/8" Type 'X' GWB over resilient channels attached to underside of existing structure
 - RC
1 Hr.
Batts Room to have 1 hr. rated ceiling: 2 layers of 5/8" Type 'X' GWB over resilient channels attached to underside of existing structure w/ mineral wool batts between joists.
 - RC
2 Hr. Room to have 2 hr. rated ceiling: 2 layers of 5/8" Type 'X' GWB over resilient channels over 1 layer 5/8" Type 'X' attached to underside of exist'g structure.
 - RC
2 Hr.
Batts Room to have 2 hr. rated ceiling: 2 layers of 5/8" Type 'X' GWB over resilient channels over 1 layer 5/8" Type 'X' attached to underside of exist'g structure w/ mineral wool batts between joists.
- ==== Rated partition - See partition types on Sht. A6.1 for Rating

PERMIT SET - NOT FOR CONSTRUCTION



Blais Civil Engineers, PA
780 Broadway
South Portland, ME 04106
T. 207.767.7300
sblaise@blaisece.com

Bartlett Design
942 Washington Street
Bath, ME 04530
T. 207.443.5447 F. 207.443.5560
bartdes@blazenet.me

Mechanical Systems Engineers
Royal River Center, Unit #10
10 Forest Falls Drive, Yarmouth, ME 04096
T. 207.846.1441 F. 207.846.1443

Carroll Associates Landscape Architects
217 Commercial Street, Suite 200
Portland, ME 04101
T. 207.772.1552 F. 207.0712

Becker Structural Engineers, Inc.
75 York Street, Portland, ME 04101
T. 207.879.1838 F. 207.879.1822
www.beckerstructural.com

Winton Scott Architects, PA
5 Milk Street, Portland, ME 04101
207.774.4811 www.wintonscott.com

| REV # | DATE | DESCRIPTION |
|-------|------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Renovations To:
CUMBERLAND COLD STORAGE BUILDING
Merrill's Wharf, Portland, Maine

FIRST FLOOR PLAN
A1.1
9.23.2010