

ROOF PLAN

1/8" = 1'-0"


LEGEND

- [4.5']+ TOTAL THICKNESS OF RIGID INS
- DS DOWNSPOUT
- A FULLY ADHERED WHITE .060 EPDM ROOF MEMBRANE OVER 7/16" OSB OVER 4 1/2" POLYISO RIGID INSULATION SLOPING WOOD DECK. PROVIDE (1) LAYER 1 1/2" AND (1) LAYER 3" WITH STAGGERED JOINTS.
- B FULLY ADHERED WHITE .060 EPDM ROOF MEMBRANE OVER 7/16" OSB OVER POLYISO 1 1/4" PITCH TAPERED INSULATION OVER 4 1/2" OF POLYISO RIGID INSULATION ON SLOPING WOOD DECK.

NOTES

- REMOVE EXISTING ROOFING AND INSULATION TO EXISTING WOOD DECK. INSPECT DECK AND REPORT RESULTS TO ARCHITECT.
- REMOVE COPPER CORNICE ALONG ROOF HIGH EDGE. SAVE SECTIONS FOR USE IN REPRODUCING ITS PROFILE IN THE PROPOSED WORK.
- PROVIDE WIND RATED FASTENING OF INSULATION AND OSB. SEE SECTION 07 53 23.

PERMIT SET - NOT FOR CONSTRUCTION



Blais Civil Engineers, PA
 780 Broadway
 South Portland, ME 04106
 T. 207.767.7300
 sblaise@blaisece.com

Bartlett Design
 942 Washington Street
 Bath, ME 04530
 T. 207.443.5447 F. 207.443.5560
 bartdes@blazenet.net

Mechanical Systems Engineers
 Royal River Center, Unit #10
 10 Forest Falls Drive, Yarmouth, ME 04096
 T. 207.846.1441 F. 207.846.1443

Carroll Associates Landscape Architects
 217 Commercial Street, Suite 200
 Portland, ME 04101
 T. 207.772.1552 F. 207.0712

Becker Structural Engineers, Inc.
 75 York Street, Portland, ME 04101
 T. 207.879.1838 F. 207.879.1822
 www.beckerstructural.com

Winton Scott Architects, PA
 5 Milk Street, Portland, ME 04101
 207.774.4811 www.wintonscott.com

REV #	DATE	DESCRIPTION

Renovations To:
CUMBERLAND COLD STORAGE BUILDING
 Merrill's Wharf, Portland, Maine

ROOF PLAN
A1.6
 9.23.2010