

**NOTES:**


- SEE SHEET E-001 FOR LEGEND AND GENERAL NOTES.
- UNDER FLOOR VOICE/DATA OUTLETS SHALL BE A COMBINATION POWER & VOICE/DATA POKE-THRU DEVICE EXTENDING INTO ACCESSIBLE CEILING ON FLOOR BELOW.
- PROVIDE 3/4" CONDUIT BETWEEN EQUIPMENT ROOM 202 AND TEL/DATA ROOM 211 FOR (2) CAT. 6 CABLES.

**KEYED NOTES:**

- PROVIDE A 1" CONDUIT BETWEEN THE COMMUNICATION CHANNEL OF THE 2 CHANNEL RACEWAY SYSTEM TO ABOVE ACCESSIBLE CEILING. SEE EP102 FOR LOCATION OF MULTICHANNEL RACEWAY SYSTEM.
- THESE DOORS SHALL BE CONTROLLED FROM A TIME CLOCK TO BE LOCATED IN ELECTRICAL ROOM 243.

0	ISSUED FOR CONSTRUCTION	10-23-03
REV.	DESCRIPTION	DATE

**ISSUED FOR CONSTRUCTION**  
10-23-03



**SMRT**  
ARCHITECTURE ENGINEERING PLANNING  
144 Fore Street/P.O. Box 618  
Portland, Maine 04104  
tel. (207) 772-3846  
fax. (207) 772-1070

PROJECT: THE GULF OF MAINE RESEARCH INSTITUTE  
PORTLAND, MAINE

SHEET TITLE: SECOND FLOOR SYSTEMS PLAN

SCALE: 1/8" = 1'-0"	DATE: 10-23-03
PROJECT MANAGER: DRL	GRAPHIC SCALE: 0" 1"
JOB CAP/DRAWN: SDL/LAM	
A/E OF RECORD: JPP	SHEET No.
SMRT CAD FILE: EY102-03034	PROJECT No. 03034

A1 SECOND FLOOR PLAN

1/8" = 1'-0"

10-23-03  
EY102