



NOTE:
 SEE ARCHITECTURAL DRAWINGS FOR BUILDING
 RELATED FINISH FLOOR DETAILS. THIS INCLUDES
 INSERTS REQUIRED FOR COLUMN CONNECTION,
 BEARING/SHEAR WALL CONNECTIONS AND
 SEISMIC JOINT.

BAR SIZE	MINIMUM LAP SPLICE LENGTH	HOOK LENGTH
#4	3'-4"	8"
#5	5'-2"	10"
#9	7'-6"	1'-5"
#10	8'-6"	1'-10"

NOTE:
 ALL REBAR SHALL BE EPOXY COATED

811 First Avenue, Suite 570
 Seattle, Washington 98104
 Phone: (206) 624-1387
 Fax: (206) 624-1388
 E-Mail: mail@pnidesa.com

PNIDES
 Incorporated
 CONSULTING ENGINEERS

STATE OF MAINE
 DEPARTMENT OF TRANSPORTATION
 PROJECT NUMBER 009215.00
 PIN 009215.00

DAVID M. PERCE
 P.E. NUMBER 9437
 PROFESSIONAL REGISTERED ENGINEER

DATE: 10/29/05
 SIGNATURE: *David M. Perce*
 P.E. NUMBER: 9437
 DATE: *10/29/05*

PROJ. MANAGER: PAUL POTTLE
 DESIGN-DETAILED: RJJ
 CHECKED-REVIEWED: OT
 DESIGNS-DETAILED: DP
 REVISIONS: 1 PER VAAP 11
 REVISIONS: 2
 REVISIONS: 3
 REVISIONS: 4
 FIELD CHANGES

CITY OF PORTLAND
 OCEAN GATEWAY PHASE 1
 PIER A
 DECK DETAILS