

EDGE MOLDING TBD BY OWNER  
 UNDERLAYMENT TYP  
 SUBFLOORING, SEE STRUCT

ROOF EDGE CURB, HGT TBD IN FIELD TYP  
 ROOF MEMBRANE TYP  
 CONT LAP SEALANT TYP

COVER BOARD TYP, SEE ROOF PLAN FOR 1-HR RATED MATL  
 TAPERED RIGID INSUL TYP  
 RIGID INSUL R-38 TYP  
 ROOF SHEATHING, SEE STRUCT

1'-1 5/8"

PTD MTL ROOF  
 EDGE TRIM TYP,  
 PROVIDE DRIP  
 EDGE AS SHOWN

CONT BUILT-UP  
 BLOCKING TYP,  
 FASTEN TO  
 CURB

PTD SIDING  
 PANEL TYP  
 CONT 2x  
 BLOCKING, RIP  
 ANGLE NAILER  
 CONT SEALANT & BACKER TYP  
 5/4x4 PTD TRIM TYP

TOP SIDING CLOSURE TYP  
 WATER RESISTIVE BARRIER,  
 WRAP OVER TOP OF CURB, LAP  
 UNDER ROOF MEMBRANE TYP

SIDING VARIES  
 EXT SHEATHING TYP  
 5/8" GWB TYPE X

4" BATT INSUL TYP, FIX IN PLACE  
 UNDER ROOF SHEATHING

ROOF JOIST, SEE STRUCT DWGS  
 FILL CAVITY W/ BATT INSUL TYP

VAPOR BARRIER TYP  
 5/8" GWB & RESILIENT CHANNELS  
 @ 16" O.C. TYP

GWB & RESILIENT CHANNELS  
 6" O.C. TYP  
 ATT INSUL TYP  
 CLG NAILER TYP  
 GWB TYP  
 VAPOR BARRIER TYP

**4** TYP ROOF EDGE DTL  
 Scale: 1 1/2" = 1'-0"

SECTION SHOWN, WEST  
 SIM OPP HAND

ROOF EDGE CURB, HGT TBD IN FIELD TYP  
 ROOF MEMBRANE TYP  
 CONT LAP SEALANT TYP

COVER BOARD, 1-HR RATED MATL TYP  
 TAPERED RIGID INSUL  
 RIGID INSUL R-38 TYP  
 5/8" PLYWD DECK, SEE STRUCT

PTD MTL ROOF EDGE  
 TRIM TYP, PROVIDE  
 DRIP EDGE AS  
 SHOWN

WATER RESISTIVE  
 BARRIER, WRAP  
 OVER TOP OF CURB.

RESISTIVE STOP BLOCKING TYP  
 CONCRETE TOPPING SLAB  
 RIGID INSUL  
 CONCRETE SLAB. SEE STRUCT