A SECOND FLOOR LIFE SAFETY PLAN
1/4" = 1'-0"

B Roof Plan
1/4" = 1'-0"

C EXISTING/DEMO THIRD FLOOR
1/4" = 1'-0"

D PROPOSED THIRD FLOOR
1/4" = 1'-0"

DOOR SCHEDULE			
Door Number	Door Type	Door Size	Comments
01	A	32" x 80"	
02	A	32" x 80"	
03	A	2'-6" x 6'-8"	
04	A	2'-4" x 6'-8"	
05	A	2'-6" x 6'-8"	
06	B	64" x 30"	
07	C	1'-6" x 6'-8"	
08	B	72" x 30"	
09	D	30" x 80"	INSUL. EXTERIOR DOOR

DOOR LEGEND
1/4" = 1'-0"

PROVIDE SAFETY GLAZING IN ALL NEW WINDOWS & DOORS. GLAZING ON SOUTH FACADE SHALL HAVE MIN. U-FACTOR OF 0.35 AND SOLAR HEAT GAIN COEFFICIENT (SHGC) OF NOT MORE THAN 0.20 AND A VISUAL TRANSMITTANCE (VT) OF 0.43

LICENSED ARCHITECT
TRACIE J. REED
No. 4139
STATE OF MAINE

W.H. HAMMOND HOUSE
NEW CONSTRUCTION
31 BRACKETT STREET | PORTLAND
ANDREW BOSSIE & GARY WAGNER

DEXTROUS CREATIVE
PORTLAND, ME 04102
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

STRUCTURAL ENGINEER
AL HODSON, III, P.E.
RESURGENCE ENGINEERING
61 INDIA STREET, UNIT 7
PORTLAND, MAINE 04101
Al@resurgenceengineering.com
207.615.9985 (CELL)

No.	Description	Date

PLANS

Project number	14-18
Date	03.11.16
Drawn by	TJR
Checked by	TJR

A-1.1

Scale 1/4" = 1'-0"

3/11/2016 11:25:26 AM