

A Section 1
1/4" = 1'-0"



B Section 2
1/4" = 1'-0"



C Section 3
1/4" = 1'-0"



D REINFORCING DETAIL
1/2" = 1'-0"



E RIDGE DETAIL
1/2" = 1'-0"



F SOUTH WALL DETAIL
1/2" = 1'-0"



1 Roof Framing
1/4" = 1'-0"



H DETAIL @ THIRD FLOOR
1/2" = 1'-0"



G WINDOW SILL DETAIL
1/2" = 1'-0"

WINDOW SCHEDULE

Type	Rough Opening Width	Rough Opening Height	Type	Head Height	Comments
A	2' - 9"	6' - 0"	Casement with Trim	7' - 0"	
B	2' - 9"	6' - 0"	Fixed with Trim		
C	2' - 6"	5' - 0"	Double Hung with Trim	7' - 0"	
D	2' - 0"	2' - 0"	Awning with Trim	7' - 0"	



A | CASEMENT B | CASEMENT C | FIXED W/TRIM D | AWNING W/TRIM

WINDOW LEGEND
1/4" = 1'-0"

PROVIDE SAFETY GLAZING IN ALL NEW WINDOWS & DOORS. GLAZING ON SOUTH FACADE SHALL HAVE MIN. U-FACTOR OF 0.35 AND SOLAR HEAT GAIN COEFFICIENT (SHGC) OF NOT MORE THAN 0.20 AND A VISUAL TRANSMITTANCE (VT) OF 0.43



Inspection Division
Date 04/26/16

LICENSED ARCHITECT
TRACIE J. REED
No. 4139
STATE OF MAINE

W.H. HAMMOND HOUSE
NEW CONSTRUCTION
31 BRACKETT STREET | PORTLAND
ANDREW BOSSIE & GARY WAGNER

DEXTROUS CREATIVE
PORTLAND, ME 04102
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
tracieread@dextrouscreative.com
207.409.0459 (cell)

STRUCTURAL ENGINEER
AL HODSON, III, P.E.
RESURGENCE ENGINEERING
61 INDIA STREET, UNIT 7
PORTLAND, MAINE 04101
Al@resurgenceengineering.com
207.615.9985 (CELL)

No.	Description	Date

SECTIONS AND PERSPECTIVES

Project number	14-18
Date	03.11.16
Drawn by	TJR
Checked by	TJR

A-3.1

Scale As indicated

3/11/2016 11:25:34 AM