Existing Permit
2014-02338

1-2-15

52'-0"

34'-6"

36" High
CONTINUOUS HANDRAIL 1½" DIA.

CRAWL SPACE

CRAWL SPACE

FURNICE

UTILITY ROOM

FINISHED
CEILING Ht.
6'-8"

BACK
SERVICE
STAIRS
* ACCESS FROM
COMMON HALL
FOR SERVICE ONLY

3'-0" Min.

STAIRS UP
1ST FLOOR ACCESS ONLY

7¾ Rizs

10" Run

8'-6"

8'-6"

STORAGE

POWER VENT

3½" LALLY
COLUMNS
W/SPRING FIELD
PLATES

36"
x 36"
LANDING

FINISHED
CEILING Ht. 7'-0"

LAUNDRY/ DEN

D

W

EMERGENCY ESCAPE

18'-3"

FRONT

BASEMENT
AWNING
WINDOW

ALL BASEMENT
WALLS WILL
HAVE 2"
FOAM INSULATIO

NEW
CASEMENT
WINDOW

TEMPERED SAFTY
GLASS

NEW
CASEMENT
WINDOW
Egress unit
20" x 24" CLEAR
opening

CRAWL SPACE

DRIVEWAY

* BASEMENT FLOOR PLAN *

Bob Terenzoni
16 Tate St.
Portland, Me.

SCALE
¼" = 1