DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

VICTORIA SOCIETY OF MAINE WOMEN

Located at

109 DANFORTH ST

PERMIT ID: 2015-01039

ISSUE DATE: 05/19/2015

CBL: 044 F004001

has permission to

Tent event on private property.

Event set up 06/26/15; Breakdown 06/27/15;

20 x 30' Victoria Mansion.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger /s/ Tammy Munson

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Proposed					Permit No:	Date Applied For:	CBL:		
					2015-01039	05/12/2015	044 F0	044 F004001	
					Proposed Project Description:				
Victoria Mansion				Event s	Tent event on private property. Event set up 06/26/15; Breakdown 06/27/15; 20 x 30' Victoria Mansion.				
Dept:	Historic S	Status:	Approved	Reviewer:	Deborah Andrew	s Approval Da	ite: 05/	18/2015	
Note:							Ok to Issu	ie: 🗸	
Condi		Status:	Approved	Reviewer:	Tammy Munson	Approval Da	nte: 05/	13/2015	
Note:	Ç		•		•	• •	Ok to Issu	ıe: 🗸	
Condi	tions:								
Dept:	Building Inspecti	Status:	Approved	Reviewer:	Tammy Munson	Approval Da	ite: 05/	13/2015	
Note:							Ok to Issu	ie: 🗸	
Condi	tions:								
Dept:	Fire 5	Status:	Approved w/Conditions	Reviewer:	Craig Messinger	Approval Da	ite: 05/	18/2015	
Note:							Ok to Issu	ıe: 🗸	
Condi	tions:								

- 1) Fire extinguishers will be required per NFPA 10.
- 2) All tents shall meet the flame propagation performance criteria contained in NFPA 701. A certificate or other evidence of acceptance by an organization acceptable to the AHJ shall serve as evidence that the tent fabric materials have the required flame propagation performance.
- 3) Tents shall have an approved fire resistant rating and maintain 10' between stake lines. No smoking or open flame allowed within 10'. Provide at least one 2A:10 BC fire extinguisher.
- 4) If the sides of the tents are to be enclosed at least two remotely located and marked exits shall be provided.
- 5) Fuel-fired heating equipment and propane tanks shall be installed outside of the tents and not with 5 feet of the tents or an exit discharge.
- 6) Shall meet the requirements of 2009 NFPA 1 Fire Code.

PERMIT ID: 2015-01039 **Located at:** 109 DANFORTH ST **CBL:** 044 F004001