## - NEW VELUX SKYLIGHTS, SEE A-110 VALLEY BEAM — RIDGE BEAM MAIN EAST-WEST RIDGE BEAM -NEW LVL BEAM, SEE STRUCTURAL CONTINUOUS INSULATION AT — ROOF/ATTIC, TYP. TOP OF BUILDING ELEV + 37'-1" EXIST TIMBER BEAM ·------— NEW LVL BEAMS, SEE STRUCTURAL NEW 2 HOUR FIRE—RATED SOFFIT -AT STAIR CORRIDOR, TYP — NEW 2 HOUR FIRE—RATED CEILING AT STAIR CORRIDOR, TYP. — NEW 2 HOUR FIRE—RATED WALL AT STAIR CORRIDOR, TYP. PROVIDE FIRE PROTECTION BETWEEN UNITS AS REQUIRED TO MEET FIRE CODE AND ACOUSTIC ISOLATION REQUIREMENTS, TYP. FINISHED 3RD FLOOR ELEV + 22'-4" CONTINUOUS INSULATION AT EXTERIOR WALLS. SEE WALL TYPES. NEW 2 HOUR FIRE—RATED WALL -AT STAIR CORRIDOR, TYP NEW 2 HOUR FIRE—RATED SOFFIT -AT STAIR CORRIDOR, TYP NEW LVI. BEAM TYP., SEE STRUCTURAL FINISHED 2ND FLOOR ELEV + 11'-2" PROBE PORTICO CONSTRUCTION — EXISTING BROWN SANDSTONE BEAM — NEW MAILBOXES — NEW LVL BEAM TYP., $^{\textstyle extstyle }$ SEE STRUCTURAL

## CROSS SECTION AT RESIDENTIAL ENTRY

## 660-662 CONGRESS STREET

PORTLAND, MAINE

ARCHITECT:
PRESENT ARCHITECTURE PLLC


356 S 1ST ST, #32 BROOKLYN, NEW YORK 11211 T: (207) 449-8513

CONTRACTOR: BAYHILL BUILDING & DESIGN


P.O. BOX 179 SOUTH FREEPORT, ME 04078 T: (207) 865-9351

STRUCTURAL ENGINEER: ENGINEERING DESIGN PROFESSIONALS

P.O. BOX 575 FREEPORT, ME 04032 T: (207) 865-9505



2	5/15/2013	PHASE 1 PERMIT IS
1	3/28/2013	HPCA SET
NO.	DATE	ISSUE





B-SCAN:

DWG. CONTENTS:

**BUILDING SECTION** 

DATE:
SCALE: 1/4" = 1'DWG. BY:
PROJECT NO.: 008

1/4" = 1'-0"

**A-300** 

SHEET NO.: