


3 EXISTING AND PROPOSED ENTRY SIDE ELEVATIONS
SCALE: 1/4 = 1'-0"



REPLACE SIDING AT GRADE WITH NEW STARTER COURSE —TYP.



KEYED NOTES ON ELEVATION

1. EXISTING SHED TO REMAIN AND BE MODIFIED PER PROPOSED ELEVS. 2. THIRD FLOOR FACADE IS SET BACK 35', NOT IN CONTRACT. 3. EXISTING BRICK FACADE NIC.

4. EXISTING BULKHEAD NIC.

5. EXISTING FENCE TO REMAIN (SEE PHOTOS)

EXISTING ENTRY /MUD ROOM EXTERIOR ELEVATIONS

SHED/MUD ROOM EXTERIOR: REMOVE EXISTING DOOR, WINDOWS, AND SIDING AT WINDOW LEVEL. NEW DOOR IN EXISTING LOCATION: JELD-WEN FULLY GLAZED 34 X 6'-6 SITELINE EX CLAD SINGLE INSWING. AURALAST PINE PAINTED INTERIOR - OR APPROVED EQUAL. SKYLIGHTS: VELUX MO8 FIXED LOW-PROFILE WITH EKL COMBI-FLASHING WINDOWS: REPLACE EXISTING WINDOWS AND INSTALL NEW: PELLA IMPERVIA FIBERGLASS CASEMENTS PER WINDOW SCHEDULE. INSULATE WALLS, FLOOR, ROOF FROM INTERIOR TO CODE SIDING: KEEP REPAIR/REPLACE SIDING AS REQUIRED TO MATCH EXISTING; REPAINT. REPLACE FIRST WO COURSES WITH 5/4 X 8 IMPERMEABLE STARTER COURSE AT GRADE PAINTED WOOD TRIM AROUND/BETWEEN WINDOWS. ROOFING: NEW RUBBER ROOFING TO MATCH EXISTING; COPPER GUTTER DOWNSPOUT TO REMAIN

PROPOSED ENTRY /MUD ROOM EXTERIOR ELEVATIONS

GRANITE AND WOOD STEPS TO REMAIN





32 Sawyer Street Portland Maine 04103 w.207.899.1845 c.207.6215.6564 newman.liz@gmail.com

Mateosian Family Home

143 Spring Street Portland, Maine 04101 Drawing Title

> Exterior Elevations

AS NOTED APRIL 30, 2013 Date Project No. 12.09 Drawing No.